

ABSTRAK

Setiap ibu meninggal setiap jamnya akibat komplikasi kehamilan. Dengan kata lain, lebih dari 9.500 ibu di Indonesia meninggal setiap tahun. Di Jawa Barat pada tahun 2017 angka kematian ibu sebesar 81/100.000 kelahiran hidup dan angka kematian bayi 43,40/1000 kelahiran hidup. Penyebab langsung AKI adalah perdarahan 45%, infeksi 15%, dan eklamsi 13%. Penelitian ini menggunakan metode deskriptif. Populasi dalam penelitian ini seluruh pasien bidan yang diobservasi di Kecamatan Cimahi dengan jumlah 5 bidan. Pengumpulan data menggunakan lembar observasi. Analisa data yang digunakan adalah analisa univariat dengan menggunakan rumus mean. Hasil penelitian menunjukkan bahwa hampir seluruh bidan yaitu 4 dari 5 bidan yang memberikan asuhan sesuai standar minimal 10T. Berdasarkan hasil penelitian tersebut maka disarankan kepada bidan agar meningkatkan kualitas pelayanan ANC.

Kata Kunci : Asuhan Standar Minimal 10 T

ABSTRACT

Every mother dies every hour from complications of pregnancy. In other words, more than 9,500 mothers in Indonesia die every year. In West Java in 2017, the maternal mortality rate was 81 / 100,000 live births and the infant mortality rate was 43.40 / 1000 live births. The direct causes of AKI are bleeding 45%, infection 15%, and eclampsia 13%. This research uses a descriptive method. The population in this study were all midwife patients who were observed in Cimahi District with a total of 5 midwives. Data collection using the observation sheet. The data analysis used was univariate analysis using the mean formula. The results showed that almost all midwives, namely 4 out of 5 midwives who provide care according to the minimum standard of 10T. Based on the results of this study, it was suggested to midwives to improve the quality of ANC services.

Keywords: Minimum 10 T Standard Care