

DAFTAR PUSTAKA

- Akinyemi, A. J., Thome, G. R., Morsch, V. M., Stefanello, N., Goularte, J. F., Belló-Klein, A., Oboh, G., & Schetinger, M. R. C. (2015). Effect of dietary supplementation of ginger and turmeric rhizomes on angiotensin-1 converting enzyme (ACE) and arginase activities in L-NAME induced hypertensive rats. *Journal of Functional Foods*, 17, 792–801. <https://doi.org/10.1016/j.jff.2015.06.011>
- Alafiatayo, A. A., Lai, K. S., Syahida, A., Mahmood, M., & Shaharuddin, N. A. (2019). Phytochemical Evaluation, Embryotoxicity, and Teratogenic Effects of *Curcuma longa* Extract on Zebrafish (*Danio rerio*). *Evidence-Based Complementary and Alternative Medicine*, 2019. <https://doi.org/10.1155/2019/3807207>
- Aminunsyah, D., Dalimunthe, A., & Harahap, U. (2014). Antihypertensive effect of ethanol extract of *Solanum sanitwongsei* craib. Fruit in hypertensive wistar rats. *International Journal of ChemTech Research*, 6(11), 4890–4893.
- Avanço, G. B., Ferreira, F. D., Bomfim, N. S., Peralta, R. M., Brugnari, T., Mallmann, C. A., de Abreu Filho, B. A., Mikcha, J. M. G., & Machinski Jr, M. (2017). *Curcuma longa* L. essential oil composition, antioxidant effect, and effect on *Fusarium verticillioides* and fumonisin production. *Food Control*, 73, 806–813.
- Baradaran, A., Nasri, H., & Rafieian-Kopaei, M. (2014). Oxidative stress and hypertension: Possibility of hypertension therapy with antioxidants. *Journal of Research in Medical Sciences: The Official Journal of Isfahan University of Medical Sciences*, 19(4), 358.
- Bell, K., Twiggs, J., & Olin, B. R. (2018). *Hypertension : The Silent Killer : Updated JNC-8 Guideline Recommendations*.
- Berlin, D. A., & Bakker, J. (2015). Starling curves and central venous pressure. *Critical Care*, 19(1), 55.
- Bernatova, I. (2014). Endothelial dysfunction in experimental models of arterial hypertension: cause or consequence? *BioMed Research International*, 2014.
- Boonla, O., Kukongviriyapan, U., Pakdeechote, P., Kukongviriyapan, V., Pannangpetch, P., Prachaney, P., & Greenwald, S. E. (2014). Curcumin improves endothelial dysfunction and vascular remodeling in 2K-1C hypertensive rats by raising nitric oxide availability and reducing oxidative stress. *Nitric Oxide - Biology and Chemistry*, 42, 44–53. <https://doi.org/10.1016/j.niox.2014.09.001>
- Bunbupha, S., Pakdeechote, P., Kukongviriyapan, U., Prachaney, P., & Kukongviriyapan, V. (2014). Asiatic acid reduces blood pressure by enhancing nitric oxide bioavailability with modulation of eNOS and p47phox expression in L-NAME-induced hypertensive rats. *Phytotherapy Research*, 28(10), 1506–1512. <https://doi.org/10.1002/ptr.5156>

- Bunbupha, S., Prachaney, P., Kukongviriyapan, U., Kukongviriyapan, V., Welbat, J. U., & Pakdeechote, P. (2015). Asiatic acid alleviates cardiovascular remodelling in rats with L-NAME-induced hypertension. *Clinical and Experimental Pharmacology and Physiology*, 42(11), 1189–1197. <https://doi.org/10.1111/1440-1681.12472>
- Cecelja, M., & Chowienczyk, P. (2009). Dissociation of aortic pulse wave velocity with risk factors for cardiovascular disease other than hypertension: a systematic review. *Hypertension*, 54(6), 1328–1336.
- Chisholm-Burns, M. A., Schwinghammer, T. L., Wells, B. G., Malone, P. M., Kolesar, J. M., & DiPiro, J. T. (2016). *Pharmacotherapy Principles & Practice* (Fourth Edi).
- Cocciolone, A. J., Hawes, J. Z., Staiculescu, M. C., Johnson, E. O., Murshed, M., & Wagenseil, J. E. (2018). Elastin, arterial mechanics, and cardiovascular disease. *American Journal of Physiology - Heart and Circulatory Physiology*, 315(2), H189–H205. <https://doi.org/10.1152/ajpheart.00087.2018>
- Crackower, M. A., Sarao, R., Oudit, G. Y., Yagil, C., Kozieradzki, I., Scanga, S. E., Oliveira-dos-Santos, A. J., da Costa, J., Zhang, L., & Pei, Y. (2002). Angiotensin-converting enzyme 2 is an essential regulator of heart function. *Nature*, 417(6891), 822.
- Dall'Acqua, S., Stocchero, M., Boschiero, I., Schiavon, M., Golob, S., Uddin, J., Voinovich, D., Mammi, S., & Schievano, E. (2016). New findings on the in vivo antioxidant activity of Curcuma longa extract by an integrated 1 H NMR and HPLC-MS metabolomic approach. *Fitoterapia*, 109, 125–131. <https://doi.org/10.1016/j.fitote.2015.12.013>
- DeMers, D., & Wachs, D. (2019). Physiology, mean arterial pressure. In *StatPearls [Internet]*. StatPearls Publishing.
- Fei, Y. (2020). Understanding the association between mean arterial pressure and mortality in young adults. *Postgraduate Medical Journal*, 49–50. <https://doi.org/10.1136/postgradmedj-2020-137751>
- Ferrario, C. M., & Varagic, J. (2010). The ANG-(1–7)/ACE2/mas axis in the regulation of nephron function. *American Journal of Physiology-Renal Physiology*, 298(6), F1297–F1305.
- Fleenor, B. S., Sindler, A. L., Marvi, N. K., Howell, K. L., Zigler, M. L., Yoshizawa, M., & Seals, D. R. (2013). Curcumin ameliorates arterial dysfunction and oxidative stress with aging. *Experimental Gerontology*, 48(2), 269–276.
- Fung, Y. (2013). *Biomechanics: mechanical properties of living tissues*. Springer Science & Business Media.
- Greenwald, S. E. (2007). Ageing of the conduit arteries. *The Journal of Pathology: A Journal of the Pathological Society of Great Britain and Ireland*, 211(2), 157–172.

- Gupta, A., Mahajan, S., & Sharma, R. (2015). Evaluation of antimicrobial activity of Curcuma longa rhizome extract against Staphylococcus aureus. *Biotechnology Reports*, 6, 51–55. <https://doi.org/10.1016/j.btre.2015.02.001>
- Hasimun, P., Mulyani, Y., Sulaeman, A., & Saraswati, D. A. E. (2019). *Research Article Prevention of Hypertension and Arterial Stiffness by Combination of Centella asiatica and Curcuma longa in Rats*.
- Hewajuli, D. A., & Dharmayanti. (2014). Perkembangan Teknologi Reverse Transcriptase-Polymerase Chain Reaction dalam Mengidentifikasi Genom Avian Influenza dan Newcastle Diseases The Advance of Technology of Reverse Transcriptase-Polymerase Chain Reaction in Identifying the Genome of Avian Infl. *Wartazoa*, 24(1), 16–29.
- Hong, D., Zeng, X., Xu, W., Ma, J., Tong, Y., & Chen, Y. (2010). Altered profiles of gene expression in curcumin-treated rats with experimentally induced myocardial infarction. *Pharmacological Research*, 61(2), 142–148. <https://doi.org/10.1016/j.phrs.2009.08.009>
- Hussaana, A., Sarosa, H., Indrayani, U. D., Chodidjah, C., Widiyanto, B., & Pertiwi, D. (2017). Formula Jamu Antihipertensi and captopril are equally effective in patients with hypertension. *Universa Medicina*, 35(2), 81. <https://doi.org/10.18051/univmed.2016.v35.81-88>
- Hussain, M. A., Al Mamun, A., Reid, C., & Huxley, R. R. (2016). Prevalence, awareness, treatment and control of hypertension in Indonesian adults aged ≥ 40 years: findings from the Indonesia Family Life Survey (IFLS). *PloS One*, 11(8).
- Hwang, K. W., Son, D., Jo, H. W., Kim, C. H., Seong, K. C., & Moon, J. K. (2016). Levels of curcuminoid and essential oil compositions in turmeric (Curcuma longa L.) grown in Korea. *Applied Biological Chemistry*, 59(2), 209–215. <https://doi.org/10.1007/s13765-016-0156-9>
- Illuri, R., Bethapudi, B., Anandakumar, S., Murugan, S., A Joseph, J., Mundkinajeddu, D., & Agarwal, A. (2015). Anti-Inflammatory activity of polysaccharide fraction of curcuma longa extract (NR-INF-02). *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Inflammatory and Anti-Allergy Agents)*, 14(1), 53–62.
- Inoue, K., Nomura, C., Ito, S., Nagatsu, A., Hino, T., & Oka, H. (2008). Purification of curcumin, demethoxycurcumin, and bisdemethoxycurcumin by high-speed countercurrent chromatography. *Journal of Agricultural and Food Chemistry*, 56(20), 9328–9336.
- Jusman, S. A., & Halim, A. (2010). Oxidative stress in liver tissue of rat induced by chronic systemic hypoxia. *Makara Journal of Health Research*, 34–38.
- Kim, W. J., Park, C. Y., Park, S. E., Rhee, E. J., Lee, W. Y., Oh, K. W., Park, S. W., Kim, S. W., & Song, S. J. (2012). The association between regional arterial

- stiffness and diabetic retinopathy in type 2 diabetes. *Atherosclerosis*, 225(1), 237–241. <https://doi.org/10.1016/j.atherosclerosis.2012.08.034>
- Klimas, J., Olvedy, M., Ochodnicka-Mackovicova, K., Kruzliak, P., Cacanyiova, S., Kristek, F., Krenek, P., & Ochodnický, P. (2015). Perinatally administered losartan augments renal ACE2 expression but not cardiac or renal Mas receptor in spontaneously hypertensive rats. *Journal of Cellular and Molecular Medicine*, 19(8), 1965–1974. <https://doi.org/10.1111/jcmm.12573>
- Kumar, A., Singh, A. K., Kaushik, M. S., Mishra, S. K., Raj, P., Singh, P. K., & Pandey, K. D. (2017). Interaction of turmeric (*Curcuma longa* L.) with beneficial microbes: a review. *3 Biotech*, 7(6), 1–8. <https://doi.org/10.1007/s13205-017-0971-7>
- Lekshmi, P. C., Arimboor, R., Nisha, V. M., Menon, A. N., & Raghu, K. G. (2014). In vitro antidiabetic and inhibitory potential of turmeric (*Curcuma longa* L) rhizome against cellular and LDL oxidation and angiotensin converting enzyme. *Journal of Food Science and Technology*, 51(12), 3910–3917. <https://doi.org/10.1007/s13197-013-0953-7>
- Levy, B. I., Michel, J. B., Salzmann, J. L., Devissaguet, M., & Safar, M. E. (1991). Remodeling of heart and arteries by chronic converting enzyme inhibition in spontaneously hypertensive rats. *American Journal of Hypertension*, 4(3_Pt_2), 240S–245S.
- Li, R., Xiang, C., Ye, M., Li, H.-F., Zhang, X., & Guo, D.-A. (2011). Qualitative and quantitative analysis of curcuminoids in herbal medicines derived from *Curcuma* species. *Food Chemistry*, 126(4), 1890–1895.
- Li, S. (2011). Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa* L.). *Pharmaceutical Crops*, 5(1), 28–54. <https://doi.org/10.2174/2210290601102010028>
- Liu, C. S., Li, C. I., Shih, C. M., Lin, W. Y., Lin, C. H., Lai, S. W., Li, T. C., & Lin, C. C. (2011). Arterial stiffness measured as pulse wave velocity is highly correlated with coronary atherosclerosis in asymptomatic patients. *Journal of Atherosclerosis and Thrombosis*, 18(8), 652–658. <https://doi.org/10.5551/jat.7021>
- London, G. M., Pannier, B., Vicaud, E., Guérin, A. P., Marchais, S. J., Safar, M. E., & Cuche, J.-L. (1996). Antihypertensive effects and arterial haemodynamic alterations during angiotensin converting enzyme inhibition. *Journal of Hypertension*, 14(9), 1139–1146.
- Lundberg, J. O., Weitzberg, E., & Gladwin, M. T. (2008). The nitrate-nitrite-nitric oxide pathway in physiology and therapeutics. *Nature Reviews Drug Discovery*, 7(2), 156–167. <https://doi.org/10.1038/nrd2466>
- Maneesai, P., Bunbupha, S., Kukongviriyapan, U., Prachaney, P., Tangsucharit, P., Kukongviriyapan, V., & Pakdeechote, P. (2016). Asiatic acid attenuates renin-angiotensin system activation and improves vascular function in high-

- carbohydrate, high-fat diet fed rats. *BMC Complementary and Alternative Medicine*, 16(1), 1–11. <https://doi.org/10.1186/s12906-016-1100-6>
- Maneesai, P., Prasarttong, P., Bunbupha, S., Kukongviriyapan, U., Kukongviriyapan, V., Tangsucharit, P., Prachaney, P., & Pakdeechote, P. (2016). Synergistic antihypertensive effect of carthamus tinctorius L. extract and captopril in L-NAME-induced hypertensive rats via restoration of eNOS and AT1R expression. *Nutrients*, 8(3), 1–14. <https://doi.org/10.3390/nu8030122>
- Marica Bakovic, N. H. (2015). Biologically Active Triterpenoids and Their Cardioprotective and Anti- Inflammatory Effects. *Journal of Bioanalysis & Biomedicine*, 01(s12). <https://doi.org/10.4172/1948-593x.s12-005>
- Mayet, J., & Hughes, A. (2003). Pathophysiology in hypertension. *Heart Journal*, 89, 1104–1109. www.heartjnl.com
- Mohammed, A. (2017). *Hypoglycemic Activity of Curcuma longa Linn Root Extracts on Alloxan Induced Diabetic Rats*. *Hypoglycemic Activity of Curcuma longa Linn Root Extracts on Alloxan Induced Diabetic Rats*. March. <https://doi.org/10.21276/haya.2017.2.2.4>
- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., de Ferranti, S., Després, J.-P., Fullerton, H. J., & Howard, V. J. (2015). Forecasting the future of cardiovascular disease in the United States: a policy statement from the American Heart Association. *Circulation*, 131(4), e29–e322.
- Nakmareong, S., Kukongviriyapan, U., Pakdeechote, P., Donpunha, W., Kukongviriyapan, V., Kongyingoes, B., Sompamit, K., & Phisalaphong, C. (2011). Antioxidant and vascular protective effects of curcumin and tetrahydrocurcumin in rats with L-NAME-induced hypertension. *Naunyn-Schmiedeberg's Archives of Pharmacology*, 383(5), 519–529. <https://doi.org/10.1007/s00210-011-0624-z>
- Nakmareong, S., Kukongviriyapan, U., Pakdeechote, P., Kukongviriyapan, V., Kongyingoes, B., Donpunha, W., Prachaney, P., & Phisalaphong, C. (2012). Tetrahydrocurcumin alleviates hypertension, aortic stiffening and oxidative stress in rats with nitric oxide deficiency. *Hypertension Research*, 35(4), 418–425. <https://doi.org/10.1038/hr.2011.180>
- Ng, K., Butlin, M., & Avolio, A. P. (2012). Persistent effect of early, brief angiotensin-converting enzyme inhibition on segmental pressure dependency of aortic stiffness in spontaneously hypertensive rats. *Journal of Hypertension*, 30(9), 1782–1790.
- Ochodnický, P., Mesáros, L., Černecká, H., Klimas, J., Krenek, P., Goris, M., Van Dokkum, R. P. E., Henning, R. H., & Kyselovic, J. (2014). Pioglitazone, a PPAR γ agonist, provides comparable protection to angiotensin converting enzyme inhibitor ramipril against adriamycin nephropathy in rat. *European Journal of Pharmacology*, 730(1), 51–60. <https://doi.org/10.1016/j.ejphar.2014.02.023>
- Palombo, C., & Kozakova, M. (2016). Arterial stiffness, atherosclerosis and

cardiovascular risk: pathophysiologic mechanisms and emerging clinical indications. *Vascular Pharmacology*, 77, 1–7.

- Pfeifer, M., Townsend, R. R., Davies, M. J., Vijapurkar, U., & Ren, J. (2017). Effects of canagliflozin, a sodium glucose co-transporter 2 inhibitor, on blood pressure and markers of arterial stiffness in patients with type 2 diabetes mellitus: A post hoc analysis. *Cardiovascular Diabetology*, 16(1), 1–9.
- Prasad, S., & Aggarwal, B. B. (2011). *Turmeric, the golden spice: from traditional medicine to modern medicine*.
- Puttaiah, K., Harshan, H. R., Nitin, M. S., Kumar, S., & Lingam, Y. (2016). A simple binary reverse phase high performance liquid chromatographic method for the determination of curcumin, demethoxycurcumin, and bisdemethoxycurcumin.
- Ravindran, P. N., Babu, K. N., & Sivaraman, K. (2007). *Turmeric: the genus Curcuma*. CRC press.
- Riskesdas. (2018). *HASIL UTAMA RISKESDAS 2018Kesehatan, Kementerian*.
- Sangartit, W., Kukongviriyapan, U., Donpunha, W., Pakdeechote, P., Kukongviriyapan, V., Surawattanawan, P., & Greenwald, S. E. (2014). Tetrahydrocurcumin protects against cadmium-induced hypertension, raised arterial stiffness and vascular remodeling in mice. *PloS One*, 9(12), e114908.
- Sawant, R. S., & Godghate, A. G. (2013). Qualitative phytochemical screening of rhizomes of *Curcuma longa* Linn. *International Journal of Science, Environment and Technology*, 2(4), 634–641.
- Setyorini, H. A., Kurniatri, A. A., Adelina, R., & Adelina, A. (2016). Karakterisasi Mutu Ekstrak Daun Sirsak (*Annona muricata* L.) dari Tiga Tempat Tumbuh. *Buletin Penelitian Kesehatan*, 44(4), 279–286.
- Shahin, Y., Khan, J. A., & Chetter, I. (2012). Angiotensin converting enzyme inhibitors effect on arterial stiffness and wave reflections: A meta-analysis and meta-regression of randomised controlled trials. *Atherosclerosis*, 221(1), 18–33. <https://doi.org/10.1016/j.atherosclerosis.2011.12.005>
- Shrishail, D., Handral Harish, K., Ravichandra, H., Tulsianand, G., & Shruthi, S. D. (2013). Turmeric: Nature's precious medicine. *Asian Journal of Pharmaceutical and Clinical Research*, 6(3), 10–16.
- Siddiqui, M. A. (2018). Arterial Stiffness as an Antecedent in the Pathogenesis of Primary Hypertension. *Research & Reviews: A Journal of Health Professions*, 7(3), 9–13.
- Smulyan, H., Mookherjee, S., & Safar, M. E. (2016). The two faces of hypertension: Role of aortic stiffness. *Journal of the American Society of Hypertension*, 10(2), 175–183. <https://doi.org/10.1016/j.jash.2015.11.012>

- Stanojević, J. S., Stanojević, L. P., Cvetković, D. J., & Danilović, B. R. (2015). Chemical composition, antioxidant and antimicrobial activity of the turmeric essential oil (*Curcuma longa* L.). *Advanced Technologies*, 4(2), 19–25.
- Sukandar, E. Y., Permana, H., Adnyana, I. K., Sigit, J. I., Ilyas, R. A., Hasimun, P., & Mardiyah, D. (2010). Clinical study of turmeric (*Curcuma longa* L.) and garlic (*Allium sativum* L.) extracts as antihyperglycemic and antihyperlipidemic agent in type-2 diabetes-dyslipidemia patients. *Int J Pharmacol*, 6(4), 456–463.
- Sun, Z. (2015). Aging, arterial stiffness, and hypertension. *Hypertension*, 65(2), 252–256.
- Susilowati, R., Rahmawati, N., & Nugroho, A. E. (2014). Gastroprotective effects of combination of hot water extracts of turmeric (*Curcuma domestica* L.), cardamom pods (*Ammomum compactum* S.) and sembung leaf (*Blumea balsamifera* DC.) against aspirin-induced gastric ulcer model in rats. *Asian Pacific Journal of Tropical Biomedicine*, 4, S500–S504.
- Taoheed, A., Tolulope, A., Saidu, A., Odewumi, O., Sunday, R., & Usman, M. (2017). Phytochemical Properties, Proximate and Mineral Composition of *Curcuma longa* Linn. and *Zingiber officinale* Rosc.: A Comparative Study. *Journal of Scientific Research and Reports*, 13(4), 1–7. <https://doi.org/10.9734/jsrr/2017/32623>
- Topouchian, J., Labat, C., Gautier, S., Bäck, M., Achimastos, A., Blacher, J., Cwynar, M., De La Sierra, A., Pall, D., Fantin, F., Farkas, K., Garcia-Ortiz, L., Hakobyan, Z., Jankowski, P., Jelakovic, A., Kobalava, Z., Konradi, A., Kotovskaya, Y., Kotsani, M., ... Asmar, R. (2018). Effects of metabolic syndrome on arterial function in different age groups: The Advanced Approach to Arterial Stiffness study. *Journal of Hypertension*, 36(4), 824–833. <https://doi.org/10.1097/HJH.0000000000001631>
- Tungmunthum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: An overview. *Medicines*, 5(3), 93.
- VERMA, S. C., JAIN, C. L., RANI, R., PANT, P., SINGH, R., PADHI, M. M., & DEVALLA, R. B. (2012). Simple and Rapid Method for Identification of *Curcuma Longa* Rhizomes by Physicochemical and HPTLC Fingerprint Analysis. *Chemical Science Transactions*, 1(3), 709–715. <https://doi.org/10.7598/cst2012.203>
- Wagenseil, J. E., & Mecham, R. P. (2012). Elastin in large artery stiffness and hypertension. *Journal of Cardiovascular Translational Research*, 5(3), 264–273. <https://doi.org/10.1007/s12265-012-9349-8>
- Wahyuningtyas, S.E.P., Permana, I.D.G.M., Wiadnyani, A. A. I. S. (2017). Pengaruh Jenis Pelarut Terhadap Kandungan Senyawa Kurkumin Dan Aktivitas Antioksidan Ekstrak Kunyit (*Curcuma domestica* Val.) The Effect of The Kinds of Solvent to Curcumin Content and Antioxidant Activity of The Extract Turmeric (*Curcuma domestica* Val.). *Itepa*, 6(2), 61–70.

<https://ojs.unud.ac.id/index.php/itepa/article/view/36950/22387>

- Wang, X., Kim, J. R., Lee, S. B., Kim, Y. J., Jung, M. Y., Kwon, H. W., & Ahn, Y. J. (2014). Effects of curcuminoids identified in rhizomes of *Curcuma longa* on BACE-1 inhibitory and behavioral activity and lifespan of Alzheimer's disease *Drosophila* models. *BMC Complementary and Alternative Medicine*, 14. <https://doi.org/10.1186/1472-6882-14-88>
- WHO. (2018). monitoring health for the SDGs, sustainable development goals. In *World Health Organization 2018*.
- Wientarsih, I. (2012). Aktivitas penyembuhan luka oleh gel fraksi etil asetat rimpang kunyit pada mencit hiperglikemik. *Veteriner*, 13(3), 251–256.
- Williamson, C. R., Khurana, S., Nguyen, P., Byrne, C. J., & Tai, T. C. (2017). Comparative Analysis of Renin-Angiotensin System (RAS)-Related Gene Expression Between Hypertensive and Normotensive Rats. *Medical Science Monitor Basic Research*, 23, 20–24. <https://doi.org/10.12659/msmbr.901964>
- Yadav, R. P., & Tarun, G. (2017). Versatility of turmeric: A review the golden spice of life. *Journal of Pharmacognosy and Phytochemistry*, Vol. 6 (1)(1), 41-46 pp. <https://doi.org/ISSN: 2278-4136>
- YAO, G., FU, J., & HAN, G. (2010). Comparative study on the antihyperlipidemic and antioxidative effects of curcumin and simvastatin [J]. *Chinese Journal of Hospital Pharmacy*, 3.
- Yao, Y., Wang, W., Li, M., Ren, H., Chen, C., Wang, J., Wang, W. E., Yang, J., & Zeng, C. (2016). Curcumin Exerts its Anti-hypertensive Effect by Down-regulating the AT1 Receptor in Vascular Smooth Muscle Cells. *Scientific Reports*, 6(February), 1–8. <https://doi.org/10.1038/srep25579>
- Yousefi, M., Yaseri, M., Nabizadeh, R., Hooshmand, E., Jalilzadeh, M., Mahvi, A. H., & Mohammadi, A. A. (2018). Association of Hypertension, Body Mass Index, and Waist Circumference with Fluoride Intake; Water Drinking in Residents of Fluoride Endemic Areas, Iran. *Biological Trace Element Research*, 185(2), 282–288. <https://doi.org/10.1007/s12011-018-1269-2>