

## DAFTAR PUSTAKA

- A. Giacometti, O. Cirioni, R. Ghiselli, L. Goffi, F. Mocchegiani, A. Riva, G. Scalise, and V. Saba, Polycationic peptides as prophylactic agents against methicillin-susceptible or methicillin-resistant *Staphylococcus epidermidis* vascular graft infection. *Antimicrob. Agents Chemother.* 44, 3306 (2000).
- A. P. Wang, Y. P. Su, S. Wang, M. Q. Shen, F. Chen, M. Chen, X. Z. Ran, T. M. Chen, and J. P. Wang, Antibacterial activity and mechanism of recombinant human ———-defensin 5 against clinical antibiotic-resistant strains, *Afr. J. Microbiol. Res.* 4, 626 (2010).
- A.N. Shipway, E. Katz, I. Willner, *Chem. Phys. Chem.* 1 (2000) 18–52.
- Abed N, Couvreur P, Nanocarriers for antibiotics: a promising solution to treat intracellular bacterial infections, *Int J Antimicrob Agents*, 43, 2014, 485–496.
- Ammon, H.P.T., Wahl, M.A. 1991. Pharmacology of curcumin. *Planta. Med.* 57, 1-7. DOI: 10.1055/ s2006-960004.
- Avadi, M.R., Assal M.M.S., Nasser M., Saideh A., Fatemeh A., Rassoul D., dan Moreza R. Preparation and Characterization of Insulin Nanoparticles using Chitosan and Arabic Gum with Ionic Gelation Method. *Nanomedicine; nanotechnology, Biology and Medicine* 6. 2010
- B. Hong, J. Kai, Y. Ren, J. Han, Z. Zou, C. H. Ahn, and K. A. Kang, Part VII-Nano-Bio Technology-30 Highly sensitive rapid, reliable, and automatic cardiovascular disease diagnosis with nanoparticle fluorescence enhancer and MEMS. *Adv. Exp. Med. Biol.* 614, 265 (2008).
- Bae DH, Yeon JH, Park SY, Bactericidal Effect of CaO (ScallopShell powder) on Foodborne Pathogenic Bacteria, *Archives of Pharmacal Research*, 29, 2006, 298-301.
- Bera, B. Nanoporous silicon prepared by vapour phase strain etch and sacrificial technique. In *Proceedings of the International Conference on Microelectronic Circuit and System (Micro)*, Kolkata, India, 11–12 July 2015; pp. 42–45.
- Bergstresser PRr, Egelstein WH. Irritation by hydrophilic ointment under occlusion. *Arch Dermatol* 1973; 108: 218-219.
- Bernkop-Schnurch, A. Thiomers: a new generation of mucoadhesive polymers, *Adv. Drug Deliv*: 2005
- Butt AR, Ejaz S, Baron JC, Ikram M, Ali S, CaO nanoparticles as a potential drug delivery agent for biomedical applications, *Digest Journal of Nanomaterials and Biostructures*, 10, 2015, 799 – 809
- C. F. Chau, S. H. Wu, and G. C. Yen, The development of regulations for food nanotechnology. *Trends in Food Sci. Technol.* 18, 269 (2007).
- C. Perez, M. Paul, and P. Bazerque, An antibiotic assay by the agar well diffusion method. *Acta Bio. Med. Exp.* 15, 113 (1990).
- CLSI, Clinical and Laboratory Standards Institute, Performance standards for

- antimicrobial susceptibility testing. Seventeenth informational supplement. Document M100-S17 Wayne, PA (2007).
- D.Shailendiran, N Pawar, A Chanchal, Pandey, R.P., H.B. Bohidar, A.K. Verma. Department of Biotechnology, Rajalakshmi Engineering College, Thandalam, Chennai € Nanomaterials and Nanocomposite Laboratory, School of Physical Sciences, J.N.U, New Delhi \*¥ Corresponding author: Nanobiotech Lab, Kirori Mal College, University of Delhi, Delhi-110007
- Du J, Li X, Zhao H, Zhou Y, Wang L, Tian S, Wang Y. Nanosuspensions of poorly water-soluble drugs prepared by bottom-up technologies. *Int J Pharm.* 2015; 495: 738-749. [CrossRef]
- Fitriani Y.N, Cikra INHS, Yuliaty N, & Aryantini D. 2015. Formulasi and Evaluasi Stabilitas Fisik Suspensi Ubi Cilembu (*Ipomea batatas* L.) dengan *Suspending Agent* CMC Na dan PGS Sebagai Antihiperkolesterol. *Jurnal Farmasi Sains Dan Terapan*, 2(1). pp.22-16.
- Fulton J.E, Bradley S, Aquindex A et al., Non-comedogenic cosmetics. *Cutis.* 1976. 17: 344-351.
- G Kaur, N Tirkey, S Bharrhan, V Chanana, P Rishi and K Chopra, Inhibition of oxidative stress and cytokine activity by curcumin in amelioration of endotoxin-induced experimental hepatotoxicity in rodents. *Clinical and Experimental Immunology* 145, 313-321. (2006). PMID:16879252
- G. Ren, D. Hu, E. W. C. Cheng, M. A. Vargas-Reus, P. Reip, and R. P. Allaker, Characterisation of copper oxide nanoparticles for antimicrobial applications. *Int. J. Antimicrob. Agents* 33, 587 (2009).
- Gao, L., Zhang, D., Chen, M., Zheng, T., Wang, S., 2007. Preparation and characterization of an oridonin nanosuspension for solubility and dissolution velocity enhancement. *Drug Dev. Ind. Pharm.* 33, 1332–1339.
- Gedda G, Pandey S, Yu-Chih Lina, Hui-Fen Wu, Antibacterial effect of calcium oxide nano-plates fabricated from shrimp shells, *The Royal Society of Chemistry Green Chem*, 2015, DOI: 10.1039/c5gc00615e 9
- Gooch, J.W. Polydispersity. In *Encyclopedic Dictionary of Polymers*; Springer: New York, NY, USA, 2011; p. 556
- J. M. Conlon, J. Kolodziejek, and N. Nowotny, Antimicrobial peptides from ranid frogs: Taxonomic and phylogenetic markers and a potential source of new therapeutic agents. *Biochim. Biophys. Acta* 1696, 1 (2004).
- J. Sawai and T. Yoshikaw, Quantitative evaluation of antifungal activity of metallic oxide powders (MgO, CaO and ZnO) by an indirect conductimetric assay. *J. Appl. Microbiol.* 96, 803 (2004).
- J. Sawai, H. Igarashi, A. Hashimoto, T. Kokugan, and M. Shimizu, Effect of particle size and heating temperature of ceramic powders on antibacterial activity of their slurries. *J. Chem. Eng. Jpn.* 29, 251 (1996).
- J. Sawai, H. Igarashi, A. Hashimoto, T. Kokugan, and M. Shimizu, Evaluation of growth inhibitory effect of ceramics powder slurry on bacteria by conductance method. *J. Chem. Eng. Jpn.* 28, 288 (1995).

- J.H Naama, A.A Al-Temimi and A.A Hussain AlAmiery, Study the anticancer activities of ethanolic curcumin extract. *African Journal of Pure and Applied Chemistry*. 4:5; 68-73. (2010). ISSN 1992-1950
- L. Zhang, F. X. Gu, J. M. Chan, A. Z. Wang, R. S. Langer, and O. C. Farokhzad, Nanoparticles in medicine: Therapeutic applications and developments. *Clin. Pharmacol. Ther.* 83, 761 (2008).
- Liversidge, E.M., Liversidge, G.G., Cooper, E.R., 2003. Nanosizing: a formulation approach for poorly-water-soluble compounds. *Eur. J. Pharm. Sci.* 18, 113–120.
- M. Chanda, S.K. Roy, *Plastics Technology Handbook*, fourth ed., CRC Press, Boca Raton, FL, 2007.
- Martindale: The Complete Drug Reference*. The Pharmaceutical Press. 2005.
- Mohanraj VJ dan Chen Y. Nanoparticles-a review. *Tropical Journal of Pharmaceutical Research* 2006; 561-573
- Mujamilah, M., Sulungbud, G.T., 2013. Karakteristik Dinamik Sistem Koloid Magnetik Berbasis Nanopartikel Oksida Fe-Chitosan. *J. Kim. Dan Kemasan* 35, 65–70.
- Muller RH, Peters K. Nanosuspensions for the formulation of poorly soluble drugs: I. Preparation by a size-reduction technique. *Int J Pharm.* 1998; 160: 229–237. doi:10.1016/S0378-5173(97)00311-6
- Murdock, R.C., Braydich-Stolle, L., Schrand, A.M., Schlager, J.J., Hussain, S.M., 2008. Characterization of Nanomaterial Dispersion in Solution Prior to In Vitro Exposure Using Dynamic Light Scattering Technique. *Toxicol. Sci.* 101, 239–253.
- N. Singh, B. Manshian, G. J. Jenkins, S. M. Grifths, P. M. Williams, T. G. Maffei, and C. J. Wright, Nanogenotoxicology: The DNA damaging potential of engineered nanomaterials. *Biomaterials* 30, 3891 (2009).
- N. Vigneshwaran, A. A. Kathe, P. V. Varadarajan, R. P. Nachane, and R. Balasubramanya, Functional finishing of cotton fabrics using silver nanoparticles. *J. Nanosci. Nanotechnol.* 7, 1893 (2007).
- Nobbmann, U.L. Polydispersity—What Does It Mean for DLS and Chromatography. 2014. Available online: <http://www.materials-talks.com/blog/2014/10/23/polydispersity-what-does-it-mean-for-dls-and-chromatography/> (accessed on 14 March 2018). 78.
- O. Yamamoto, Influence of particle size on the antibacterial activity of zinc oxide. *Int. J. Inorg. Mater.* 3, 643 (2001).
- P. H. S. Kwakman, A. A. Velde, C. M. J. E. Vandenbroucke-Grauls, S. J. H. Deventer, and S. A. J. Zaat, Treatment and prevention of *Staphylococcus epidermidis* experimental biomaterial-associated infection by bactericidal peptide 2. *Antimicrob. Agents Chemother.* 50, 3977 (2006).
- P. Wang, Nanoscale biocatalyst systems. *Curr. Opin. Biotechnol.* 17, 574 (2006).
- Pang, X., Cui, F., Tian, J., Chen, J., Zhou, J., Zhou, W. 2009. Preparation and characterization of magnetic lipid nanoparticles loaded with bupropion. *Asian Journal of Pharmaceutical Science* 4:132–137

- Patravale VB, Date AA, Kulkarni RM. Nanosuspensions: a promising drug delivery strategy. *J Pharm Pharmacol*. 2004; 56: 827–840. doi:10.1211/0022357023691 [
- Patravale, V.B., Date, A.A., Kulkarni, R.M., 2004. Nanosuspension: a promising drug delivery strategy. *J. Pharm. Pharmacol.* 56, 827–840.
- Peltonen, L. J.; Yliruusi, J. J. *Colloid Interface Sci.* 2000, 227,1-6.
- Peltonen, L.; Hirvonen, J.; Yliruusi, J. J. *Colloid Interface Sci.* 2001, 240, 272-276.
- Prasetiowati, A.L., Prasetya, A.T., Wardani, S., 2018. Sintesis Nanopartikel Perak dengan Bioreduksi Ekstrak Daun Belimbing Wuluh (*Averrhoa bilimbi* L.) Uji Aktivitasnya sebagai Antibakteri. *Indones. J. Chem. Sci.* 7, 160–166.
- R.J Verma and N Mathuria, Curcumin ameliorates aflatoxin-induced changes in caput and cauda epididymis of mice. *International Journal of Fertility and Sterility*. 4:1; 17-22. (2010)
- Rane, S.S.; Choi, P. Polydispersity index: How accurately does it measure the breadth of the molecular weight distribution? *Chem. Mater.* 2005, 17, 926. [CrossRef]
- Ranghar S, Nanoparticle-based drug delivery systems: promising approaches against infections, *Braz Arch Biol Techn.*, 57, 2013, 209–222.
- S Neha, G.D Ranvir and C.R Jangade, Analgesic and antipyretic activities of *Curcuma longa* rhizome extracts in wister rats. *Veterinary World*. 2:8;304-306 (2009).
- S. Makhluף, R. Dror, Y. Nitzan, Y. Abramovich, R. Jelinek, and A. Gedanken, Microwave-assisted synthesis of nanocrystalline MgO and its use as a bactericide. *Adv. Funct. Mater.* 15, 1708 (2005).
- Santos AM, Carvalho FC, Teixeira DA, Azevedo DL, Barros WM, Gremião MPD. Computational and experimental approaches for development of methotrexate nanosuspensions by bottom-up nanoprecipitation. *Int J Pharm.* 2017; 524: 330–338. [CrossRef]
- Sawai J, Quantitative evaluation of antibacterial activities of metallic oxide powders (ZnO, MgO and CaO) by conductimetric assay, *Journal of Microbiological Methods*, 54, 2003, 177-82.
- Seigneuric R, Markey L, Nuyten DSA, Dubernet C, Evelo CTA, Finot E, Garrido C, From nanotechnology to nanomedicine: applications to cancer research, *Curr Mol Med.*, 10, 2010, 640–652. doi: 10.2174/156652410792630634
- Shegokar, R. and R.H. Muller. Nanocrystals: industrially feasible multifunctional formulation technology for poorly soluble actives. *International Journal of Pharmaceutics*, 399(1-2):129-39 (2010).
- Shegokar, R., Müller, R.H., 2010. Nanocrystals: industrially feasible multifunctional formulation technology for poorly soluble actives. *Int. J. Pharm.* 399, 129-139.
- Sinala S. 2016. *Farmasi Fisik*. Kementrian kesehatan Republik Indonesia. Jakarta.
- Top-Down Tuning of Nanosized ZSM-5 Zeolite Catalyst by Bead Milling and Recrystallization Toru Wakihara,\*† Akio Ihara,† Satoshi Inagaki,‡ Junichi Tatami,† Kaku Sato,† Katsutoshi Komeya,† Takeshi Meguro,† Yoshihiro Kubota,‡ and Atsushi Nakahira

- Van Eerdenbrugh, B., Van den Mooter, G., Augustijns, P., 2008. Top-down production of drug nanocrystals: nanosuspension stabilization, miniaturization and transformation into solid products. *Int. J. Pharm.* 364, 64–75.
- Verma S, Gokhale R, Burgess DJ (2009a) A comparative study of top-down and bottom-up approaches for the preparation of micro/nanosuspensions. *Int J Pharm* 380: 216–222.
- Wan, Y.J., Pan, M.H., Cheng, A.L., Lin, L.I., Ho, Y.S., Hsieh, C.Y., & Lin, J.K. 1997. Stability of curcumin in buffer solutions and characterization of its degradation products. *J. Pharm. Biomed. Anal.*, 15(12): 1867-1876. doi:10.1016/S07317085(96)02024-9
- Wang L, Hu C, Shao L, The antimicrobial activity of nanoparticles: present situation and prospects for future, *International Journal of Nanomedicine*, 12, 2017, 1227-1249.