

DAFTAR PUSTAKA

- Akib, N. I., Ritonga, H., & Mahfuz, M. (2019). Preparasi Teofilin dalam Pembawa Vesikular Etosom untuk Penggunaan Transdermal. *Jurnal Farmasi, Sains, dan Kesehatan*, 5(1), 25–28. <https://doi.org/10.33772/pharmauho.v5i1.8998>
- Akib, N. I., Suryani, Ritonga, H., & Prawesti, N. (2014). Preparasi fenilbutazon dalam pembawa vesikular etosom dengan berbagai variasi konsentrasi fosfatidilkolin dan etanol. 2(1), 112–118.
- Atipairin, A., & Sawatdee, S. (2019). Determination of mefenamic acid in a topical emulgel by a validated HPLC method. *International Journal of Applied Pharmaceutics*, 11(6), 86–90. <https://doi.org/10.22159/ijap.2019v11i6.35348>
- Babu, M. K., Tejaswini, T. L., Rao, V. K., Pradeep, V., & D, M. K. (2015). Ethosomes : novel vesicular carriers for enhanced transdermal drug delivery of candesartan cilexetil. *Indian Journal of Research in Pharmacy and Biotechnology*, 5674(February), 51–57.
- Bocsan, C., Buzoianu, A., Vlase, L., Gheldiu, A., Chira, R., & Briciu, C. (2015). The Influence Of Paroxetine On The Pharmacokinetics Of Atomoxetine And Its Main Metabolite. *Clujul Medical Journal*, 88(4), 513–520. <https://doi.org/10.15386/cjmed-488>
- Febriyenti, F., Putra, D. P., Wicaksanti, E. I., & Hamami, C. D. (2018). Formulasi Liposom Ekstrak Terpurifikasi Centella asiatica Menggunakan Fosfatidilkolin dan Kolesterol. *JSFK (Jurnal Sains Farmasi & Klinis)*, 5(2), 78–82. <https://doi.org/10.25077/JSFK.5.2.78-82.2018>
- Giram, P. S., More, S. R., & Parwe, S. P. %J W. (2015). Formulation development with Box–Behnken design study of ondansetron HCl ethosome for chemotherapy induced nausea vomiting. *World Journal of Pharmaceutical Sciences*, 3(2), 288–298.
- Jaiswal, P. K., Kesharwani, S., Kesharwani, R., & Patel, D. K. (2016). Ethosome : A new technology used as topical and trasdermal. *Journal of Drug Delivery and Therapeutics*, 6(3), 7–17.
- Jarrar, Q. B., Ahmad, Z., Kadir, A. A., Zakaria, Z. A., & Nazrul, M. (2017). Liposome Encapsulation : A Promising Approach to Enhanced and Safe Mefenamic acid Therapy. *International Research Journal of Education and Sciences*, 1(1).
- Kaur, G. (2019). TPGS Loaded Topical Nanoemulgel of Mefenamic Acid for the Treatment of Rheumatoid Arthritis. *Ijppr*, 15(1), 64–107.
- Kazi, M., Al-Swairi, M., Ahmad, A., Raish, M., Alanazi, F. K., Badran, M. M., Khan, A. A., Alanazi, A. M., & Hussain, M. D. (2019). Evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for poorly water-soluble talinolol: Preparation, in vitro and in vivo Assessment. *Frontiers in Pharmacology*, 10, 1–13. <https://doi.org/10.3389/fphar.2019.00459>
- Krishna, A., & Sara, B. (2019). Preparation of Mefenamic Acid Loaded Ethosomes by Hot Method Ethosomes composition Phosphatidyl choline Ethosomes Phospholipids Lyso-phospholipids. *Annals of Pharmaceutical Nanotechnology and*

Nanomedicine, 2(1), 01–04.

- Kumar, M., Singh, D., & Bedi, N. (2019). Mefenamic acid-loaded solid SMEDDS : an innovative aspect for dose reduction and improved pharmacodynamic profile. *Therapeutic Delivery*, 10(1), 21–36.
- Mishra, K., & Yadav, K. (2016). Ethosomes : A novel vesicular carrier system for therapeutic applications. *Internasional Journal Organization of Scientific Research*, 6(9), 25–33.
- Mistry, A., & Ravikumar, P. (2016). Development and evaluation of azelaic acid based ethosomes for topical delivery for the treatment of acne. *Indian Journal of Pharmaceutical Education and Research*, 50(3), S232–S243. <https://doi.org/10.5530/ijper.50.3.34>
- Moghimpour, E., Salami, A., & Monjezi, M. (2015). Formulation and evaluation of liposomes for transdermal delivery of celecoxib. *Internasional Journal of Biosciencesournal*, 10(1), 308–316. <https://doi.org/10.17795/jjnpp-17653>
- Naveed, S. (2015). Estimation and Analysis of Mefenamic Acid Suspension; A Proportional Investigation. *SOJ Pharmacy & Pharmaceutical Sciences*, 2(2), 01–03. <https://doi.org/10.15226/2374-6866/2/2/00127>
- Nurhikmah, W., Sumirtapura, Y. C., & Pamudji, J. S. (2016). Dissolution profile of mefenamic acid solid dosage forms in two compendial and biorelevant (FaSSiF) media. *Scientia Pharmaceutica*, 84(1), 181–190. <https://doi.org/10.3797/scipharm.ISP.2015.09>
- Pathan, I. B., Nandure, H., Syed, S. M., & Shripad BaRagi. (2016). Transdermal delivery of ethosomes as a novel vesicular carrier for paroxetine hydrochloride : In vitro evaluation and In vivo study. *Marmara Pharmaceutical Journal*, 20, 1–6. <https://doi.org/10.12991/mpj.201620113534>
- Putri, D. C. A., Dwiastuti, R., Marchaban, M., & Nugroho, A. K. (2017). Optimization of Mixing Temperature and Sonication Duration in Liposome Preparation. *Journal of Pharmaceutical Sciences and Community*, 14(2), 79–85. <https://doi.org/10.24071/jpsc.142728>
- Ramadon, D., & Abdul, M. (2016). Pemanfaatan Nanoteknologi dalam Sistem Penghantaran Obat Baru untuk Produk Bahan Alam (Utilization of Nanotechnology in Drug Delivery System for Natural Products). *Jurnal Ilmu Kefarmasian Indonesia*, 14(2), 118–127.
- Raza, R., Mittal, A., Kumar, P., Alam, S., Prakash, S., & Chauhan, N. (2015). Approaches and evaluation of Transdermal drug delivery system. *Internasional Journal Drug Development Research*, 7(1), 222–233.
- Roslan, N. Z. I., Ghani, S. M. A., Yusof, N. B., & Aziz, A. A. (2017). Liposome as transdermal carrier for labisia pumila and ficus deltoidea water extracts. *Jurnal Teknologi*, 79(7), 161–166. <https://doi.org/10.11113/jt.v79.10205>
- Sadeghi, H. B., Ahmad Panahi, H., Mahabadi, M., & Monirib, E. (2015). Preconcentration and determination of mefenamic acid in pharmaceutical and biological fluid samples by polymer-grafted silica gel solid-phase extraction following high performance liquid chromatography. *Iranian Journal of*

- Pharmaceutical Research, 14(3), 765–773. <https://doi.org/10.22037/ijpr.2015.1675>
- Shah, P., Patel, J., Patel, K., Gandhi, T., Shah, P., Patel, J., Patel, K., & Gandhi, T. (2017). Development and validation of an HPTLC method for the simultaneous estimation of Clonazepam and Paroxetine hydrochloride using a DOE approach. *Journal of Taibah University for Science*, 11(1), 121–132. <https://doi.org/10.1016/j.jtusci.2015.11.004>
- Shende, P. ., Desai, D., Yawalkar, R., Patil, M., & Desai, H. (2017). Multidrug Liposomes of Glycolic Acid and Nutraceuticals for Cosmetic Application. *Novel Approaches in Drug Designing & Development*, 2(5), 2–5.
- Srivastava, K., & Singh, A. K. (2015). Formulation And Evaluation Of Seabuckthorn Leaf Extract Loaded Ethosomal Gel. *Asian Journal Of Pharmaceutical And Clinical Research*, 8(5), 316–320.
- Sujatha, S., Sowmya, G., Chaitanya, M., Reddy, V. S. K., Monica, M., & Kumar, K. K. (2016). Preparation, characterization and evaluation of finasteride ethosomes. *International Journal of Drug Delivery Technology*, 8(1), 01–11. <https://doi.org/10.5138/ijdd.v8i1.1813>
- Suksaeree, J., Siripornpinyo, P., & Chaiprasit, S. (2017). Formulation, Characterization, and In Vitro Evaluation of Transdermal Patches for Inhibiting Crystallization of Mefenamic Acid .*Journal of Drug Delivery*, 2017, 1–7. <https://doi.org/10.1155/2017/7358042>
- Supraja, R., & Sailaja, A. K. (2017). Formulation of Mefenamic Acid Loaded Ethosomal Gel by Hot and Cold Methods. *Nano Biomed Eng*, 9(1), 27–35.
- Ujwala, K., & Sathesh Babu, P. (2017). Solubility Enhancement of Paroxetine Hydrochloride by Hydrotrophy. *Indian Journal of Pharmaceutical Sciences*, 79, 591–598.
- Venugopal, V., Goh, R., Ping, T. Y., & Jin, T. J. (2016). Formulation development and characterization of tea tree oil loaded ethosomes. *Indonesian Journal of Pharmacy*, 27(1), 44–52. <https://doi.org/10.14499/indonesianjpharm27iss1pp44>
- Viswanath, V., Lavanya, S., & Tejaswini, A. (2018). Design And Characterization Of Transdermal Ethosomal Gel Of Paroxetine By Cold Method. *Indo American Journal of Pharmaceutical Research*, 8(12).
- Wahid, A. A., & Ravouru, N. (2017). Development, Characterization And In-Vitro Evaluation Of Ethosomal Gel For Transdermal Delivery Of Saxagliptin. *Journal of Global Trends in Pharmaceutical Sciences*, 8(4), 4429–4437.
- Yadav, K. K., & Verma, N. K. (2018). Formulation and Evaluation of Ethosome (Mefenamic Acid) Using Hot Method. *Journal of Chemical and Pharmaceutical Research*, 10(5), 4–15.
- Zam Zam, A. N., Rahman, L., Sartini, Lallo, S., & Marzuki, A. (2019). Preparasi Etosom Ekstrak Etanol Biji Kopi (*Coffea Arabica* L) Menggunakan Variasi Konsentrasi Soya. *Majalah Farmasi Dan Farmakologi*, 23(1), 1–4.