

POLA PERESEPAN AZITHROMICYN PADA PASIEN COVID-19 DI RUMAH SAKIT UMUM DAERAH CIDERES KOTA MAJALENGKA

ABSTRAK

Virus corona 2019 (COVID-19) adalah salah satu penyakit yang dapat menular serta disebabkan oleh virus SARS CoV2. Azithromisin berkaitan bersama dengan hidroksiklorokuin ataupun klorokuin selaku pengobatan yang bisa meningkatkan prognosis COVID19. Tujuan dari diadakannya penelitian ini untuk mengetahui bagaimana cara peresepan azithromisin yang meliputi aturan pakai, seberapa banyak pemberian dan berapa lama pemberian obat. Metode dari penelitian ini adalah penelitian observasional retrospektif dan menggunakan analisis deskriptif. Kemudian data yang dikumpulkan adalah resep pasien dengan gejala dan penyakit COVID-19 dari April hingga Juni 2021, dengan jumlah resep pasien sebanyak 30 resep. Hasil penelitian menunjukkan lebih banyak pasien laki-laki dengan jumlah 17 pasien (56,67%), dan pasien banyak berusia 26 - 50 tahun (60%). Diagnosis penyakit ada 30 resep (100%) untuk penyakit COVID-19. Dosis azithromisin yang tidak tepat adalah 5 resep (16,67%) dan dosis yang tepat dosis adalah 25 resep (83,33%). Lalu untuk aturan pakai obat setelah makan adalah 30 resep (100. Untuk Frekuensi pemberian azithromisin 1 x 1 sebanyak 25 resep (83,33%). Selanjutnya untuk lama pemberian azithromisin adalah 5 tablet selama 5 hari, dan ada 19 resep (63,33%).

Kata kunci: COVID-19, SARS-CoV-2, azithromisin, pola peresepan

AZITHROMYCIN PRESCRIPTION PATTERNS IN PATIENTS COVID-19 IN CIDERES REGIONAL GENERAL HOSPITAL MAJALENGKA CITY

ABSTRACT

Corona viirus 2019 disease (COVID-19) is a contagious disease caused SARS CoV2. Azithromycin is associated with hydroxychloroquine or chloroquine as treatments that can improve the prognosis of COVID19. One of the objectives of this study was to determine the method of prescribing azithromycin which includes the rules for use, the frequency of administration and how long it is given. This study is a retrospective observational study and uses descriptive analysis. Then the data collected is prescriptions for patients with COVID-19 symptoms and disease from April to June 2021, and the number of patient prescriptions is 30 prescriptions. The results showed that there were more male patients with a total of 17 patients (56.67%), and many patients aged 26-50 years (60%). Disease diagnosis there are 30 prescriptions (100%) for COVID-19. The inappropriate dose of azithromycin was 5 prescriptions (16.67%) and the correct dose was 25 prescriptions (83.33%). Then for the rules for using the drug after meals are 30 prescriptions (100). For the frequency of giving Azithromycin 1 x 1 as many as 25 prescriptions (83.33%). Furthermore, for the duration of azithromycin administration is 5 tablets for 5 days, and there are 19 prescriptions (63.33). %).

Keywords: COVID-19, SARS-CoV-2, azithromycin, prescription pattern