

GAMBARAN TINGKAT PENGETAHUAN MASYARAKAT MENGENAI PENGGUNAAN OBAT BATUK SECARA SWAMEDIKASI DI RW 02 DESA IBUN KABUPATEN BANDUNG

ABSTRAK

Batuk adalah keluhan yang sering dialami masyarakat, dan dianggap ringan. Sehingga masyarakat lebih memilih untuk melakukan swamedikasi dalam menanganinya. Namun pada pelaksanaannya swamedikasi dapat menjadi sumber terjadinya kesalahan pengobatan karena keterbatasan pengetahuan masyarakat akan obat dan penggunaannya. Sehingga masyarakat harus memiliki pengetahuan, yang baik dalam swamedikasi batuk. Tujuan dari penelitian ini yaitu untuk mengetahui tingkat pengetahuan masyarakat mengenai penggunaan obat batuk secara swamedikasi di RW 02 Desa Ibum Kabupaten Bandung. Metode yang digunakan pada penelitian ini yaitu metode deksriptif dengan teknik survei (descriptive survey) menggunakan kuesioner secara online. Teknik sampling yang digunakan yaitu non-probability sampling dengan pendekatan purposive sampling, dan didapatkan sampel sebanyak 80 orang. Hasil dari penelitian ini yaitu didapatkan tingkat pengetahuan baik sebesar 58,75%, tingkat pengetahuan sedang sebanyak 37,5% dan yang tingkat pengetahuan kurang sebanyak 3,75% mengenai penggunaan obat batuk secara swamedikasi.

Kata Kunci: Pengetahuan, Swamedikasi, Batuk, Obat Batuk

DESCRIPTION OF THE LEVEL OF COMMUNITY KNOWLEDGE ABOUT THE USE OF SWAMEDICATION OF CoughDrugs in RW 02 DESA IBUN, BANDUNG REGENCY

ABSTRACT

Cough is a complaint that is often experienced by the community, and is considered mild. So that people prefer to do self-medication in handling it. However, in practice, self-medication can be a source of medication errors due to limited public knowledge of drugs and their use. So that people must have good knowledge, attitudes and actions in cough self-medication. The purpose of this study was to determine the level of public knowledge regarding the use of cough medicine by self-medication in RW 02 Ibun Village, Bandung Regency. The method used in this study is a descriptive method with a survey technique (descriptive survey) using an online questionnaire. The sampling technique used is non-probability sampling with a purposive sampling approach, and obtained a sample of 80 people. The results of this study were obtained 58.75%, moderate knowledge as much as 37.5% and less knowledge as much as 3.75% regarding the use of cough medicine by self-medication.

Keywords: Knowledge, Self-medication, Cough, CoughDrugs