

DAFTAR PUSTAKA

- Agustina, L. (2018). Hubungan antara Fatigue dengan Kualitas Tidur pada Pasien Chronic Kidney Disease (CKD) yang Menjalani Hemodialisa di Rumah Sakit Islam Sultan Agung Semarang. *Universitas Islam Sultan Agung*.
- Alper, B., Editor, C., & Batuman, V. (2020). *Uremia*. 1–25. <https://emedicine.medscape.com/article/245296-overview>
- Angwarmase, A., Tih, F., & Hidayat, M. (2017). Effect of Chewing Xylitol Gum on Salivary Volume and Acidity. *Journal Of Medicine & Health*, 1(5), 470–476. <https://doi.org/10.28932/jmh.v1i5.542>
- Anita, D. C. (2020). *Penilaian Status Gizi Pasien Gagal Ginjal Kronis Melalui Biokimiawi Darah*. Universitas 'Aisyiyah Yogyakarta. http://digilib2.unisayogya.ac.id/bitstream/handle/123456789/2454/buku_monograf_fix.pdf?sequence=1&isAllowed=y
- Anita, D. C., & Novitasari, D. (2017). Kepatuhan Pembatasan Asupan Cairan Terhadap Lama Menjalani. *Jurnal Prodi Keperawatan Universitas Aisyiyah Yogyakarta*, 8(1), 104–112.
- Ardiyanti, A., Armiyanti, Y., & SN, M. S. A. (2015). *Pengaruh Kumur Dengan Obat Kumur Rasa Mint Terhadap Rasa Haus Pada Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis Di SMC RS Telogorejo*. 2015. <http://weekly.cnbnews.com/news/article.html?no=124000>
- Arfany, N. W., Armiyanti, Y., & Kusuma, M. A. B. (2015). *Mengulum Es Batu Terhadap Penurunan Rasa Haus Pada Pasien Penyakit Ginjal Kronis Yang Menjalani Hemodialisa*. 1–9.
- Ariyani, H., Hilmawan, R. G., Nurdianti, R., & Lutfi, B. (2019). Gambaran Karakteristik Pasien Gagal Ginjal Kronis di Unit Hemodialisa Rumah Sakit Umum Dr. Suekardjo Kota Tasikmalaya. *Jurnal Keperawatan*, 3(November), 1–6.
- Armiyati, Y., Khoiriyah, K., & Mustofa, A. (2019). Optimization of Thirst Management on CKD Patients Undergoing Hemodialysis by Sipping Ice Cube. *Media Keperawatan Indonesia*, 2(1), 38. <https://doi.org/10.26714/mki.2.1.2019.38-48>
- Azwar, S. (2013). *Metode Penelitian*. Pustaka Pelajar.
- Başer, E., & Mollaoğlu, M. (2019). The effect of a hemodialysis patient education

- program on fluid control and dietary compliance. *Hemodialysis International*, 23(3), 392–401. <https://doi.org/10.1111/hdi.12744>
- Bellomo, G., Coccetta, P., Pasticci, F., Rossi, D., & Selvi, A. (2015). The Effect of Psychological Intervention on Thirst and Interdialytic Weight Gain in Patients on Chronic Hemodialysis: A Randomized Controlled Trial. *Journal of Renal Nutrition*, 25(5), 426–432. <https://doi.org/10.1053/j.jrn.2015.04.005>
- Benjamin, O., & Lappin, S. L. (2020). *End-Stage Renal Disease*. StatPearls [Internet]. <https://www.ncbi.nlm.nih.gov/books/NBK499861/>
- Berman, A., Snyder, S. J., & Frandsen, G. (2016). *Kozier & Erb's Fundamentals Of Nursing Concepts, Process and Practice* (Tenth). Pearson Education Limited.
- Bossola, M. (2020). Xerostomia in patients on chronic hemodialysis: An update. *Seminars in Dialysis*, 32(5), 467–474. <https://doi.org/10.1111/sdi.12821>
- Bossola, M., Calvani, R., Marzetti, E., Picca, A., & Antocicco, E. (2020). Thirst in patients on chronic hemodialysis: What do we know so far? *International Urology and Nephrology*, 52(4), 697–711. <https://doi.org/10.1007/s11255-020-02401-5>
- Bossola, M., Pepe, G., & Vulpio, C. (2018). The Frustrating Attempt to Limit the Interdialytic Weight Gain in Patients on Chronic Hemodialysis: New Insights Into an Old Problem. *Journal of Renal Nutrition*, 28(5), 293–301. <https://doi.org/10.1053/j.jrn.2018.01.015>
- Carrero, J. J., Hecking, M., Chesnaye, N. C., & Jager, K. J. (2018). Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. *Nature Reviews Nephrology*, 14(3), 151–164. <https://doi.org/10.1038/nrneph.2017.181>
- Daryani, Hamranani, S. S. T., & Sarwanti, M. S. (2020). Pengaruh Pemberian Slimber Ice Terhadap Penurunan Idwg (Inter Dialitic Weigh Gain) Pasien Cronic Kidney Diseases (CKD). *Motorik Journal Kesehatan*, 15(2), 84–96.
- Dasuki, D., & Basok, B. (2019). Pengaruh Menghisap Slimber Ice Terhadap Intensitas Rasa Haus Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisa. *Indonesian Journal for Health Sciences*, 2(2), 77. <https://doi.org/10.24269/ijhs.v2i2.1492>
- Debruyne, L. K., Pinna, K., & Whitney, E. (2016). Nutrition & Diet Therapy Ninth Edition. In *Nutrition & Diet Therapy* (9ed ed.). Cengage Learning, Wadsworth Publishing.

- Dehghanmehr, S., Piri, F., Roohi, R., Nooraeen, S., & Salarzaei, M. (2017). Investigating the effect of sugar-free candies on the intensity of thirst and dry mouth in patients undergoing hemodialysis. *Journal of Pharmaceutical Sciences and Research*, 9(11), 1993–1996.
- Dehghanmehr, S., Syeikh, A., Siyasari, A., Hoseinzadeh Karimkoshteh, M., Sheikh, G., Salarzaei, M., & Nooraieen, S. (2018). Investigating The Impact Of Sugar Free Gum On The Thirst And Dry Mouth Of Patients Undergoing Hemodialysis. *International Journal Of Pharmaceutical Sciences And Research*, 9(5), 2062–2066. [https://doi.org/10.13040/IJPSR.0975-8232.9\(5\).2062-66](https://doi.org/10.13040/IJPSR.0975-8232.9(5).2062-66)
- Dewi, A., Nurchayati, S., & Jumaini. (2018). Perbedaan Efektifitas Mengunyah Permen Karet Rendah Gula Dan Mengulum Grape Ice Cube Terhadap Ras Haus Pada Pasien Gagal Ginjal Kronis Yang Menjalani Hemodialisis. *Jurnal Online Mahasiswa (JOM) Bidang Ilmu Keperawatan*. <https://jom.unri.ac.id/index.php/JOMPSIK/article/view/18844/18215>
- Fan, W. F., Zhang, Q., Luo, L. H., Niu, J. Y., & Gu, Y. (2013). Study on the clinical significance and related factors of thirst and xerostomia in maintenance hemodialysis patients. *Kidney and Blood Pressure Research*, 37(4-5), 464–474. <https://doi.org/10.1159/000355717>
- Garcia, A. K. A., Fonseca, L. F., Furuya, R. K., Rabelo, P. D., & Rossetto, E. G. (2019). Effect of chewing gum on thirst: an integrative review. *Revista Brasileira de Enfermagem*, 72(2), 484–493. <https://doi.org/10.1590/0034-7167-2018-0132>
- Gurning, L. (2018). *Pengaruh Manajemen Asupan Makanan: Diet Rendah Garam Terhadap Rasa Haus pada Pasien Gagal Ginjal Kronik Dengan Hemodialisis di RSUP H. Adam Malik* <http://repositori.usu.ac.id/handle/123456789/22353>
- Hall, J. E., & Hall, M. E. (2021). *Guyton and Hall Textbook Of Medical Physiology* (14th ed.). Elsevier. <https://libgen.lc/ads.php?md5=bd1c5ac3523b693a089f13dc69803d79>
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., Christopher, O'Callaghan, A., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0158765>
- Himmelfarb, J., & Sayegh, M. H. (2019). Chronic kidney disease, dialysis, and transplantation. In *Elsevier* (Fourth Edi). Elsevier. <https://doi.org/10.1016/C2009-0-49595-3>

- Hinkle, J. L., & Cheever, K. H. (2018). *Brunner & Suddarth's Textbook Of Medical-Surgical Nursing* (14th ed.). Wolters Kluwer Health.
- Huang, Y., Xiong, S., & Jin, C. (2019). Intervention effect of chewing sugar - free gum on xerostomia in hemodialysis patients : A meta - analysis. *TMR Publishing Group*, 3(6), 207–213. <https://doi.org/10.12032/TMRIN20190405>
- Igbokwe, V. U., & Obika, L. F. O. (2008). Thirst Perception and Dryness of Mouth in Healthy Young Adults Nigerians. *African Journal of Biomedical Research*, 11, 39–46.
- Intan, C., Suprapti, & Santoso, B. (2017). Efek Permen Karet Rendah Gula terhadap Penurunan Keluhan Xerostomia dan Laju Aliran Saliva pada Pasien PGK yang Menjalani Hemodialisis. *Majalah Kedokteran Sriwijaya*, 3.
- IRR. (2018). 11th Report Of Indonesian Renal Registry 2018. *IRR*, 1–46. [https://www.indonesianrenalregistry.org/data/IRR 2018.pdf](https://www.indonesianrenalregistry.org/data/IRR%2018.pdf)
- Isrofah, Angkasa, M. P., & Ma'ruf, A. A. (2019). The effect of sipping ice to reducethirsty feel in Chronic Kidney Disease patients who have hemodialysis in RSUD Benda Pekalongan City. *Proceedings of the International Nursing Conference on Chronic Disease Management Pekalongan*, 193–197.
- Isroin, L. (2016). *Manajemen Cairan Pada Pasien Hemodialisis Untuk Meningkatkan Kualitas Hidup*. Unmuh Ponogoro Press. [http://eprints.umpo.ac.id/3928/1/MANAJEMEN CAIRAN.pdf](http://eprints.umpo.ac.id/3928/1/MANAJEMEN%20CAIRAN.pdf)
- Janice, L. H., & Kerry, H. C. (2018). *Brunner & Suddarth Textbook Of Medical Surgical Nursing* (Twelfth). Wolters Kluwer Health - Lippincott Williams& Wilkins.
- Junita, H. (2016). *Distress Haus Dan Cara Pengendaliannya Pada Pasien Gagal Ginjal Kronis Yang Menjalani Hemodialisis Di RSUP Dr. Hasan Sadikin Bandung*. Padjajaran University.
- Kara, B. (2013). Validity and reliability of the Turkish version of the thirst distress scale in patients on hemodialysis. *Asian Nursing Research*, 7(4), 212–218. <https://doi.org/10.1016/j.anr.2013.10.001>
- Kara, B. (2016). Determinants of Thirst Distress in Turkish Patients on Haemodialysis. *Nephrology Dialysis Transplantation*, 31(suppl_1), i478–i478. <https://doi.org/10.1093/ndt/gfw191.20>
- Kusumawardhani, Y., & Yetti, K. (2020). Manajemen xerostomia dan Interdialytic Weight Gain. *Jurnal Keperawatan*, 12(1), 7–16.

- Lastriyanti. (2016). Pengaruh Aktivitas Mengunyah Permen Karet Rendah Gula Terhadap Rasa Haus Dan Implikasinya Selama Interdialisis Pada Pasien Yang Menjalankan Hemodialisa Di RSPAD Gatot Soebroto Jakarta. *Jurnal Ilmiah Keperawatan*, 1(1), 877.
- Lestari, W., Asyrofi, A., & Prasetya, H. A. (2018). Manajemen Cairan Pada Pasien Penyakit Ginjal Kronis Yang Menjalani Hemodialisis. *Jurnal Manajemen Asuhan Keperawatan*, 2(2), 20–29. <https://doi.org/10.33655/mak.v2i2.36>
- Mahon, A., & Jenkins, K. (2013). Oxford Handbook of Renal Nursing. *Oxford Handbook of Renal Nursing*. <https://doi.org/10.1093/med/9780199600533.001.0001>
- Makrumah, N. (2017). *Efektifitas Mengulum Es Batu dan Berkumur Air Matang terhadap Lama Waktu Menahan Rasa Haus Pasien yang Menjalani Hemodialisis di RS. Roemani Muhammadiyah Semarang*. Universitas Muhammadiyah Semarang.
- Mansouri, A., Vahed, A. S., Shahdadi, H., Mehr, S. D., & Arbabisarjou, A. (2018). A comparative study on the effect of sugarless chewing gum with sugarless candy on xerostomia in patients undergoing hemodialysis. *Bali Medical Journal*, 7(1), 146. <https://doi.org/10.15562/bmj.v7i1.844>
- Martins, P. R., & Fonseca, L. F. (2017). Assessment of the thirst dimension: integrative review. *Revista Eletrônica de Enfermagem*, 19(5), 4–5. <https://revistas.ufg.br/fen/article/view/40288>
- Millard Stafford, M., Wendland, D. M., O'Dea, N. K., & Norman, T. L. (2012). Thirst and hydration status in everyday life. *Nutrition Reviews*, 70(SUPPL/2), 147–151. <https://doi.org/10.1111/j.1753-4887.2012.00527.x>
- Mokodompit, D. C. (2015). *Pengaruh Kelebihan Kenaikan Berat Badan Terhadap Kejadian Komplikasi Gagal Jantung Pada Pasien Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisa Di Rumah Sakit Se-Provinsi* *Jurnal* (Vol. 151) [Universitas Negeri Gorontalo]. <https://doi.org/10.1145/3132847.3132886>
- Murdeswar, H. N., & Anjum, F. (2020). *Hemodialysis*. 1–13. <https://www.ncbi.nlm.nih.gov/books/NBK563296/>
- Najikhah, U., & Warsono, W. (2020). Penurunan Rasa Haus Pada Pasien Chronic Kidney Disease (CKD) Dengan Berkumur Air Matang. *Ners Muda*, 1(2), 108. <https://doi.org/10.26714/nm.v1i2.5655>
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan*. Rineka Cipta.

- Nursalam. (2017). *Metode Penelitian Ilmu Keperawatan* (4th ed.). Salemba Medika.
- Ozen, N., Aydin Sayilan, A., Mut, D., Sayilan, S., Avcioglu, Z., Kulakac, N., Ecder, T., & Akyolcu, N. (2021). The effect of chewing gum on dry mouth, interdialytic weight gain, and intradialytic symptoms: A prospective, randomized controlled trial. *Hemodialysis International*, 25(1), 94–103. <https://doi.org/10.1111/hdi.12878>
- Ra'bung, A. S. (2019). *Pengaruh Mouthwash Disertai Mengunyah Permen Karet Xylitol Terhadap Ph Saliva, Laju Aliran Saliva Dan Xerostomia Pada Pasien Yang Menjalani Hemodialisis*. 30(28), 5053156.
- Rahman, M. T. S. A., Kaunang, T. M. D., & Elim, C. (2016). Hubungan antara lama menjalani hemodialisis dengan kualitas hidup pasien yang menjalani hemodialisis di Unit Hemodialisis. *Jurnal E-Clinic (eCl)*, 4(1), 36–40.
- Rantepadang, A., & Taebenu, G. G. (2019). Pengaruh Mengunyah Permen Karet Terhadap Rasa Haus Pada Pasien Hemodialisa. *Nutrix Journal*, 3(1), 1. <https://doi.org/10.37771/nj.vol3.iss1.387>
- Rocco, M. V. (2019). Hemodialysis. *Nephrology Secrets: Fourth Edition*, 353–362. <https://doi.org/10.1016/B978-0-323-47871-7.00060-5>
- Said, H., & Mohammed, H. (2013). Effect of chewing gum on xerostomia, thirst and interdialytic weight gain in patients on hemodialysis. *Life Science Journal*, 10(2), 1767–1777.
- Sartika, D. (2019). *Profil Manifestasi Kulit pada Pasien Gagal Ginjal Kronik Dengan Hemodialisis dan Non Hemodialisis di RS. Universitas Sumatera Utara*. Universitas Sumatera Utara.
- Savita, A., Sungkar, S., & Chismirina, S. (2017). Perbandingan Laju Aliran Saliva Sebelum dan Sesudah Mengunyah Permen Karet Nonxylitol dan Xylitol pada Anak Usia 10-12 Tahun (Studi pada Murid Sekolah Dasar Negeri 57 Banda Aceh). *Journal Caninus Dentistry*, 2(2), 65–70.
- Septiwi, C., & Setiaji, W. R. (2020). Penerapan Model Adaptasi Roy Pada Asuhan Keperawatan Pasien Dengan Penyakit Ginjal Kronis. *Jurnal Ilmiah Kesehatan Keperawatan*, 16(2), 101–111. <https://doi.org/10.26753/jikk.v16i2.482>
- Sherwood, L., & Ward, C. (2018). *Human Physiology From Cells To Systems* (4th ed.). Nelson Education Limited.

- Stevenson, R. J., Mahmut, M., & Rooney, K. (2015). Individual differences in the interoceptive states of hunger, fullness and thirst. *Appetite*, 95, 44–57. <https://doi.org/10.1016/j.appet.2015.06.008>
- Sucianti, D. A. (2017). Analisis Praktik Klinik Keperawatan Pada Pasien CKD (Chronic Kidney Disease) Dengan Intervensi Inovasi Berkumur Air Matang Dan Menghisap Es Batu Terhadap Penurunan Rasa Haus Di Ruang Hemodialisa RSUD Abdul Wahab Sjahranie Samarinda Tahun 2017. In *Sekolah Tinggi Ilmu Kesehatan Muhammadiyah*. Sekolah Tinggi Ilmu Kesehatan Muhammadiyah.
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif Dan R & D*. Alfabeta.
- Sugizaki, C. S. de A., Braga, C. C., Freitas, A. T. V. de S., & Peixoto, M. do R. G. (2020). Transcultural adaptation of the Thirst Distress Scale (TDS) into Brazilian Portuguese and an analysis of the psychometric properties of the scale for patients on hemodialysis. *Jornal Brasileiro de Nefrologia : 'Orgao Oficial de Sociedades Brasileira E Latino-Americana de Nefrologia*, 42(2), 153–162. <https://doi.org/10.1590/2175-8239-JBN-2019-0151>
- Sulistyaningsih, D. R. (2012). Efektivitas Training Efikasi Diri Pada Pasien Penyakit. *Majalah Ilmiah Sultan Agung*, 50(128), 1–15. <http://jurnal.unissula.ac.id/index.php/majalahilmiahsultanagung/article/view/69>
- Thomas, & Nicola. (2014). *Renal Nursing* (Fourth). John Wiley & Sons Ltd.
- Vaidya, Satyanarayana R. Aeddula, N. R. (2020). *Chronic Renal Failure*. StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK535404/>
- Yang, J., & He, W. (2020). Chronic kidney disease. In *Praxis* (Vol. 97, Issue 17). Springer Nature Singapore. <https://doi.org/10.1024/1661-8157.97.17.947>
- Yu, J., Ng, H. J., Nandakumar, M., & Griva, K. (2016). The management of food cravings and thirst in hemodialysis patients: A qualitative study. *Journal of Health Psychology*, 21(2), 217–227. <https://doi.org/10.1177/1359105314525066>
- Zuliani, P., Nur, B. M., & Azxam, R. (2019). Pengaruh Pemberian Permen Karet Xylitol Terhadap Kesehatan Mulut (Xerostomia) Pada Pasien Chronic Kidney Disease (CKD). *Jurnal Keperawatan Silampari*, 3(1), 302–311. <https://doi.org/10.31539/jks.v3i1.820>