

DAFTAR PUSTAKA

- Abla, M. J., & Banga, A. K. (2014). Formulation of tocopherol nanocarriers and in vitro delivery into human skin. *International Journal of Cosmetic Science*, 36(3), 239–246. <https://doi.org/10.1111/ics.12119>
- Aiman, H. (2008). Nanostructured Lipid Carriers (Nlc) in Dermal and Personal. Freie Universität Berlin, 1–202.
- Alkilani, A. Z., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470. <https://doi.org/10.3390/pharmaceutics7040438>
- Ammar, H. O., Ghorab, M. M., Mostafa, D. M., & Ibrahim, E. S. (2016). Folic acid loaded lipid nanocarriers with promoted skin antiaging and antioxidant efficacy. *Journal of Drug Delivery Science and Technology*, 31, 72–82. <https://doi.org/10.1016/j.jddst.2015.11.007>
- Araujo, V. H. S., Delello Di Filippo, L., Duarte, J. L., Spósito, L., Camargo, B. A. F. de, da Silva, P. B., & Chorilli, M. (2021). Exploiting solid lipid nanoparticles and nanostructured lipid carriers for drug delivery against cutaneous fungal infections. *Critical Reviews in Microbiology*, 47(1), 79–90. <https://doi.org/10.1080/1040841X.2020.1843399>
- Brito Raj, S., Chandrasekhar, K. B., & Reddy, K. B. (2019). Formulation, in-vitro and in-vivo pharmacokinetic evaluation of simvastatin nanostructured lipid carrier loaded transdermal drug delivery system. *Future Journal of Pharmaceutical Sciences*, 5(1). <https://doi.org/10.1186/s43094-019-0008-7>
- Carbone, C., Teixeira, M. D. C., Sousa, M. D. C., Martins-Gomes, C., Silva, A. M., Souto, E. M. B., & Musumeci, T. (2019). Clotrimazole-loaded mediterranean essential oils NLC: A synergic treatment of Candida skin infections. *Pharmaceutics*, 11(5). <https://doi.org/10.3390/pharmaceutics11050231>
- Chaiyana, W., Anuchapreeda, S., Somwongin, S., Marsup, P., Lee, K. H., Lin, W. C., & Lue, S. C. (2020). Dermal delivery enhancement of natural anti-ageing compounds from ocimum sanctum linn. Extract by nanostructured lipid carriers. *Pharmaceutics*, 12(4). <https://doi.org/10.3390/pharmaceutics12040309>
- Chen, J., Wei, N., Lopez-Garcia, M., Ambrose, D., Lee, J., Annelin, C., & Peterson, T. (2017). Development and evaluation of resveratrol, Vitamin E, and epigallocatechin gallate loaded lipid nanoparticles for skin care applications. *European Journal of*

- Pharmaceutics and Biopharmaceutics, 117, 286–291.
<https://doi.org/10.1016/j.ejpb.2017.04.008>
- Chen, Y., Zou, C., Mastalerz, M., Hu, S., Gasaway, C., & Tao, X. (2015). Applications of micro-fourier transform infrared spectroscopy (FTIR) in the geological sciences—A Review. *International Journal of Molecular Sciences*, 16(12), 30223–30250.
<https://doi.org/10.3390/ijms161226227>
- Czajkowska-Kośnik, A., Szekalska, M., & Winnicka, K. (2019). Nanostructured lipid carriers: A potential use for skin drug delivery systems. *Pharmacological Reports*, 71(1), 156–166. <https://doi.org/10.1016/j.pharep.2018.10.008>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Dudhipala, N., & Gorre, T. (2020). Neuroprotective effect of ropinirole lipid nanoparticles enriched hydrogel for parkinson's disease: In vitro, ex vivo, pharmacokinetic and pharmacodynamic evaluation. *Pharmaceutics*, 12(5), 1–24.
<https://doi.org/10.3390/pharmaceutics12050448>
- Fangueiro, J. F., MacEdo, A. S., Jose, S., Garcia, M. L., Souto, S. B., & Souto, E. B. (2012). Thermodynamic behavior of lipid nanoparticles upon delivery of Vitamin e derivatives into the skin: In vitro studies. *Journal of Thermal Analysis and Calorimetry*, 108(1), 275–282. <https://doi.org/10.1007/s10973-011-1645-z>
- Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. *Dermato-Endocrinology*, 4(3), 37–41.
<https://doi.org/10.4161/derm.22804>
- Gilaberte, Y., Pastushenko, I., & Juarranz, Á. (2016). Chapter 1 - Anatomy and Function of the Skin. In *Nanoscience in Dermatology*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Han, F., Yin, R., Che, X., Yuan, J., Cui, Y., Yin, H., & Li, S. (2012). Nanostructured lipid carriers (NLC) based topical gel of flurbiprofen: Design, characterization and in vivo evaluation. *International Journal of Pharmaceutics*, 439(1–2), 349–357.
<https://doi.org/10.1016/j.ijpharm.2012.08.040>
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120.
<https://doi.org/10.24198/mfarmasetika.v6i1.27842>

- Imran, M., Iqbal, M. K., Imtiyaz, K., Saleem, S., Mittal, S., Rizvi, M. M. A., Ali, J., & Baboota, S. (2020). Topical nanostructured lipid carrier gel of quercetin and resveratrol: Formulation, optimization, in vitro and ex vivo study for the treatment of skin cancer. *International Journal of Pharmaceutics*, 587(March), 119705. <https://doi.org/10.1016/j.ijpharm.2020.119705>
- Jafar, G., Abdassah, M., Rusdiana, T., & Khairunisa, R. (2021). Development and characterization of precinol ato 88 base in nanostructured lipid carriers (Nlc) formulation with the probe sonication method. *International Journal of Applied Pharmaceutics*, 13(special issue 3), 43–46. <https://doi.org/10.22159/IJAP.2021.V13S3.08>
- Jain, A., Garg, N. K., Jain, A., Kesharwani, P., Jain, A. K., Nirbhavane, P., & Tyagi, R. K. (2016). A synergistic approach of adapalene-loaded nanostructured lipid carriers, and vitamin C co-administration for treating acne. *Drug Development and Industrial Pharmacy*, 42(6), 897–905. <https://doi.org/10.3109/03639045.2015.1104343>
- Jia, L., Zhang, D., Li, Z., Duan, C., Wang, Y., Feng, F., Wang, F., Liu, Y., & Zhang, Q. (2010). Nanostructured lipid carriers for parenteral delivery of silybin: Biodistribution and pharmacokinetic studies. *Colloids and Surfaces B: Biointerfaces*, 80(2), 213–218. <https://doi.org/10.1016/j.colsurfb.2010.06.008>
- Kammeyer, A., & Luiten, R. M. (2015). Oxidation events and skin aging. *Ageing Research Reviews*, 21, 16–29. <https://doi.org/10.1016/j.arr.2015.01.001>
- Khalil, R. M., Abd-Elbary, A., Kassem, M. A., Ghorab, M. M., & Basha, M. (2014). Nanostructured lipid carriers (NLCs) versus solid lipid nanoparticles (SLNs) for topical delivery of meloxicam. *Pharmaceutical Development and Technology*, 19(3), 304–314. <https://doi.org/10.3109/10837450.2013.778872>
- Khan, S., Baboota, S., Ali, J., Narang, R. S., & Narang, J. K. (2016). Chlorogenic acid stabilized nanostructured lipid carriers (NLC) of atorvastatin: Formulation, design and in vivo evaluation. *Drug Development and Industrial Pharmacy*, 42(2), 209–220. <https://doi.org/10.3109/03639045.2015.1040414>
- Kurakula, M., Ahmed, O. A. A., Fahmy, U. A., & Ahmed, T. A. (2016). Solid lipid nanoparticles for transdermal delivery of avanafil: optimization, formulation, in-vitro and ex-vivo studies. *Journal of Liposome Research*, 26(4), 288–296. <https://doi.org/10.3109/08982104.2015.1117490>
- Lee, S. G., Jeong, J. H., Lee, K. M., Jeong, K. H., Yang, H., Kim, M., Jung, H., Lee, S., & Choi, Y. W. (2013). Nanostructured lipid carrier-loaded hyaluronic acid microneedles for controlled dermal delivery of a lipophilic molecule. *International Journal of*

- Nanomedicine, 9(1), 289–299. <https://doi.org/10.2147/IJN.S54529>
- Mandal, S., Yadav, S., & Kumar Nema, R. (2009). Antioxidants: A review. *Journal of Chemical and Pharmaceutical Research*, 1(1), 102–104.
- Manikanika, Kumar, J., & Jaswal, S. (2021). Role of nanotechnology in the world of cosmetology: A review. *Materials Today: Proceedings*, 45, 3302–3306. <https://doi.org/10.1016/j.matpr.2020.12.638>
- Mishra, D. K., Dhote, V., Bhatnagar, P., & Mishra, P. K. (2012). Engineering solid lipid nanoparticles for improved drug delivery: Promises and challenges of translational research. *Drug Delivery and Translational Research*, 2(4), 238–253. <https://doi.org/10.1007/s13346-012-0088-9>
- Moghddam, S. M. M., Ahad, A., Aqil, M., Imam, S. S., & Sultana, Y. (2017). Optimization of nanostructured lipid carriers for topical delivery of nimesulide using Box–Behnken design approach. *Artificial Cells, Nanomedicine and Biotechnology*, 45(3), 617–624. <https://doi.org/10.3109/21691401.2016.1167699>
- Patwekar, S. L., Pedewad, S. R., & Gattani, S. (2018). Development and evaluation of nanostructured lipid carriers-based gel of isotretinoin. *Particulate Science and Technology*, 36(7), 832–843. <https://doi.org/10.1080/02726351.2017.1305026>
- Pinto, F., de Barros, D. P. C., Reis, C., & Fonseca, L. P. (2019). Optimization of nanostructured lipid carriers loaded with retinoids by central composite design. *Journal of Molecular Liquids*, 293, 111468. <https://doi.org/10.1016/j.molliq.2019.111468>
- Retamal Marín, R. R., Babick, F., & Stintz, M. (2017). Ultrasonic dispersion of nanostructured materials with probe sonication – practical aspects of sample preparation. *Powder Technology*, 318, 451–458. <https://doi.org/10.1016/j.powtec.2017.05.049>
- Rostamkalaei, S. S., Akbari, J., Saeedi, M., Morteza-Semnani, K., & Nokhodchi, A. (2019). Topical gel of Metformin solid lipid nanoparticles: A hopeful promise as a dermal delivery system. *Colloids and Surfaces B: Biointerfaces*, 175(November 2018), 150–157. <https://doi.org/10.1016/j.colsurfb.2018.11.072>
- Rowe RC, Sheskey PJ, Q. M. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). Pharmaceutical Press.
- Shah, M.R., Imran, M., Ullah, S. (2017). *Lipid-based nanocarriers for drug nanocarriers for drug delivery and diagnosis*, Micro & nano technologies series. Elsevier. <https://doi.org/10.1016/b978-0-323-52729-3.00002-0>
- Souto, E. B., Baldim, I., Oliveira, W. P., Rao, R., Yadav, N., Gama, F. M., & Mahant, S. (2020). SLN and NLC for topical, dermal, and transdermal drug delivery. *Expert*

Opinion on Drug Delivery, 17(3), 357–377.
<https://doi.org/10.1080/17425247.2020.1727883>

- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43.
<https://doi.org/10.1016/j.ifset.2013.03.002>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645.
<https://doi.org/10.3390/scipharm84040634>
- Vaz, S., Silva, R., Amaral, M. H., Martins, E., Sousa Lobo, J. M., & Silva, A. C. (2019). Evaluation of the biocompatibility and skin hydration potential of vitamin E-loaded lipid nanosystems formulations: In vitro and human in vivo studies. *Colloids and Surfaces B: Biointerfaces*, 179(April), 242–249. <https://doi.org/10.1016/j.colsurfb.2019.03.036>
- Vinardell, M. P., & Mitjans, M. (2015). Nanocarriers for delivery of antioxidants on the skin. *Cosmetics*, 2(4), 342–354. <https://doi.org/10.3390/cosmetics2040342>