

DAFTAR PUSTAKA

- Apridani, E. Y. R. (2014). Viabilitas *Lactobacillus Plantarum* 1 Yang Diisolasi Dari Susu Kedelai Terfermentasi Spontan Terhadap Asam Klorida Dan Garam Empedu. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 10–27. https://scholar.google.com/scholar?hl=id&as_sdt=0%2C5&q=Viabilitas+Lactobacillus+Plantarum+1+Yang+Diisolasi+Dari+Susu+Kedelai+Terfermentasi+Spontan+Terhadap+Asam+Klorida+Dan+Garam+Empedu.&btnG=
- Arck, P., Handjiski, B., Hagen, E., Pincus, M., Bruenahl, C., Bienenstock, J., & Paus, R. (2010). Is there a “gut-brain-skin axis”? *Experimental Dermatology*, 19(5), 401–405. <https://doi.org/10.1111/j.1600-0625.2009.01060.x>
- Ashley, K., Andrews, R. N., Cavazos, L., & Demange, M. (2001). Ultrasonic extraction as a sample preparation technique for elemental analysis by atomic spectrometry. *Journal of Analytical Atomic Spectrometry*, 16(10), 1147–1153. <https://doi.org/10.1039/b102027g>
- Asri, D., Ari, A., Kimia, J. T., Malang, P. N., Soekarno, J., & No, H. (2021). Teknologi Enkapsulasi: Teknik Dan Aplikasinya. *Distilat: Jurnal Teknologi Separasi*, 7(2), 202–209. <https://doi.org/10.33795/distilat.v7i2.210>
- Axt-Gadermann, M., Chudomirova, K., & Noll, M. (2021). Probiotic baths for atopic dermatitis. *Hautarzt*, 72(6), 549–556. <https://doi.org/10.1007/s00105-021-04789-2>
- Blanchet-Réthoré, S., Bourdès, V., Mercenier, A., Haddar, C. H., Verhoeven, P. O., & Andres, P. (2017). Effect of a lotion containing the heat-treated probiotic strain *Lactobacillus johnsonii* NCC 533 on *Staphylococcus aureus* colonization in atopic dermatitis. *Clinical, Cosmetic and Investigational Dermatology*, 10, 249–257. <https://doi.org/10.2147/CCID.S135529>
- Butler, É., Lundqvist, C., & Axelsson, J. (2020). *Lactobacillus reuteri* DSM 17938 as a novel topical cosmetic ingredient: A proof of concept clinical study in adults with atopic dermatitis. *Microorganisms*, 8(7), 1–15. <https://doi.org/10.3390/microorganisms8071026>
- Cazzola, M., Capuano, A., Rogliani, P., & Matera, M. G. (2012). Bacterial lysates as a potentially effective approach in preventing acute exacerbation of COPD. *Current Opinion in Pharmacology*, 12(3), 300–308. <https://doi.org/10.1016/j.coph.2012.01.019>
- Chávarri, M., Marañón, I., Ares, R., Ibáñez, F. C., Marzo, F., & Villarán, M. del C. (2010). Microencapsulation of a probiotic and prebiotic in alginate-chitosan capsules improves survival in simulated gastro-intestinal conditions. *International Journal of Food Microbiology*, 142(1–2), 185–189. <https://doi.org/10.1016/j.ijfoodmicro.2010.06.022>
- Cinque, B., La Torre, C., Melchiorre, E., Marchesani, G., Zoccali, G., Palumbo, P., Di Marzio, L., Masci, A., Mosca, L., Mastromarino, P., Giuliani, M., & Cifone, M. G. (2011). Use of Probiotics for Dermal Applications. *Probiotics*, June 2014, 221–241. https://doi.org/10.1007/978-3-642-20838-6_9
- Collins, J. K., Thornton, G., & Sullivan, G. O. (1998). Selection of probiotic strains for human applications. *International Dairy Journal*, 8(5–6), 487–490. [https://doi.org/10.1016/S0958-6946\(98\)00073-9](https://doi.org/10.1016/S0958-6946(98)00073-9)
- Cooper, A. J., Weyrich, L. S., Dixit, S., & Farrer, A. G. (2015). The skin microbiome: Associations between altered microbial communities and disease. *Australasian Journal of Dermatology*, 56(4), 268–274. <https://doi.org/10.1111/ajd.12253>
- Donders, G., Bellen, G., Oerlemans, E., Claes, I., Ruban, K., Henkens, T., Kiekens, F., & Lebeer, S. (2020). The use of 3 selected lactobacillary strains in vaginal probiotic gel for the treatment of acute *Candida* vaginitis: a proof-of-concept study. *European Journal of Clinical Microbiology and Infectious Diseases*, 39(8), 1551–1558. <https://doi.org/10.1007/s10096-020-03868-x>

- Etchepare, M. de A., Raddatz, G. C., Cichoski, A. J., Flores, É. M. M., Barin, J. S., Queiroz Zepka, L., Jacob-Lopes, E., Grosso, C. R. F., & de Menezes, C. R. (2016). Effect of resistant starch (Hi-maize) on the survival of *Lactobacillus acidophilus* microencapsulated with sodium alginate. *Journal of Functional Foods*, 21, 321–329. <https://doi.org/10.1016/j.jff.2015.12.025>
- Ezekiel, O. O., Okechie, I. D., & Adedeji, O. E. (2020). Viability of *Lactobacillus rhamnosus* GG in Simulated Gastrointestinal Conditions and After Baking White Pan Bread at Different Temperature and Time Regimes. *Current Microbiology*, 77(12), 3869–3877. <https://doi.org/10.1007/s00284-020-02203-z>
- Fabbrocini, G., Bertona, M., Picazo, Pareja-Galeano, H., Monfrecola, G., & Emanuele, E. (2016). Supplementation with *Lactobacillus rhamnosus* SP1 normalises skin expression of genes implicated in insulin signalling and improves adult acne. *Beneficial Microbes*, 7(5), 625–630. <https://doi.org/10.3920/BM2016.0089>
- Frakolaki, G., Giannou, V., Kekos, D., & Tzia, C. (2020). A review of the microencapsulation techniques for the incorporation of probiotic bacteria in functional foods. *Critical Reviews in Food Science and Nutrition*, 61(9), 1515–1536. <https://doi.org/10.1080/10408398.2020.1761773>
- Fu, N., Huang, S., Xiao, J., & Chen, X. D. (2018). Producing Powders Containing Active Dry Probiotics With the Aid of Spray Drying. In *Advances in Food and Nutrition Research* (1st ed., Vol. 85). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2018.02.003>
- George-Okafor, U., Ozoani, U., Tasie, F., & Mba-Omeje, K. (2020). The efficacy of cell-free supernatants from *Lactobacillus plantarum* Cs and *Lactobacillus acidophilus* ATCC 314 for the preservation of home-processed tomato-paste. *Scientific African*, 8. <https://doi.org/10.1016/j.sciaf.2020.e00395>
- Goibier, L., Pillement, C., Monteil, J., Faure, C., & Leal-Calderon, F. (2020). Preparation of multiple water-in-oil-in-water emulsions without any added oil-soluble surfactant. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 590(January), 124492. <https://doi.org/10.1016/j.colsurfa.2020.124492>
- Gopala, J. (2016). Pengaruh Kecepatan Sentrifugasi Terhadap Hasil Pemeriksaan Sedimen Urin Pagi Metode Konvensional [UNIVERSITAS MUHAMMADIYAH]. In *SKRIPSI. Universitas Muhammadiyah Semarang*. <http://repository.unimus.ac.id/126/1/split skripsi.pdf>
- Grice, E. A., & Segre, J. A. (2011). The skin microbiome. *Nature Reviews Microbiology*, 9(4), 244–253. <https://doi.org/10.1038/nrmicro2537>
- Guo, J., Brosnan, B., Furey, A., Arendt, E. K., Murphy, P., & Coffey, A. (2012). Antifungal activity of *Lactobacillus* against *Microsporum canis*, *Microsporum gypseum* and *Epidermophyton floccosum*. *Bioengineered*, 3(2), 104–113.
- Habibi, N. A., Fathia, S., & Utami, C. T. (2019). Perubahan Karakteristik Bahan Pangan pada Keripik Buah dengan Metode Freeze Drying (Review). *JST (Jurnal Sains Terapan)*, 5(2). <https://doi.org/10.32487/jst.v5i2.634>
- Hariyadi, P. (2017). Pengering Semprot : Aplikasinya untuk Mikroenkapsulasi Komponen Fungsional. *Food Review Indonesia*, XII(5), 50–53.
- Hausmann, C., Hertz-Kleptow, D., Zoschke, C., Wanjiku, B., Wentzien-Odenthal, A., Kerscher, M., & Schäfer-Korting, M. (2019). Reconstructed Human Epidermis Predicts Barrier-Improving Effects of *Lactococcus lactis* Emulsion in Humans. *Skin Pharmacology and Physiology*, 32(2), 72–80. <https://doi.org/10.1159/000495255>
- Hedayati, M. T., Omran, S. M., Soleymani, A., & Armaki, M. T. (2016). *nC or re ct Pr oo f or re ct Pr oo f*. <https://doi.org/10.5812/jjm.33235.Review>
- Hidayat, D. D., & Azizah, N. (2020). Uji Stabilitas Sediaan Lulur Krim Ubi Jalar Ungu (*Ipomoea batatas* L.) dengan Penambahan Yogurt sebagai Antioksidan. *Journal of Herbs and Farmacological*, 2(2), 63–70.

- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., Morelli, L., Canani, R. B., Flint, H. J., Salminen, S., Calder, P. C., & Sanders, M. E. (2014). Expert consensus document: The international scientific association for probiotics and prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology and Hepatology*, 11(8), 506–514. <https://doi.org/10.1038/nrgastro.2014.66>
- Htwe, M. M., Teanpaisan, R., Khongkow, P., & Amnuait, T. (2019). Liposomes of probiotic's lyophilized cell free supernatant; A potential cosmeceutical product. *Pharmazie*, 74(8), 462–466. <https://doi.org/10.1691/ph.2019.9030>
- Huang, X., Gänzle, M., Zhang, H., Zhao, M., Fang, Y., & Nishinari, K. (2020). Microencapsulation of probiotic lactobacilli with shellac as moisture barrier and to allow controlled release. *Journal of the Science of Food and Agriculture*, 101(2), 726–734. <https://doi.org/10.1002/jsfa.10685>
- Invernici, M. M., Salvador, S. L., Silva, P. H. F., Soares, M. S. M., Casarin, R., Palioto, D. B., Souza, S. L. S., Taba, M., Novaes, A. B., Furlaneto, F. A. C., & Messora, M. R. (2018). Effects of Bifidobacterium probiotic on the treatment of chronic periodontitis: A randomized clinical trial. *Journal of Clinical Periodontology*, 45(10), 1198–1210. <https://doi.org/10.1111/jcpe.12995>
- Irianto, K. (2006). *Mikrobiologi Menguak Dunia Mikroorganisme* ((Jilid 1)). Yrama Widya. https://litbangkespangandaran.litbang.kemkes.go.id/perpustakaan/index.php?p=show_detail&id=2514
- Jawetz E, Melnick J, A. E. (2013). *Mikrobiologi Kedokteran* (R. Elferia (ed.); Jilid 25). kedokteran EGC.
- Jung, Y. O., Jeong, H., Cho, Y., Lee, E. O., Jang, H. W., Kim, J., Nam, K. T., & Lim, K. M. (2019). Lysates of a probiotic, lactobacillus rhamnosus, can improve skin barrier function in a reconstructed human epidermis model. *International Journal of Molecular Sciences*, 20(17). <https://doi.org/10.3390/ijms20174289>
- Karska-Wysocki, B., Bazo, M., & Smoragiewicz, W. (2010). Antibacterial activity of Lactobacillus acidophilus and Lactobacillus casei against methicillin-resistant Staphylococcus aureus (MRSA). *Microbiological Research*, 165(8), 674–686. <https://doi.org/10.1016/j.micres.2009.11.008>
- Kaur, K., & Rath, G. (2019). Formulation and evaluation of UV protective synbiotic skin care topical formulation. *Journal of Cosmetic and Laser Therapy*, 21(6), 332–342. <https://doi.org/10.1080/14764172.2019.1658878>
- Khmaladze, I., Butler, É., Fabre, S., & Gillbro, J. M. (2019). Lactobacillus reuteri DSM 17938—A comparative study on the effect of probiotics and lysates on human skin. *Experimental Dermatology*, 28(7), 822–828. <https://doi.org/10.1111/exd.13950>
- Kim, H. M., Lee, D. E., Park, S. D., Kim, Y. T., Kim, Y. J., Jeong, J. W., Jang, S. S., Ahn, Y. T., Sim, J. H., Huh, C. S., Chung, D. K., & Lee, J. H. (2014). Oral administration of lactobacillus plantarum HY7714 protects hairless mouse against ultraviolet B-induced photoaging. *Journal of Microbiology and Biotechnology*, 24(11), 1583–1591. <https://doi.org/10.4014/jmb.1406.06038>
- Kim, J. U., Kim, B., Shahbaz, H. M., Lee, S. H., Park, D., & Park, J. (2016). Encapsulation of probiotic Lactobacillus acidophilus by ionic gelation with electrostatic extrusion for enhancement of survival under simulated gastric conditions and during refrigerated storage. *International Journal of Food Science and Technology*, 52(2), 519–530. <https://doi.org/10.1111/ijfs.13308>
- Kim, W., Lee, E. J., Bae, I., Myoung, K., Kim, S. T., Park, J., Lee, K., Vuong, A., Pham, Q., Ko, J., Ho, S., Cho, E., Kim, W., Lee, E. J., Bae, I., Myoung, K., & Kim, S. T. (2020). Lactobacillus plantarum-derived extracellular vesicles induce anti-inflammatory M2 macrophage polarization in vitro. *Journal of Extracellular Vesicles*, 9(1793514). <https://doi.org/10.1080/20013078.2020.1793514>
- Klein, G., Schanstra, J. P., Hoffmann, J., Mischak, H., Siwy, J., & Zimmermann, K. (2013). Proteomics as a Quality Control Tool of Pharmaceutical Probiotic Bacterial Lysate Products. *PLoS ONE*, 8(6), 1–9. <https://doi.org/10.1371/journal.pone.0066682>
- Krasaekoopt, W., Bhandari, B., & Deeth, H. (2003). Evaluation of encapsulation techniques of

- probiotics for yoghurt. *International Dairy Journal*, 13(1), 3–13. [https://doi.org/10.1016/S0958-6946\(02\)00155-3](https://doi.org/10.1016/S0958-6946(02)00155-3)
- Krinsky, N., Kaduri, M., Shainsky-Roitman, J., Goldfeder, M., Ivanir, E., Benhar, I., Shoham, Y., & Schroeder, A. (2016). A simple and rapid method for preparing a cell-free bacterial lysate for protein synthesis. *PLoS ONE*, 11(10), 1–13. <https://doi.org/10.1371/journal.pone.0165137>
- Lee, G. R., Maarouf, M., Hendricks, A. J., Lee, D. E., & Shi, V. Y. (2019). Topical probiotics: The unknowns behind their rising popularity. *Dermatology Online Journal*, 25(5), 1–3. <https://doi.org/10.5070/d3255044062>
- Lim, H. Y., Jeong, D., Park, S. H., Shin, K. K., Hong, Y. H., Kim, E., Yu, Y. G., Kim, T. R., Kim, H., Lee, J., & Cho, J. Y. (2020). Antiwrinkle and antimelanogenesis effects of tyndallized *Lactobacillus acidophilus* KCCM12625P. *International Journal of Molecular Sciences*, 21(5). <https://doi.org/10.3390/ijms21051620>
- Lopes, E. G., Moreira, D. A., Gullón, P., Gullón, B., Cardelle-Cobas, A., & Tavaría, F. K. (2017). Topical application of probiotics in skin: adhesion, antimicrobial and antibiofilm in vitro assays. *Journal of Applied Microbiology*, 122(2), 450–461. <https://doi.org/10.1111/jam.13349>
- Lopes, S., Bueno, L., Júnior, F. D. A., & Finkler, C. (2017). Preparation and characterization of alginate and gelatin microcapsules containing *Lactobacillus rhamnosus*. *Annals of the Brazilian Academy of Sciences JOURNAL*, 89, 1601–1613.
- Madreseh, S., Ghaisari, H. R., & Hosseinzadeh, S. (2019). Effect of Lyophilized, Encapsulated *Lactobacillus fermentum* and Lactulose Feeding on Growth Performance, Heavy Metals, and Trace Element Residues in Rainbow Trout (*Oncorhynchus mykiss*) Tissues. *Probiotics and Antimicrobial Proteins*, 11(4), 1257–1263. <https://doi.org/10.1007/s12602-018-9487-7>
- Mahmoud, M., Abdallah, N. A., El-Shafei, K., Tawfik, N. F., & El-Sayed, H. S. (2020). Survivability of alginate-microencapsulated *Lactobacillus plantarum* during storage, simulated food processing and gastrointestinal conditions. *Heliyon*, 6(3). <https://doi.org/10.1016/j.heliyon.2020.e03541>
- Manojlović, V., Nedović, V. A., Kailasapathy, K., & Zuidam, N. J. (2010). Encapsulation of probiotics for use in food products. In *Encapsulation technologies for active food ingredients and food processing*. In *Chemical History*. Springer, New York, NY. <https://doi.org/10.1039/9781847552631-00185>
- Marco, M. L., Pavan, S., & Kleerebezem, M. (2006). Towards understanding molecular modes of probiotic action. *Current Opinion in Biotechnology*, 17(2), 204–210. <https://doi.org/10.1016/j.copbio.2006.02.005>
- McLoughlin, I. J., Wright, E. M., Tagg, J. R., Jain, R., & Hale, J. D. F. (2021). Skin Microbiome—The Next Frontier for Probiotic Intervention. *Probiotics and Antimicrobial Proteins*, July. <https://doi.org/10.1007/s12602-021-09824-1>
- Mehdi-Alamdarloo, S., Ameri, A., Moghimipour, E., Gholipour, S., & Saadatzaheh, A. (2016). Formulation Development of a Topical Probiotic Gel for Antidermatophytosis Effect. *Jundishapur Journal of Natural Pharmaceutical Products*, 11(3), 1–4. <https://doi.org/10.17795/jjnpp-35893>.Research
- Meisel, J. S., Hannigan, G. D., Tyldsley, A. S., SanMiguel, A. J., Hodkinson, B. P., Zheng, Q., & Grice, E. A. (2016). Skin Microbiome Surveys Are Strongly Influenced by Experimental Design. *Journal of Investigative Dermatology*, 136(5), 947–956. <https://doi.org/10.1016/j.jid.2016.01.016>
- Menteri Kesehatan RI. (2010). Peraturan Menteri Kesehatan Republik Indonesia Nomor 1175/Menkes/Per/VIII/2010 tentang Izin Produksi Kosmetika. *Departemen Kesehatan Republik Indonesia. Jakarta.*, 31(396), 1–32.
- Minocha, A. (2009). Invited Review: Probiotics for preventive health. *Nutrition in Clinical Practice*, 24(2), 227–241. <https://doi.org/10.1177/0884533608331177>

- Mishra, M. K. (2016). *Overview of Encapsulation and Controlled Release, in Handbook of Encapsulation and Controlled Release*. CRC Press.
- Mohammedsaeed, W., Cruickshank, S., McBain, A. J., & O'Neill, C. A. (2015). Lactobacillus rhamnosus GG Lysate Increases Re-Epithelialization of Keratinocyte Scratch Assays by Promoting Migration. *Scientific Reports*, 5(October), 1–11. <https://doi.org/10.1038/srep16147>
- Mostafa, H. (2020). Lyophilized Probiotic Lactic Acid Bacteria Viability in Potato Chips and Its Impact on Oil Oxidation. *Foods*, 9(586), 1–12. <https://doi.org/10.3390/foods9050586>
- Mourtzinis, I., and Biliaderis, C. G. (2017). *Principles and Applications of Encapsulation Technologies to Food Material, in Thermal and Nonthermal Encapsulation Methods*. CRC Press.
- Noni, A. P. (2017). *AKTIVITAS ANTIMIKROBA Lactobacillus plantarum 1 YANG DIISOLASI DARI INDUSTRI PENGOLAHAN PATI SAGU TERHADAP BAKTERI PATOGEN Escherichia coli FNCC-19 DAN Staphylococcus aureus FNCC-15*. 4(2), 1–12. https://scholar.google.com/scholar?hl=id&as_sdt=0%2C5&q=AKTIVITAS+ANTIMIKROBA+Lactobacillus+plantarum+1+YANG+DIISOLASI+DARI+INDUSTRI+PENGOLAHAN+PATI+SAGU+TERHADAP+BAKTERI+PATOGEN+Escherichia+coli+FNCC-19+DAN+Staphylococcus+aureus+FNCC-15&btnG=
- O'Neill, C. A., Sultana, R., & McBain, A. J. (2013). Strain-dependent augmentation of tight-junction barrier function in human primary epidermal keratinocytes by lactobacillus and bifidobacterium lysates. *Applied and Environmental Microbiology*, 79(16), 4887–4894. <https://doi.org/10.1128/AEM.00982-13>
- Oerlemans, E. F. M., Bellen, G., Claes, I., Henkens, T., Allonsius, C. N., Wittouck, S., van den Broek, M. F. L., Wuyts, S., Kiekens, F., Donders, G. G. G., & Lebeer, S. (2020). Impact of a lactobacilli-containing gel on vulvovaginal candidosis and the vaginal microbiome. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-64705-x>
- Onwuliri, V., Agbakoba, N. R., & Anukam, K. C. (2021). Topical cream containing live lactobacilli decreases malodor-producing bacteria and downregulates genes encoding PLP-dependent enzymes on the axillary skin microbiome of healthy adult Nigerians. *Journal of Cosmetic Dermatology*, 20(9), 2989–2998. <https://doi.org/10.1111/jocd.13949>
- Paetzold, B., Willis, J. R., Pereira De Lima, J., Knödlseider, N., Brüggemann, H., Quist, S. R., Gabaldón, T., & Güell, M. (2019). Skin microbiome modulation induced by probiotic solutions. *Microbiome*, 7(1), 1–9. <https://doi.org/10.1186/s40168-019-0709-3>
- Pandey, S., Senthilguru, K., Uvanesh, K., Sagiri, S. S., Behera, B., Babu, N., Bhattacharyya, M. K., Pal, K., & Banerjee, I. (2016). Natural gum modified emulsion gel as single carrier for the oral delivery of probiotic-drug combination. *International Journal of Biological Macromolecules*, 92, 504–514. <https://doi.org/10.1016/j.ijbiomac.2016.07.053>
- Panichikkal, J., Prathap, G., Nair, R. A., & Krishnankutty, R. E. (2021). Evaluation of plant probiotic performance of Pseudomonas sp. encapsulated in alginate supplemented with salicylic acid and zinc oxide nanoparticles. *International Journal of Biological Macromolecules*, 166, 138–143. <https://doi.org/10.1016/j.ijbiomac.2020.10.110>
- Parvez, S., Malik, K. A., Ah Kang, S., & Kim, H. Y. (2006). Probiotics and their fermented food products are beneficial for health. *Journal of Applied Microbiology*, 100(6), 1171–1185. <https://doi.org/10.1111/j.1365-2672.2006.02963.x>
- Pasqualin Cavalheiro, C., Ruiz-Capillas, C., Herrero, A. M., Jiménez-Colmenero, F., Ragagnin de Menezes, C., & Martins Fries, L. L. (2015). Application of probiotic delivery systems in meat products. *Trends in Food Science and Technology*, 46(1), 120–131. <https://doi.org/10.1016/j.tifs.2015.09.004>
- Pelczar, Michael J & Chan, E. C. (1986). *Dasar-dasar Mikrobiologi* (S. S. S. L. Hardioetomo, Ratna Siri ; Imas, Teja : Tjitrosomo (ed.)). UI press.

- Prince, T., McBain, A. J., & O'Neill, C. A. (2012). *Lactobacillus reuteri* protects epidermal keratinocytes from *Staphylococcus aureus*-induced cell death by competitive exclusion. *Applied and Environmental Microbiology*, 78(15), 5119–5126. <https://doi.org/10.1128/AEM.00595-12>
- Puebla-Barragan, S., & Reid, G. (2021). Probiotics in cosmetic and personal care products: Trends and challenges. *Molecules*, 26(5), 1–11. <https://doi.org/10.3390/molecules26051249>
- Purnamasari M, V., Pakki, E., & Mirawati, M. (2016). FORMULASI LULUR KRIM YANG MENGANDUNG KOMBINASI YOGHURT DAN PATI BERAS HITAM (*Oryza sativa* L.). *Jurnal Ilmiah As-Syifaa*, 8(2), 83–91. <https://doi.org/10.33096/jifa.v8i2.222>
- Putri, Y. W., Putra, A. E., & Utama, B. I. (2018). Identifikasi Dan Karakteristik Bakteri Asam Laktat Yang Diisolasi Dari Vagina Wanita Usia Subur. *Jurnal Kesehatan Andalas*, 7(Supplement 3), 20. <https://doi.org/10.25077/jka.v7i0.864>
- Rodrigues, F. J., Cedran, M. F., Bicas, J. L., & Sato, H. H. (2020). Encapsulated probiotic cells: Relevant techniques, natural sources as encapsulating materials and food applications – A narrative review. *Food Research International*, 137, 109682. <https://doi.org/10.1016/j.foodres.2020.109682>
- Rong, J., Shan, C., Shuzhan, L., Zhengb, H., Liu, C., Liu, M., Jin, F., & Wang, and L. (2017). Skin resistance to UVB-induced oxidative stress and hyperpigmentation by the topical use of *Lactobacillus helveticus* NS8-fermented milk supernatant. *Journal of Applied Microbiology*, 123(2). <https://doi.org/10.1111/ijlh.12426>
- Ross, A. A., Müller, K. M., Scott Weese, J., & Neufeld, J. D. (2018). Comprehensive skin microbiome analysis reveals the uniqueness of human skin and evidence for phylosymbiosis within the class Mammalia. *Proceedings of the National Academy of Sciences of the United States of America*, 115(25), E5786–E5795. <https://doi.org/10.1073/pnas.1801302115>
- Rum, I. A., Suherman, H. W., & K, I. (2021). Formulation and evaluation of peel-off gel mask from whole milk yogurt and seaweed (*Eucheuma cottonii*) as antioxidants sources. *Pharmacy & Pharmacology International Journal*, 9(4), 132–135. <https://doi.org/10.15406/ppij.2021.09.00338>
- Rusdiana, I. A., Hambali, E., & Rahayuningsih, M. (2018). Pengaruh Sonikasi Terhadap Sifat Fisik Formula Herbisida yang Ditambahkan Surfaktan Dietanolamida. *Agroradix*, 1(2), 34–41. https://scholar.google.com/scholar?hl=id&as_sdt=0%2C5&q=Pengaruh+Sonikasi+Terhadap+Sifat+Fisik+Formula+Herbisida+yang+Ditambahkan+Surfaktan+Dietanolamida&btnG=
- Sarao, L. K., & Arora, M. (2017). Probiotics, prebiotics, and microencapsulation: A review. *Critical Reviews in Food Science and Nutrition*, 57(2), 344–371. <https://doi.org/10.1080/10408398.2014.887055>
- Savedboworn, W., Teawsomboonkit, K., Surichay, S., Riansa-ngawong, W., Rittisak, S., Charoen, R., & Phattayakorn, K. (2019). Impact of protectants on the storage stability of freeze-dried probiotic *Lactobacillus plantarum*. *Food Science and Biotechnology*, 28(3), 795–805. <https://doi.org/10.1007/s10068-018-0523-x>
- Seité, S., Zelenkova, H., & Martin, R. (2017). Clinical efficacy of emollients in atopic dermatitis patients - relationship with the skin microbiota modification. *Clinical, Cosmetic and Investigational Dermatology*, 10, 25–33. <https://doi.org/10.2147/CCID.S121910>
- Seyedain-Ardabili, M., Sharifan, A., & Tarzi, B. G. (2016). The production of synbiotic bread by microencapsulation. *Food Technology and Biotechnology*, 54(1), 52–59. <https://doi.org/10.17113/ftb.54.01.16.4234>
- Simbolon, D. L. S., Yusmarini, & Ali, A. (2016). Viabilitas *Lactobacillus Plantarum* 1 Yang Diisolasi Dari Industri Pengolahan Pati Sagu Terhadap Garam Empedu. *JOM Faperta*, 3(1), 188–194. https://scholar.google.com/scholar?hl=id&as_sdt=0%2C5&q=VIABILITAS+Lactobacillus+plantarum+1+YANG+DIISOLASI+DARI+INDUSTRI+PENGOLAHAN+PATI+SAGU+TERHADAP+GARAM+EMPEDU&btnG=
- Simpson, E. L., Chalmers, J. R., Hanifin, J. M., Thomas, K. S., Cork, M. J., McLean, W. H. I., Brown,

- S. J., Chen, Z., Chen, Y., & Williams, H. C. (2014). Emollient enhancement of the skin barrier from birth offers effective atopic dermatitis prevention. *Journal of Allergy and Clinical Immunology*, 134(4), 818–823. <https://doi.org/10.1016/j.jaci.2014.08.005>
- Soeharsono. (2010). *Probiotik Basis Ilmiah, Aplikasi dan Aspek Praktis*. penerbit Widya Padjajaran.
- Solval, K. E. M., Cavender, G., Jiang, N., Chen, J., & Singh, R. (2020). Microencapsulation of *Lactobacillus plantarum* NRRL B-1927 with Skim Milk Processed via Ultra-High-Pressure Homogenization. *Molecules*, 25(3863), 1–17. <https://doi.org/10.3390/molecules25173863>
- Spacova, I., O'Neill, C., & Lebeer, S. (2020). *Lacticaseibacillus rhamnosus* GG inhibits infection of human keratinocytes by *Staphylococcus aureus* through mechanisms involving cell surface molecules and pH reduction. *Beneficial Microbes*, 11(7), 703–715. <https://doi.org/10.3920/BM2020.0075>
- Sudarmono, P. P. (2016). Mikrobioma: Pemahaman Baru tentang Peran Mikroorganisme dalam Kehidupan Manusia. *EJournal Kedokteran Indonesia*, 4(2), 71–75. <https://doi.org/10.23886/ejki.4.6291.71-5>
- Sugimoto, S., Ishii, Y., Izawa, N., Masuoka, N., Kano, M., Sone, T., Chiba, K., Miyazaki, K., & Ishikawa, F. (2012). Photoprotective effects of *Bifidobacterium breve* supplementation against skin damage induced by ultraviolet irradiation in hairless mice. *Photodermatology Photoimmunology and Photomedicine*, 28(6), 312–319. <https://doi.org/10.1111/phpp.12006>
- Surono, I. S. (2016). *Probiotik, Mikroorganisme dan Pangan Fungsional (1st ed.)*. Deepublish Publisher. <https://opac.perpusnas.go.id/DetailOpac.aspx?id=1143692>
- Syukur S, P. E. (2013). *Bioteknologi Probiotik*. CV. Andi Offset.
- Tavaria, F. K. (2017). Topical use of probiotics: The natural balance. *Porto Biomedical Journal*, 2(3), 69–70. <https://doi.org/10.1016/j.pbj.2017.02.003>
- Tawaran, V. M., Anissa, Sutedja, E., & Lesmana, R. (2016). Effect of Topical Probiotic on MMP-13 and Collagen III Expression in The Dermis Layer of Male Rats Irradiated with Ultraviolet-B. *Indonesian Journal of Clinical Pharmacy*, 5(2), 138–148. <https://doi.org/10.15416/ijcp.2016.5.2.138>
- Tricarico, D., Varricchio, A., D'Ambrosio, S., Ascione, E., & Motta, G. (2004). Prevention of Recurrent Upper Respiratory Tract Infections in a Community of Cloistered Nuns Using a New Immunostimulating Bacterial Lysate: A randomized, double-blind clinical trial. *Arzneimittel-Forschung/Drug Research*, 54(1), 57–63. <https://doi.org/10.1055/s-0031-1296937>
- Tsai, C. C., Chan, C. F., Huang, W. Y., Lin, J. S., Chan, P., Liu, H. Y., & Lin, Y. S. (2013). Applications of *Lactobacillus rhamnosus* spent culture supernatant in cosmetic antioxidation, whitening and moisture retention applications. *Molecules*, 18(11), 14161–14171. <https://doi.org/10.3390/molecules181114161>
- Tsai, W. H., Chou, C. H., Chiang, Y. J., Lin, C. G., & Lee, C. H. (2021). Regulatory effects of *Lactobacillus plantarum*-GMNL6 on human skin health by improving skin microbiome. *International Journal of Medical Sciences*, 18(5), 1114–1120. <https://doi.org/10.7150/ijms.51545>
- Vandenheuvel, D., Kiekens, S., Broek, M. F. L. Van Den, & Kiekens, F. (2017). Enhancing the viability of *Lactobacillus rhamnosus* GG after spray drying and during storage. *International Journal of Pharmaceutics*. <https://doi.org/10.1016/j.ijpharm.2017.09.075>
- Wang, L., Song, M., Zhao, Z., Chen, X., Cai, J., Cao, Y., & Xiao, J. (2020). *Lactobacillus acidophilus* loaded pickering double emulsion with enhanced viability and colon-adhesion efficiency. *Lwt*, 121(May 2019), 108928. <https://doi.org/10.1016/j.lwt.2019.108928>
- Wasilah, U., Rohimah, S., & Su'udi, M. (2019). Perkembangan Bioteknologi di Indonesia. *Rekayasa Journal of Science and Technology*, 12(2), 85–90. <https://doi.org/10.21107/rekayasa.v12i2.5469>
- Woodhead, M., Blasi, F., Ewig, S., Garau, J., Huchon, G., Ieven, M., Ortqvist, A., Schaberg, T., Torres,

- A., van der Heijden, G., Read, R., & Verheij, T. J. M. (2011). Guidelines for the management of adult lower respiratory tract infections - Full version. *Clinical Microbiology and Infection*, 17, E1–E59. <https://doi.org/10.1111/j.1469-0691.2011.03672.x>
- Xavier dos Santos, D., Casazza, A. A., Aliakbarian, B., Bedani, R., Saad, S. M. I., & Perego, P. (2019). Improved probiotic survival to in vitro gastrointestinal stress in a mousse containing *Lactobacillus acidophilus* La-5 microencapsulated with inulin by spray drying. *Lwt*, 99, 404–410. <https://doi.org/10.1016/j.lwt.2018.10.010>
- Yang, K. M., Kim, J. S., Kim, H. S., Kim, Y. Y., Oh, J. K., Jung, H. W., Park, D. S., & Bae, K. H. (2021). *Lactobacillus reuteri* AN417 cell-free culture supernatant as a novel antibacterial agent targeting oral pathogenic bacteria. *Scientific Reports*, 11(1), 1–16. <https://doi.org/10.1038/s41598-020-80921-x>
- Yulinery, T., & Nurhidayat, N. (2016). ANALISIS VIABILITAS PROBIOTIK *Lactobacillus* TERENKAPSULASI DALAM PENYALUT DEKSTRIN DAN JUS MARKISA (*Passiflora edulis*). *Jurnal Teknologi Lingkungan*, 13(1), 109. <https://doi.org/10.29122/jtl.v13i1.1411>
- Zulkarnain, I., Pakki, E., Mirawati, & Talib, A. R. (2018). EVALUASI STABILITAS FARMASETIK DAN UJI IRTITASI FORMULA MASKER SARI LEMON (*Citrus limon* L.) DENGAN YOGURT PLAIN. *As-Syifaa Jurnal Farmasi*, 10(02), 239–246.