

Program Studi Diploma III Keperawatan
Universitas Bhakti Kencana Bandung
Tahun 2020

ABSTRAK

Angka Kematian Ibu (AKI) di Indonesia masih menjadi permasalahan yang besar menurut hasil data dari survey Penduduk Antar Sensus (SUPAS) tahun 2015 Indonesia menempati peringkat ke-2 se ASEAN dengan jumlah data 305/100.000 KH. Angka Kematian Ibu (AKI) sering terjadi pada masa nifas dengan jumlah 224 orang (32,18%) (profil kesehatan Jawa barat,2017), penyebab yang paling sering terjadi diakibatkan karena pendarahan dengan jumlah 38,3% (Rakersnas,2019). Namun pendarahan pada masa post partum dapat dicegah pada masa post partum dengan cara memberikan hormone oksitosin, hormone oksitosin sangat berperan dalam mempercepat proses involusi, hormone oksitosin dapat diperoleh secara alami dengan melakukan pijat oksitosin. Tujuan dari penelitian ini adalah untuk melihat pengaruh pijat oksitosin dalam mempercepat proses involusi uterus pada ibu post partum. Metode penelitian yang digunakan adalah studi literature dengan teknik pengambilan sampel *purposive sampling*. Sampel yang digunakan dalam penelitian ini berjumlah 4 jurnal Nasional. Menurut Imelda Fitri (2019) mengatakan bahwa terjadi penurunan pada fundus yang signifikan pada kelompok yang diberi pijat oksitosin dengan hasil yang didapatkan pada 24 jam pasca melahirkan tinggi fundus setinggi 11,795cm, pada hari ke-4 tinggi fundus 8,477 cm, dan pada hari ke-7 tinggi fundus 5,523cm. Hasil penelitian ini menunjukkan bahwa ada pengaruh pijat oksitosin dalam mempercepat proses involusi uterus yang ditandai dengan penurunan tinggi fundus pada kelompok yang diberikan pijat oksitosin lebih cepat dibandingkan pada kelompok yang tidak diberikan pijat oksitosin. Diharapkan literatur review ini menjadi acuan untuk melakukan penelitian serupa mengenai pijat oksitosin pada ibu post partum, dan diharapkan dapat menambahkan jurnal-jurnal ilmiah lain nya untuk memperkuat hasil dari penelitian selanjutnya.

Kata kunci : ibu post partum, pijat oksitosin, involusi uterus

Daftar pustaka : 4 buku (2009-2020)
20 jurnal (2010-2020)
8 website (2011-2019)

Nursing Diploma III Study Program
Bhakti Kencana Bandung University
2020

ABSTRACT

Maternal Mortality Rate (AKI) in Indonesia is still a big problem according to data from the 2015 Inter census population survey (SUPAS) indonesia ranked 2nd se ASEAN with data number 305/100.000 KH. Maternal Mortality Rate (AKI) occurs frequently during nifas with a total of 224 people (32.18%) (health profile of West Java,2017), the most common cause of bleeding with a total of 38.3% (Rakersnas,2019). However, post partum bleeding can be prevented during post partum by providing oxytocin hormone, oxytocin hormone is very instrumental in accelerating the involution process, oxytocin hormone can be obtained naturally by doing oxytocin massage. The purpose of this study is to look at the effect of oxytocin massage in accelerating the process of uterine involution in post partum mothers. The research method used is literature study with purposive sampling technique. The samples used in this study amounted to 4 National journals. According to Imelda Fitri (2019) said that there was a significant decrease in fundus in the group given oxytocin massage with results obtained in the 24 hours after giving birth high fundus height as high as 11,795cm, on the 4th day the height of fundus 8,477 cm, and on the 7th day the height of fundus 5,523cm. The results showed that there was an effect of oxytocin massage in accelerating the uterine involution process characterized by a high decrease in fundus in the group given oxytiocin massage faster than in the group that was not given oxytocin massage. It is hoped that this review literature will be used to conduct similar research on oxytocin massage in mothers post partum, and is expected to add other scientific journals to strengthen the results of subsequent research.

Keywords: Mother post partum, massage oxytocin, uterine involution

Bibliography: 4 Books (2009-2020)

20 Journals (2010-2020)

8 Websites (2011-2019)