

DAFTAR PUSTAKA

- Ahmad Nasrollahi, S., Koohestani, F., Naeimifar, A., Samadi, A., Vatanara, A., & Firooz, A. (2021). Preparation and evaluation of adapalene nanostructured lipid carriers for targeted drug delivery in acne. *Dermatologic Therapy*, 34(2). <https://doi.org/10.1111/dth.14777>
- Ahmadi, N., Rincón, M., Silva-Abreu, M., Sosa, L., Pesantez-Narvaez, J., Calpena, A. C., Rodríguez-Lagunas, M. J., & Mallandrich, M. (2023). Semi-Solid Dosage Forms Containing Pranoprofen-Loaded NLC as Topical Therapy for Local Inflammation: In Vitro, Ex Vivo and In Vivo Evaluation. *Gels*, 9(6). <https://doi.org/10.3390/gels9060448>
- Akanda, M., Mithu, M. S. H., & Douroumis, D. (2023). Solid lipid nanoparticles: An effective lipid-based technology for cancer treatment. In *Journal of Drug Delivery Science and Technology* (Vol. 86). Editions de Sante. <https://doi.org/10.1016/j.jddst.2023.104709>
- Algahtani, M. S., Ahmad, M. Z., & Ahmad, J. (2020a). Nanoemulsion loaded polymeric hydrogel for topical delivery of curcumin in psoriasis. *Journal of Drug Delivery Science and Technology*, 59. <https://doi.org/10.1016/j.jddst.2020.101847>
- Algahtani, M. S., Ahmad, M. Z., & Ahmad, J. (2020b). Nanoemulsion loaded polymeric hydrogel for topical delivery of curcumin in psoriasis. *Journal of Drug Delivery Science and Technology*, 59. <https://doi.org/10.1016/j.jddst.2020.101847>
- Anantrao, J. H., Nath, P. A., & Nivrutti, P. R. (2021). Drug Penetration Enhancement Techniques in Transdermal Drug Delivery System: A Review.

Journal of Pharmaceutical Research International, 46–61.
<https://doi.org/10.9734/jpri/2021/v33i19b31337>

Anggowarsito, J. L. (2014). LUKA BAKAR SUDUT PANDANG DERMATOLOGI. In *Jurnal Widya Medika Surabaya* (Vol. 2, Issue 2).

Baroni, A., Buommino, E., De Gregorio, V., Ruocco, E., Ruocco, V., & Wolf, R. (2012). Structure and function of the epidermis related to barrier properties. In *Clinics in Dermatology* (Vol. 30, Issue 3, pp. 257–262).
<https://doi.org/10.1016/j.clindermatol.2011.08.007>

Bashiri, S., Ghanbarzadeh, B., Ayaseh, A., Dehghannya, J., & Ehsani, A. (2020). Preparation and characterization of chitosan-coated nanostructured lipid carriers (CH-NLC) containing cinnamon essential oil for enriching milk and anti-oxidant activity. *LWT*, 119. <https://doi.org/10.1016/j.lwt.2019.108836>

Bergfeld, W. F., Donald, F. A. C. P. ;, Belsito, V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Shank, R. C., Slaga, T. J. ;, & Snyder, P. W. (n.d.). *Safety Assessment of Polysorbates as Used in Cosmetics*.

Candraningrum, R. G. S., Setiowati, A. D., & Hidayat, C. (2023). Electrostatic-Maillard formation of coconut protein Concentrate-Pectin conjugate for Oil-in-Water Emulsion: Effects of Ratio, Temperature, and pH. *Journal of the Saudi Society of Agricultural Sciences*, 22(1), 18–24.
<https://doi.org/10.1016/j.jssas.2022.05.004>

Chantaburanan, T., Teeranachaideekul, V., Jintapattanakit, A., Chantasart, D., & Junyaprasert, V. B. (2023). Enhanced stability and skin permeation of ibuprofen-loaded solid lipid nanoparticles based binary solid lipid matrix: Effect of surfactant and lipid compositions. *International Journal of Pharmaceutics: X*, 6. <https://doi.org/10.1016/j.ijpx.2023.100205>

- Charipoor, P., Nilforoushzadeh, M. A., Khani, M., Nouri, M., Ghasemi, E., Amirkhani, M. A., Eftekhari, M., & Shokri, B. (2024). The FEDBD plasma's quantitative investigation of skin parameters: Skin elasticity, thickness, density, tissue oxygenation, perfusion, and edema. *Heliyon*, 10(1), e23386. <https://doi.org/10.1016/j.heliyon.2023.e23386>
- Chu, D. T., Thi, H. V., Nguyen, T. T., Vu, T. D., Thi, Y. V. N., Mani, I., Gohil, N., Bhattacharjee, G., Ramakrishna, S., & Singh, V. (2023). Nanotechnology and nucleic acid nanoparticles for treatment of metabolic disorders. *OpenNano*, 13. <https://doi.org/10.1016/j.onano.2023.100181>
- Del Prado-Audelo, M. L., Caballero-Florán, I. H., Meza-Toledo, J. A., Mendoza-Muñoz, N., González-Torres, M., Florán, B., Cortés, H., & Leyva-Gómez, G. (2019). Formulations of curcumin nanoparticles for brain diseases. In *Biomolecules* (Vol. 9, Issue 2). MDPI AG. <https://doi.org/10.3390/biom9020056>
- Duong, V. A., Nguyen, T. T. L., & Maeng, H. J. (2020). Preparation of solid lipid nanoparticles and nanostructured lipid carriers for drug delivery and the effects of preparation parameters of solvent injection method. In *Molecules* (Vol. 25, Issue 20). MDPI AG. <https://doi.org/10.3390/molecules25204781>
- Duong, V. A., Nguyen, T. T. L., Maeng, H. J., & Chi, S. C. (2019). Nanostructured lipid carriers containing ondansetron hydrochloride by cold high-pressure homogenization method: Preparation, characterization, and pharmacokinetic evaluation. *Journal of Drug Delivery Science and Technology*, 53. <https://doi.org/10.1016/j.jddst.2019.101185>

- Farhat, F., Sohail, S. S., Siddiqui, F., Irshad, R. R., & Madsen, D. Ø. (2023). Curcumin in Wound Healing—A Bibliometric Analysis. *Life*, 13(1). <https://doi.org/10.3390/life13010143>
- Garg, J., Pathania, K., Sah, S. P., & Pawar, S. V. (2022). Nanostructured lipid carriers: a promising drug carrier for targeting brain tumours. *Future Journal of Pharmaceutical Sciences*, 8(1). <https://doi.org/10.1186/s43094-022-00414-8>
- Gilaberte, Y., Prieto-Torres, L., Pastushenko, I., & Juarranz, Á. (2016). Anatomy and Function of the Skin. In *Nanoscience in Dermatology* (pp. 1–14). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Hao, M., Chu, Y., Lei, J., Yao, Z., Wang, P., Chen, Z., Wang, K., Sang, X., Han, X., Wang, L., & Cao, G. (2023). Pharmacological Mechanisms and Clinical Applications of Curcumin: Update. In *Aging and Disease* (Vol. 14, Issue 3, pp. 716–749). International Society on Aging and Disease. <https://doi.org/10.14336/AD.2022.1101>
- Hendaria, M. P., Asmarajaya, A., & Maliawan, S. (n.d.). *KANKER KULIT*.
- Huang, W., Dou, H., Wu, H., Sun, Z., Wang, H., & Huang, L. (2017). Preparation and Characterisation of Nobiletin-Loaded Nanostructured Lipid Carriers. *Journal of Nanomaterials*, 2017. <https://doi.org/10.1155/2017/2898342>
- Hyun, J. E., Yi, H. Y., Hong, G. P., & Chun, J. Y. (2022). Digestion stability of curcumin-loaded nanostructured lipid carrier. *LWT*, 162. <https://doi.org/10.1016/j.lwt.2022.113474>
- Indyah, J, Santi, H., Ardita, J, Septiawan, I., & Kesehatan, A. : (2018). Antivirus: Jurnal Ilmiah dan Teknik Informatika. *Jurnal Antivirus*, 12(1).

- Jafar, G., Abdassah, M., Rusdiana, T., & Khairunisa, R. (2021). Development and characterization of precinol ato 88 base in nanostructured lipid carriers (Nlc) formulation with the probe sonication method. *International Journal of Applied Pharmaceutics*, 13(special issue 3), 43–46. <https://doi.org/10.22159/IJAP.2021.V13S3.08>
- Jafar, G., Adiyati, I., Farras Kartanagara Sekolah Tinggi Farmasi Bandung, Rf., & Soekarno Hatta No, J. (2017). Pengembangan Formula dan Karakterisasi Nanoemulsi Ekstrak Kombinasi Daun Teh dan Mangkokan Yang Diinkorporasikan ke dalam Spray Sebagai Penumbuh Rambut. *Jurnal Pharmascience*, 04(02), 155–166. <http://jps.unlam.ac.id/>
- Jafar, G., Darijanto, S. T., Mauludin, R., Tinggi, S., Bandung, F., Kunci, K., & Ceramide, : (2015). Formulasi Solid Lipid Nanoparticle Ceramide. *Jurnal Pharmascience*, 2(2), 80–87. <http://jps.ppjpu.unlam.ac.id/>
- Jafar, G., Salsabilla, S., & Santoso, R. (2022). DEVELOPMENT AND CHARACTERIZATION OF COMPRITOL ATO® BASE IN NANOSTRUCTURED LIPID CARRIERS FORMULATION WITH THE PROBE SONICATION METHOD. *International Journal of Applied Pharmaceutics*, 14(Special Issue 4), 64–66. <https://doi.org/10.22159/ijap.2022.v14s4.PP04>
- Kalangi Bagaian, S. J. R., Fakultas, A.-H., Universitas, K., & Manado, S. R. (n.d.). *HISTOFISIOLOGI KULIT*.
- Karimitabar, Z., Chegini, Z., Shokoohizadeh, L., Moez, N. M., Arabestani, M. R., & Hosseini, S. M. (2023). Use of the quantum dot-labeled solid lipid nanoparticles for delivery of streptomycin and hydroxychloroquine: A new therapeutic approach for treatment of intracellular Brucella abortus infection.

Biomedicine and Pharmacotherapy, 158.
<https://doi.org/10.1016/j.biopha.2022.114116>

Kovačević, A. B., Müller, R. H., & Keck, C. M. (2020). Formulation development of lipid nanoparticles: Improved lipid screening and development of tacrolimus loaded nanostructured lipid carriers (NLC). *International Journal of Pharmaceutics*, 576. <https://doi.org/10.1016/j.ijpharm.2019.118918>

Kumari, A., Raina, N., Wahi, A., Goh, K. W., Sharma, P., Nagpal, R., Jain, A., Ming, L. C., & Gupta, M. (2022). Wound-Healing Effects of Curcumin and Its Nanoformulations: A Comprehensive Review. In *Pharmaceutics* (Vol. 14, Issue 11). MDPI. <https://doi.org/10.3390/pharmaceutics14112288>

Le-Vinh, B., Le, N. M. N., Phan, T. N. Q., Matuszczak, B., & Bernkop-Schnürch, A. (2024). Effects of polymeric surfactants with low HLB values on drug and excipient release from self-emulsifying drug delivery systems. *Journal of Drug Delivery Science and Technology*, 91. <https://doi.org/10.1016/j.jddst.2023.105199>

Müller, R. H., Alexiev, U., Sinambela, P., & Keck, C. M. (2016). Nanostructured lipid carriers (NLC): The second generation of solid lipid nanoparticles. In *Percutaneous Penetration Enhancers Chemical Methods in Penetration Enhancement: Nanocarriers* (pp. 161–185). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-47862-2_11

MYRITOL 318. (n.d.). <http://nguyenbachem.com>

Owda, A. Y., Salmon, N., Shylo, S., & Owda, M. (2019). Assessment of bandaged burn wounds using porcine skin and millimetric radiometry. *Sensors (Switzerland)*, 19(13). <https://doi.org/10.3390/s19132950>

Putri, D. D., Tanzil Furqon, M., & Perdana, R. S. (2018). *Klasifikasi Penyakit Kulit Pada Manusia Menggunakan Metode Binary Decision Tree Support Vector Machine (BDTSVM) (Studi Kasus: Puskesmas Dinoyo Kota Malang)* (Vol. 2, Issue 5). <http://j-ptiik.ub.ac.id>

Putri Dhea Damayanti, M., Ega Priani, S., Dina Mulyanti Prodi Farmasi, dan, & Matematika dan Ilmu Pengetahuan Alam, F. (n.d.). *Kajian Pengembangan Sistem Nanostructured Lipid Carriers (NLC) Pada Terapi Kanker Payudara. Bandung, Conference Series : Pharmacy.*
<https://doi.org/10.29313/bcsp.v3i2.ID>

Raymond C Rowe, Paul J Sheskey, Marian E Quinn. (2009). *Handbook of Pharmaceutical Excipients.*

Rouco, H., Diaz-Rodriguez, P., Remuñán-López, C., & Landin, M. (2020). Recent advances in solid lipid nanoparticles formulation and clinical applications. In *Nanomaterials for Clinical Applications: Case Studies in Nanomedicines* (pp. 213–247). Elsevier. <https://doi.org/10.1016/B978-0-12-816705-2.00007-2>

Soni, K., Rizwanullah, M., & Kohli, K. (2018). Development and optimization of sulforaphane-loaded nanostructured lipid carriers by the Box-Behnken design for improved oral efficacy against cancer: in vitro, ex vivo and in vivo assessments. *Artificial Cells, Nanomedicine and Biotechnology*, 46(sup1), 15–31. <https://doi.org/10.1080/21691401.2017.1408124>

Souto, E. B., Baldim, I., Oliveira, W. P., Rao, R., Yadav, N., Gama, F. M., & Mahant, S. (2020). SLN and NLC for topical, dermal, and transdermal drug delivery. In *Expert Opinion on Drug Delivery* (Vol. 17, Issue 3, pp. 357–377). Taylor and Francis Ltd. <https://doi.org/10.1080/17425247.2020.1727883>

Spronk, I., van Uden, D., van Dammen, L., van Baar, M. E., Nieuwenhuis, M., Pijpe, A., Visser, I., van Schie, C., van Zuijlen, P., Haanstra, T., & Lansdorp, C. A. (2023). Outcomes that matter most to burn patients: A national multicentre survey study in the Netherlands. *Burns*. <https://doi.org/10.1016/j.burns.2023.10.018>

Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. In *Innovative Food Science and Emerging Technologies* (Vol. 19, pp. 29–43). <https://doi.org/10.1016/j.ifset.2013.03.002>

Tammam, B. M. H., Habotta, O. A., El-khadragy, M., Abdel Moneim, A. E., & Abdalla, M. S. (2023). Therapeutic role of mesenchymal stem cells and platelet-rich plasma on skin burn healing and rejuvenation: A focus on scar regulation, oxido-inflammatory stress and apoptotic mechanisms. *Heliyon*, 9(9). <https://doi.org/10.1016/j.heliyon.2023.e19452>

Teeranachaideekul, V., Morakul, B., Boonme, P., Pornputtapitak, W., & Junyaprasert, V. (2020). Effect of lipid and oil compositions on physicochemical properties and photoprotection of octyl methoxycinnamate-loaded nanostructured lipid carriers (Nlc). *Journal of Oleo Science*, 69(12), 1627–1639. <https://doi.org/10.5650/jos.ess20093>

Tego-Care-450.-TDS.-05.01.153. (n.d.).

Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016a). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645. <https://doi.org/10.3390/scipharm84040634>

- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016b). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645. <https://doi.org/10.3390/scipharm84040634>
- Trigo-gutierrez, J. K., Vega-chacón, Y., Soares, A. B., & Mima, E. G. de O. (2021). Antimicrobial activity of curcumin in nanoformulations: A comprehensive review. In *International Journal of Molecular Sciences* (Vol. 22, Issue 13). MDPI. <https://doi.org/10.3390/ijms22137130>
- Varian, M., & Tanfil, A. (n.d.). *Uji Aktivitas Penyembuhan Luka Bakar Kombinasi Kurkumin- β -Siklodekstrin Dan Ekstrak Daun Sirih (Piper Betle L) Dengan Metode Motahhare Akhoondinasab*.
- Wahyudi, S., Yusuf, R., Firdhani, A., & Firdaus, Z. S. R. (2021). Studi Distribusi Temperatur Pada Kulit Manusia yang mengalami Cryotherapy dengan Finite Difference Method (FDM). *Jurnal Rekayasa Mesin*, 12(3), 757–765. <https://doi.org/10.21776/ub.jrm.2021.012.03.25>
- Wang, K., Shen, K., Han, F., Bai, X., Fang, Z., Jia, Y., Zhang, J., Li, Y., Cai, W., Wang, X., Luo, L., Guo, K., Wang, H., Yang, X., Wang, H., & Hu, D. (2023). Activation of Sestrin2 accelerates deep second-degree burn wound healing through PI3K/AKT pathway. *Archives of Biochemistry and Biophysics*, 743. <https://doi.org/10.1016/j.abb.2023.109645>
- Wirawan, W. (2023). Formulation and Characteristics of Nanostuctured Lipid Carrier (NLC) Red Palm Oil (RPO) Prepared by High-Pressure Homogenization and Its Applications in Orange Juice. *Indonesian Food and Nutrition Progress*, 19(1), 31. <https://doi.org/10.22146/ifnp.70924>

Zhuang, C. Y., Li, N., Wang, M., Zhang, X. N., Pan, W. S., Peng, J. J., Pan, Y. S., & Tang, X. (2010). Preparation and characterization of vinpocetine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability. *International Journal of Pharmaceutics*, 394(1–2), 179–185. <https://doi.org/10.1016/j.ijpharm.2010.05.005>