

ABSTRAK

Penyakit demam berdarah juga bisa diakibatkan dengan racun air dan berhubungan dengan serangga yang berterbangan dekat air. Penyakit ini dapat menjangkit siapa saja mulai dari bayi, dewasa, dan lansia, Demam Berdarah Dengue merupakan suatu penyakit epidemik yang disebabkan oleh virus. Penderita yang terinfeksi penyakit DBD akan memiliki gejala berupa demam ringan sampai tinggi, disertai dengan sakit kepala, nyeri pada mata, nyeri otot dan persendian hingga pendarahan spontan. Di dunia terinfeksi virus dengue terutama pada daerah tropis maupun subtropis, dengan perkiraan 500.000 orang memerlukan rawat inap setiap tahunnya dan 90% dari penderita ialah pada anak-anak yang berusia kurang dari 15 tahun. Tujuan dalam penelitian ini adalah untuk mengetahui pencegahan demam berdarah dengue oleh kader posyandu di masyarakat. Metode dalam penelitian ini menggunakan *literatur review* dengan teknik pengambilan sampel *purposive sampling*. Jumlah populasi yang digunakan 243 jurnal serta sampel yang digunakan 3 jurnal nasional yang ber ISSN , fulltext, rentang waktu 2010-2020 dari populasi 243 jurnal. Hasil penelitian

didapatkan bahwa pencegahan demam berdarah dengue oleh kader posyandu di masyarakat kesimpilannya dari sebagian penelitian hasil penelitian masih diperlukan tindak lanjutan dalam mengaplikasikan perilaku pencegahan dan deteksi dini penyakit demam berdarah dengue pada lingkungan masingmasing.

Kata kunci : Demam Berdarah Dengue – kader posyandu –
masyarakat –
Pencegahan

Sumber : 9 jurnal (tahun 2010-2020) + 2 buku (2010-2020) + 5
situs internet (2010-2020)

ABSTRACT

Dengue fever can also be caused by water toxins and associated with insects flying near the water. This disease can infect anyone from infants, adults, and the elderly. Dengue hemorrhagic fever is an epidemic disease caused by a virus. Patients infected with DHF will have symptoms in the form of mild to high fever, accompanied by

headaches, eye pain, muscle and joint pain and spontaneous bleeding. The world is infected with the dengue virus, especially in tropical and subtropical areas, with an estimated 500,000 people requiring hospitalization each year and 90% of sufferers are children younger than 15 years. The purpose of this study was to determine the prevention of dengue fever by posyandu cadres in the community. The method in this study used a literature review with purposive sampling technique. The population used was 243 journals and the sample used was 3 national journals with ISSN, full text, 2010-2020 timeframe from a population of 243 journals. The results showed that the prevention of dengue hemorrhagic fever by posyandu cadres in the community. The conclusion of some research results is that follow-up is still needed in applying the behavior of prevention and early detection of dengue hemorrhagic fever in their respective environments.

Keywords: Dengue hemorrhagic fever - posyandu cadres - community

-

Prevention

Source: 9 journals (2010-2020) + 2 books (2010-2020) + 5 internet sites (2010-2020)