

DAFTAR PUSTAKA

- Abdel-salam, F. S., Ammar, H. O., Elkheshen, S. A., & Mahmoud, A. A. (2017). Journal of Drug Delivery Science and Technology Anti-inflammatory sunscreen nanostructured lipid carrier formulations. *Journal of Drug Delivery Science and Technology*, 37, 13–19. Diambil dari <https://doi.org/10.1016/j.jddst.2016.10.014>
- Aburahma, M. H., & Badr-eldin, S. M. (2014). Compritol 888 ATO : a multifunctional lipid excipient in drug delivery systems and nanopharmaceuticals, 1–19.
- Ahdyani, R., Rahayu, S., Zamzani, I., Farmasi, F., Banjarmasin, U. M., Farmasi, F., & Banjarmasin, U. M. (2020). Review : Pengembangan Sistem Penghantaran Berbasis Nanopartikel Dalam Sediaan Kosmetika Herbal (Review : Development Of Nanoparticel-Based Delivery System In Herbal Cosmesetics). *Journal of Current Pharmaceutical Science*, 4(1), 289–299.
- Annisa, R., Hendradi, E., & Melani, D. (2016). Pengembangan Sistem Nanostructured Lipid Carriers (Nlc) Meloxicam Dengan Lipid Monostearin Dan Miglyol 808 Menggunakan Metode Emulsifikasi. *Journal Of Tropical Pharmacy And Chemistry*, 3(3), 156–169. Diambil dari <https://doi.org/10.25026/jtpc.v3i3.102>
- Beloqui, A., Solinís, M. Á., Rodríguez-Gascón, A., Almeida, A. J., & Préat, V. (2016). Nanostructured lipid carriers: Promising drug delivery systems for future clinics. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 12(1), 143–161. Diambil dari <https://doi.org/10.1016/j.nano.2015.09.004>
- Brito Raj, S., Chandrasekhar, K. B., & Reddy, K. B. (2019). Formulation, in-vitro and in-vivo pharmacokinetic evaluation of simvastatin nanostructured lipid carrier loaded transdermal drug delivery system. *Future Journal of Pharmaceutical Sciences*, 5(1). Diambil dari <https://doi.org/10.1186/s43094-019-0008-7>
- Capuzzo, A., Occhipinti, A., & Maffei, M. E. (2014). Antioxidant and radical scavenging activities of chamazulene. *Natural Product Research*, 28(24), 2321–2323. Diambil dari <https://doi.org/10.1080/14786419.2014.931393>
- Carvajal-Vidal, P., Fábrega, M. J., Espina, M., Calpena, A. C., & García, M. L. (2019). Development of Halobetasol-loaded nanostructured lipid carrier for dermal administration: Optimization, physicochemical and biopharmaceutical behavior, and therapeutic efficacy. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 20, 102026. Diambil dari <https://doi.org/10.1016/j.nano.2019.102026>
- Chen, P., Zhang, H., Cheng, S., Zhai, G., & Shen, C. (2016). Colloids and Surfaces A : Physicochemical and Engineering Aspects Development of curcumin loaded nanostructured lipid carrier based thermosensitive in situ gel for dermal delivery. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 506, 356–362. Diambil dari <https://doi.org/10.1016/j.colsurfa.2016.06.054>
- Czajkowska-Kośnik, A., Szekalska, M., & Winnicka, K. (2019). Nanostructured lipid carriers: A potential use for skin drug delivery systems. *Pharmacological Reports*, 71(1), 156–166. Diambil dari <https://doi.org/10.1016/j.pharep.2018.10.008>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., ... Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. Diambil dari <https://doi.org/10.3390/pharmaceutics10020057>
- Delsy, E. V. Y., Iswanto, P., & Winaryo, S. (2017). Quantitative Analysis of Relationship

- Structure and Anionic Surfactant Micelle Concentration Critic With Semiempiris AM1. *Molekul*, 12(1), 53. Diambil dari <https://doi.org/10.20884/1.jm.2017.12.1.245>
- Ebtavanny, T. G., Soeratri, W., & Rosita, N. (2018). Effect of lipid composition on nanostructured lipid carrier (NLC) on ubiquinone effectiveness as an anti-aging cosmetics. *International Journal of Drug Delivery Technology*, 8(3), 144–152. Diambil dari <https://doi.org/10.25258/ijddt.8.3.5>
- Fatima, N., Rehman, S., Nabi, B., Baboota, S., & Ali, J. (2019). Harnessing nanotechnology for enhanced topical delivery of clindamycin phosphate. *Journal of Drug Delivery Science and Technology*, 54(May), 101253. Diambil dari <https://doi.org/10.1016/j.jddst.2019.101253>
- Haider, M., Abdin, S. M., Kamal, L., & Orive, G. (2020). Nanostructured Lipid Carriers for Delivery of Chemotherapeutics : A Review.
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2021). Design-expert Software s. *Majalah Farmasetika*, 6(1), 99–120.
- Hugo, V., Araujo, S., Delello, L., Filippo, D., Lobado, J., Spósito, L., ... Lobado, J. (2020). Critical Reviews in Microbiology Exploiting solid lipid nanoparticles and nanostructured lipid carriers for drug delivery against cutaneous fungal infections. *Critical Reviews in Microbiology*, 0(0), 1–12. Diambil dari <https://doi.org/10.1080/1040841X.2020.1843399>
- Jiménez-Pérez, Z. E., Singh, P., Kim, Y. J., Mathiyalagan, R., Kim, D. H., Lee, M. H., & Yang, D. C. (2018). Applications of Panax ginseng leaves-mediated gold nanoparticles in cosmetics relation to antioxidant, moisture retention, and whitening effect on B16BL6 cells. *Journal of Ginseng Research*, 42(3), 327–333. Diambil dari <https://doi.org/10.1016/j.jgr.2017.04.003>
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, 5(3), 12–20. Diambil dari <https://doi.org/10.35790/jbm.5.3.2013.4344>
- Karn-Orachai, K., Smith, S. M., Phunpee, S., Treethong, A., Puttipipatkachorn, S., Pratontep, S., & Ruktanonchai, U. R. (2014). The effect of surfactant composition on the chemical and structural properties of nanostructured lipid carriers. *Journal of Microencapsulation*, 31(6), 609–618. Diambil dari <https://doi.org/10.3109/02652048.2014.911374>
- Kawish, S. M., Ahmed, S., Gull, A., Aslam, M., Pandit, J., Aqil, M., & Sultana, Y. (2017). Development of nabumetone loaded lipid nano-scaffold for the effective oral delivery; optimization, characterization, drug release and pharmacodynamic study. *Journal of Molecular Liquids*, 231, 514–522. Diambil dari <https://doi.org/10.1016/j.molliq.2017.01.107>
- Khalil, R. M., Abd-Elbary, A., Kassem, M. A., Ghorab, M. M., & Basha, M. (2014). Nanostructured lipid carriers (NLCs) versus solid lipid nanoparticles (SLNs) for topical delivery of meloxicam. *Pharmaceutical Development and Technology*, 19(3), 304–314. Diambil dari <https://doi.org/10.3109/10837450.2013.778872>
- Kolarsick, P. A. J., Kolarsick, M. A., & Goodwin, C. (2008). Anatomy and Physiology of the Skin, 203–213. Diambil dari <https://doi.org/10.1097/JDN.0b013e3182274a98>
- Lesmana, R., & Muchtaridi, M. (2020). Nanoparticle Drug Delivery Systems for α -Mangostin, 23–36.
- Loo, C. H., Basri, M., Ismail, R., Lau, H. L. N., Tejo, B. A., Kanthimathi, M. S., ... Choo, Y. M. (2013). Effect of compositions in nanostructured lipid carriers (NLC) on skin hydration

- and occlusion. *International Journal of Nanomedicine*, 8, 13–22. Diambil dari <https://doi.org/10.2147/IJN.S35648>
- Ly, W., Zhao, S., Yu, H., Li, N., Garamus, V. M., Chen, Y., ... Zou, A. (2016). Brucea javanica oil-loaded nanostructure lipid carriers (BJO NLCs): Preparation, characterization and in vitro evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 504, 312–319. Diambil dari <https://doi.org/10.1016/j.colsurfa.2016.05.068>
- Mahawar, V., Patidar, K., & Joshi, N. (2018). Unmet need and challenges of skin aging by herbal anti-aging cosmeceuticals: An overview. *Asian Journal of Pharmaceutics*, 12(2), S410–S418.
- Morais, J. M., & Burgess, D. J. (2014). In vitro release testing methods for vitamin e nanoemulsions. *International Journal of Pharmaceutics*, 475(1), 393–400. Diambil dari <https://doi.org/10.1016/j.ijpharm.2014.08.063>
- Nagavarma, B. V. N., Yadav, H. K. S., Ayaz, A., Vasudha, L. S., & Shivakumar, H. G. (2012). Different techniques for preparation of polymeric nanoparticles- A review. *Asian Journal of Pharmaceutical and Clinical Research*, 5(SUPPL. 3), 16–23.
- Nasiri, F., Faghfour, L., & Hamidi, M. (2020). Preparation, optimization, and in-vitro characterization of α -tocopherol-loaded solid lipid nanoparticles (SLNs). *Drug Development and Industrial Pharmacy*, 46(1), 159–171. Diambil dari <https://doi.org/10.1080/03639045.2019.1711388>
- Natarajan, J., Karri, V. V. S. R., & De, A. (2017). Nanostructured Lipid Carrier (NLC): A Promising Drug Delivery System. *Global Journal of Nanomedicine*, 1(5), 120–125.
- Nurul Arfiyanti Yusuf, Rahmad Aksa, F. J. C. (2020). Optimasi Variasi Konsentrasi Lipid Terhadap Karakteristik Fisik Solid Lipid Nanoparticle (Sln) Glibenklamid, 6(2), 163–171.
- Pardeike, J., Hommoss, A., & Müller, R. H. (2009). Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, 366(1–2), 170–184. Diambil dari <https://doi.org/10.1016/j.ijpharm.2008.10.003>
- Patwekar, S. L., Pedewad, S. R., & Gattani, S. (2018). Development and evaluation of nanostructured lipid carriers-based gel of isotretinoin. *Particulate Science and Technology*, 36(7), 832–843. Diambil dari <https://doi.org/10.1080/02726351.2017.1305026>
- Pratama, M. (2020). ULTRASONIK, IX, 147–156.
- Prihapsara, F., Nurona, A., & Istiqomah, N. (2017). Optimasi dan Uji Antioksidan Sediaan SMEDDS Daun Salam dengan Minyak Inti Sawit sebagai Fase Minyak Optimization and Antioxidant Activity Test Of SMEDDS Bay Leaf with Palm Kernell Oil as Oil Phase, 102–109.
- Ramadhani, R. A., Riyadi, D. H. S., Triwibowo, B., & Kusumaningtyas, R. D. (2017). Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel. *Jurnal Teknik Kimia dan Lingkungan*, 1(1), 11. Diambil dari <https://doi.org/10.33795/jtkl.v1i1.5>
- Rincón-Morantes, J. F., Reyes-Ortiz, O. J., & Ruge-Cárdenas, J. C. (2020). Review of the use of nanomaterials in soils for construction of roads. *Respuestas*, 25(2), 213–223. Diambil dari <https://doi.org/10.22463/0122820x.2959>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa

- Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1), 23–30. Diambil dari <https://doi.org/10.17728/jatp.3722>
- Satari, A., Ghasemi, S., Habtemariam, S., Asgharian, S., & Lorigooini, Z. (2021). Rutin: A Flavonoid as an Effective Sensitizer for Anticancer Therapy; Insights into Multifaceted Mechanisms and Applicability for Combination Therapy. *Evidence-based Complementary and Alternative Medicine*, 2021(Figure 1). Diambil dari <https://doi.org/10.1155/2021/9913179>
- Savić, V., Ilić, T., Nikolić, I., Marković, B., Čalića, B., Cekić, N., & Savić, S. (2019). Tacrolimus-loaded lecithin-based nanostructured lipid carrier and nanoemulsion with propylene glycol monocaprylate as a liquid lipid: Formulation characterization and assessment of dermal delivery compared to referent ointment. *International Journal of Pharmaceutics*, 569(May). Diambil dari <https://doi.org/10.1016/j.ijpharm.2019.118624>
- Setiawan, Y., & Mahatmanti, F. W. (2018). Preparasi dan Karakterisasi Nanozeolit dari Zeolit Alam Gunungkidul dengan Metode Top-Down. *Indonesian Journal of Chemical Science*, 7(1), 43–49.
- Silva, S., Ferreira, M., Oliveira, A. S., Magalhães, C., Sousa, M. E., Pinto, M., ... Almeida, I. F. (2019). Evolution of the use of antioxidants in anti-ageing cosmetics. *International Journal of Cosmetic Science*, 41(4), 378–386. Diambil dari <https://doi.org/10.1111/ics.12551>
- Sinha, P., Srivastava, S., Mishra, N., & Yadav, N. P. (2014). New Perspectives on Antiacne Plant Drugs: Contribution to Modern Therapeutics. *BioMed Research International*, 2014. Diambil dari <https://doi.org/10.1155/2014/301304>
- Souto, E. B., Baldim, I., Oliveira, W. P., Rao, R., Yadav, N., Gama, F. M., & Mahant, S. (2020). Expert Opinion on Drug Delivery SLN and NLC for topical , dermal , and transdermal drug delivery. *Expert Opinion on Drug Delivery*, 00(00), 1–21. Diambil dari <https://doi.org/10.1080/17425247.2020.1727883>
- Sri, Y., & Estuningsih. (2020). PERBANDINGAN APLIKASI TERAPI AKUPUNKTUR DENGAN SUSU FERMENTASI KEFIR UNTUK MENGHAMBAT PROSES PENUAAN DINI yang tidak mengikuti peraturan sesuai dengan terapi akupunktur dan atau minum kefir sesuai yang sudah dijadwalkan ; dan wanita yang mempunyai penyakit. *Jurnal Kesehatan Kusuma Husada*, 153–160. Diambil dari <http://jurnal.ukh.ac.id/index.php/JK/article/download/438/350/>
- Surya Tej, K. V. M., Moin, A., Gowda, D. V., Anjali, Karunakar, G., Patel, N. P., & Kamal, S. S. (2016). Nano structured lipid carrier based drug delivery system. *Journal of Chemical and Pharmaceutical Research*, 8(2), 627–643.
- Tiwari, R., & Pathak, K. (2011). Nanostructured lipid carrier versus solid lipid nanoparticles of simvastatin: Comparative analysis of characteristics, pharmacokinetics and tissue uptake. *International Journal of Pharmaceutics*, 415(1–2), 232–243. Diambil dari <https://doi.org/10.1016/j.ijpharm.2011.05.044>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645. Diambil dari <https://doi.org/10.3390/scipharm84040634>
- Waghule, T., Rapalli, V. K., Singhvi, G., Manchanda, P., Hans, N., Dubey, S. K., ... Nayak, A. K. (2019). Voriconazole loaded nanostructured lipid carriers based topical delivery system: QbD based designing, characterization, in-vitro and ex-vivo evaluation. *Journal*

of Drug Delivery Science and Technology, 52(April), 303–315. Diambil dari <https://doi.org/10.1016/j.jddst.2019.04.026>

- Wardana, D., Ramadhan, A., Amne, D. P. F., & Eddiyanto. (2019). Utilization of Glycerol from Used Oil as an Ester Glycerol Surfactant. *Indonesian Journal of Chemical Science*, 53(7), 401–405.
- Zhuang, C. Y., Li, N., Wang, M., Zhang, X. N., Pan, W. S., Peng, J. J., ... Tang, X. (2010). Preparation and characterization of vinpocetine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability. *International Journal of Pharmaceutics*, 394(1–2), 179–185. Diambil dari <https://doi.org/10.1016/j.ijpharm.2010.05.005>