

DAFTAR PUSTAKA

- Abdullahi, A., Khairulmazmi, A., Yasmeen, S., Ismail, I. S., & Norhayu, A. (2020). Phytochemical profiling and antimicrobial activity of ginger (*Zingiber officinale*) essential oils against important phytopathogens. *Arabian Journal of Chemistry*, 13(11), 8012–8025. <https://doi.org/10.1016/j.arabjc.2020.09.031>
- Akinyemi, A. J., Oboh, G., Ademiluyi, A. O., Boligon, A. A., & Athayde, M. L. (2016). Effect of Two Ginger Varieties on Arginase Activity in Hypercholesterolemic Rats. *Journal of Acupuncture and Meridian Studies*, 9(2), 80–87. <https://doi.org/10.1016/j.jams.2015.03.003>
- Attari, V. E., Somi, M. H., & Jafarabadi, M. A. (2019). The Gastro-protective Effect of Ginger (*Zingiber officinale* Roscoe) in Helicobacter pylori Positive Functional Dyspepsia. *Tabriz University of Medical Sciences*, 7(3), 113–117. <https://doi.org/10.15171/jcvtr.2015.24>
- Buwalda, S. J. (2020). Antihypercholesterolemia activities of red ginger extract (*Zingiber officinale* Roxb . var rubrum) on wistar rats Antihypercholesterolemia activities of red ginger extract (*Zingiber officinale* Roxb . var rubrum) on wistar rats. <https://doi.org/10.1088/1757-899X/858/1/012025>
- Cai, W., Duan, X. M., Liu, Y., Yu, J., Tang, Y. L., Liu, Z. L., ... Xu, J. X. (2017). Uric Acid Induces Endothelial Dysfunction by Activating the HMGB1/RAGE Signaling Pathway. *BioMed Research International*, 2017. <https://doi.org/10.1155/2017/4391920>
- Chao, P. C., Hsu, C. C., & Yin, M. C. (2009). Anti-inflammatory and anti-coagulatory activities of caffeic acid and ellagic acid in cardiac tissue of diabetic mice. *Nutrition and Metabolism*, 6, 1–8. <https://doi.org/10.1186/1743-7075-6-33>
- Chilappa, C. S., Aronow, W. S., Shapiro, D., Sperber, K., Patel, U., & Ash, J. Y. (2015). Gout and hyperuricemia. *Comprehensive Therapy*, 36, 3–13. <https://doi.org/10.1201/9781420006452-31>
- Chow, C. K. (2019). *Cellular Antioxidant Defense Mechanisms*. *Cellular Antioxidant Defense Mechanisms*. <https://doi.org/10.1201/9780429289323>
- Constantinescu & Duffee, 2017. (2017). Comparison of Submental Blood Collection with the Retroorbital and Submandibular Methods in Mice (*Mus musculus*), 56(6), 1–2.
- Dai, X. M., Wei, L., Ma, L. L., Chen, H. Y., Zhang, Z. J., Ji, Z. F., ... Jiang, L. Di. (2015). Serum uric acid and its relationship with cardiovascular risk profile in Chinese patients with early-onset coronary artery disease. *Clinical Rheumatology*, 34(9), 1605–1611. <https://doi.org/10.1007/s10067-015-2878-1>
- Dasuki, U. A., & Imawan, A. R. (1995). PERBANDINGAN AKTIVITAS ANTIOKSIDAN DARI SEDUHAN 3 MERK TEH HITAM (*Camellia sinensis* (L .) Kuntze) DENGAN METODE SEDUHAN BERDASARKAN SNI 01-1902-1995, 2(1), 19–25.
- Dipiro, J. T, T., R. L, Yee, G., C, M., G. R, W. B. G., & Posey, L. M. (2014). *Pharmacotherapy: a pathophysiologic approach*. *Current Opinion in Rheumatology* (Vol. 14). <https://doi.org/10.1097/00002281-200205000-00015>
- Ezzat, S. M., Ezzat, M. I., Okba, M. M., Menze, E. T., & Abdel-naim, A. B. (2017). Author ' s Accepted Manuscript inflammatory activity. *Journal of Ethnopharmacology*. <https://doi.org/10.1016/j.jep.2017.12.019>
- Fu, S., Luo, L., Ye, P., & Xiao, W. (2015). Epidemiological associations between hyperuricemia and cardiometabolic risk factors: A comprehensive study from Chinese community. *BMC Cardiovascular Disorders*, 15(1), 1–5. <https://doi.org/10.1186/s12872-015-0116-z>
- Gunawan, H. (2018). Pengaruh Pemberian Ekstrak Etanol Herba Poguntano (*Picria FelTerrae* Lour .) Terhadap Profil Lipid Tikus Putih Jantan Dislipidemia TALENTA Conference Series Pengaruh

- Pemberian Ekstrak Etanol Herba Poguntano (Picria Fel- Terrae Lour .) Terhadap Profil Lip, 1(1), 230–236.
- Hartini, S., Suryani, M. E., Kesehatan, P., & Kaltim, K. (2016). UJI KUALITAS SERUM SIMPANAN TERHADAP KADAR, 2(1), 65–69.
- Haryadi, F. R., Nesti, D. R., Tjahajati, I., & Herawati, O. (2020). Efektifitas Terapi Asam Urat dengan Polih herbal Ekstrak Bawang Merah (Allium ascalonicum L .) dan Jahe Merah (Zingiber officinale var rubrum) pada Tikus Hiperurisemia The Effectivity of Polyherbal Extract of Shallot (Allium ascalonicum L .) for Gaut T, 38(2). <https://doi.org/10.22146/jsv.51360>
- Hasimun, P. (2019). Prevention of Hypertension and Arterial Stiffness by Combination of Centella asiatica and Curcuma longa in Rats. <https://doi.org/10.3923/ajbs.2019.173.179>
- Hasimun, P., Mulyani, Y., Rehulina, E., & Zakaria, H. (2020). Impact of Black Garlic on Biomarkers of Arterial Stiffness and Frontal QRS-T Angle on Hypertensive Animal Model, 12(4), 338–342. <https://doi.org/10.5530/jyp.2020.12.88>
- Imbar, A. C., de Queljoe, E., & Rotinsulu, H. (2019). UJI AKTIVITAS ANTIHIPERURISEMIA EKSTRAK ETANOL TUMBUHAN SURUHAN (Peperomia pellucida L.Kunth) TERHADAP TIKUS PUTIH JANTAN (Gallur wistar) YANG DI INDUKSI KAFEIN, 8(November), 953–960.
- Irman, V., dkk. (2018). Jurnal Kesehatan Saintika Meditory THE EFFECT OF (Zingiber officinale) ON URAT ACID CONTENT IN Jurnal Kesehatan Saintika Meditory, 1(August).
- Kaniawati, M., Mulyati, Y., & Sumardi, C. D. M. (2020). Perbandingan Indeks Aterogenik Plasma Log (TG/HDL) pada Wanita Obes dan Non Obes. *Jurnal Ilmiah Farmasi Farmasyifa*, 3(1), 35–43. <https://doi.org/10.29313/jiff.v3i1.5118>
- Kelkar, A., Kuo, A., & Frishman, W. H. (2011). Allopurinol as a cardiovascular drug. *Cardiology in Review*, 19(6), 265–271. <https://doi.org/10.1097/CRD.0b013e318229a908>
- Kertia, dr. nyoman. (2012). *Asam Urat*.
- Kuwabara, M., Niwa, K., Nishihara, S., Nishi, Y., Takahashi, O., Kario, K., ... Hisatome, I. (2017). Hyperuricemia is an independent competing risk factor for atrial fibrillation. *International Journal of Cardiology*, 231, 137–142. <https://doi.org/10.1016/j.ijcard.2016.11.268>
- Lallo, S., Mirwan2, M., Palino, A., Nursamsiar, & Hardianti, B. (2018). AKTIFITAS EKSTRAK JAHE MERAH DALAM MENURUNKAN ASAM URAT PADA KELINCI SERTA ISOLASI DAN IDENTIFIKASI SENYAWA BIOAKTIFNYA, 5(1), 271–278.
- Lee, M. J., Park, J. T., Han, S. H., Kim, Y. L., Kim, Y. S., Yang, C. W., ... Yoo, T. H. (2017). The atherogenic index of plasma and the risk of mortality in incident dialysis patients: Results from a nationwide prospective cohort in Korea. *PLoS ONE*, 12(5), 1–15. <https://doi.org/10.1371/journal.pone.0177499>
- Li, L., Zhang, Y., & Zeng, C. (2020). Update on the epidemiology, genetics, and therapeutic options of hyperuricemia. *American Journal of Translational Research*, 12(7), 3167–3181.
- Li, P., Zhang, L., Zhang, M., Zhou, C., & Lin, N. (2016). Uric acid enhances PKC-dependent eNOS phosphorylation and mediates cellular ER stress: A mechanism for uric acid-induced endothelial dysfunction. *International Journal of Molecular Medicine*, 37(4), 989–997. <https://doi.org/10.3892/ijmm.2016.2491>
- Liu, N., Xu, H., Sun, Q., Yu, X., Chen, W., Wei, H., ... Lu, W. (2021). The role of oxidative stress in hyperuricemia and xanthine oxidoreductase (XOR) inhibitors. *Oxidative Medicine and Cellular Longevity*, 2021. <https://doi.org/10.1155/2021/1470380>
- Maruhashi, T., Nakashima, A., Soga, J., Fujimura, N., Idei, N., Mikami, S., ... Higashi, Y. (2013).

- Hyperuricemia is independently associated with endothelial dysfunction in postmenopausal women but not in premenopausal women. *BMJ Open*, 3(11). <https://doi.org/10.1136/bmjopen-2013-003659>
- Mazzali, M., Hughes, J., Kim, Y. G., Jefferson, J. A., Kang, D. H., Gordon, K. L., ... Johnson, R. J. (2001). Elevated uric acid increases blood pressure in the rat by a novel crystal-independent mechanism. *Hypertension*, 38(5), 1101–1106. <https://doi.org/10.1161/hy1101.092839>
- Megawati, S., Noliqo, S., & Sagita, R. (2021). Effectiveness of Anting-Anting Leaves (*Acalypha indica* L .) in Reducing Uric Acid Levels in Hyperuricemic Male White Rats (*Rattus novergicus*), 33(ICoSIHSN 2020), 534–537.
- Misnadiarly. (2007). D08120031-616-7-Mis-R-Rematik-Asam-Urat-Hiperurisemia-Arthritis-Gout-2007_Library-Stikes-Pekajangan-2014.Pdf. *Asam Urat Hiperurisemia Arthritis Gout*.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity, 50(June 2003).
- Munadi, R. (2020). EKSTRAK RIMPANG JAHE MERAH (*Zingiber officinale* Rosc . Var, 2(1), 1–6.
- Nasrul, E. (2012). Hiperurisemia pada Pra Diabetes, 1(2), 86–91.
- Ng, K. P., Stringer, S. J., Jesky, M. D., Yadav, P., Athwal, R., Dutton, M., ... Cockwell, P. (2014). Allopurinol is an independent determinant of improved arterial stiffness in chronic kidney disease: A cross-sectional study. *PLoS ONE*, 9(3). <https://doi.org/10.1371/journal.pone.0091961>
- Novitasari, A., & Tatius, B. (2014). Hiperuresemia Meningkatkan Risiko Hipertensi Hiperuresemia Increases Risk of Hypertension, 2025, 1–7.
- Nurinda, E., Kusumawardani, N., Wulandari, A. S., Fatmawati, A., Emelda, E., & Nisa, H. (2022). Pharmacological Study : Synergistic Antidiabetic Activity of Cinnamon Bark and Zingiber Extract in Streptozotocin-Induced Diabetic Rats, 10, 1–6.
- Oh, S., Lee, M., Jung, S., Kim, S., Park, H., Park, S., ... Kim, Y. (2017). Ginger extract increases muscle mitochondrial biogenesis and serum HDL-cholesterol level in high-fat diet-fed rats. *Journal of Functional Foods*, 29, 193–200. <https://doi.org/10.1016/j.jff.2016.12.023>
- Palanivelu, M. (2021). Article Info • Manju . P and Pushpa . A (2020) Phytochemical analysis and in vitro free radical scavenging of rhizome of *Zingiber officinale* Rosc , *Annals of Phytochemical analysis and in vitro free radical scavenging activity of rhizome of Zingiber off*, 9(January), 257–262. <https://doi.org/10.21276/ap.2020.9.2.24>
- Papežíková, I., Pekarová, M., Kolářová, H., Klinke, A., Lau, D., Baldus, S., ... Kubala, L. (2013). Uric acid modulates vascular endothelial function through the down regulation of nitric oxide production. *Free Radical Research*, 47(2), 82–88. <https://doi.org/10.3109/10715762.2012.747677>
- Patonah, Susilawati, E., & Riduan, A. (2017). AKTIVITAS ANTIOBESITAS EKSTRAK DAUN KATUK (*Sauropus androgynus* L.Merr) PADA MODEL MENCIT OBESITAS. *Advanced Drug Delivery Reviews*, 135(January 2006), 989–1011. Retrieved from <https://doi.org/10.1016/j.addr.2018.07.012><http://www.capsulae.com/media/Microencapsulation-Capsulae.pdf><https://doi.org/10.1016/j.jaerosci.2019.05.001>
- Pereskia, B., Sari, P. S., Sitorus, S., & Gunawan, R. (2018). INHIBISI XANTIN OKSIDASE OLEH FRAKSI ETIL ASETAT DARI DAUN JARUM TUJUH XANTHINE OXIDASE INHIBITORY OF ETHYL ACETATE FRACTION OF JARUM TUJUH BILAH LEAVES (*Pereskia bleo* (Kunth) D . C), 116–121.
- Pertamawati, & Hardhiyuna, M. (2015). UJI PENGHAMBATAN AKTIVITAS ENZIM XANTIN OKSIDASE TERHADAP EKSTRAK KULIT KAYU SECANG (*Caesalpinia sappan* L.), 3(2),

12–17.

- Prasad, M., Matteson, E. L., Herrmann, J., Gulati, R., Rihal, C. S., Lerman, L. O., & Lerman, A. (2017). Uric Acid Is Associated with Inflammation, Coronary Microvascular Dysfunction, and Adverse Outcomes in Postmenopausal Women. *Hypertension*, 69(2), 236–242. <https://doi.org/10.1161/HYPERTENSIONAHA.116.08436>
- Rahmayani, U., Pringgenies, D., & Djunaedi, A. (2013). Uji Aktivitas Antioksidan Ekstrak Kasar Keong Bakau (*Telescopium telescopium*) dengan Pelarut yang Berbeda terhadap Metode DPPH (*Diphenyl Picril Hidrazil*) Ulfah Rahmayani *) , Delianis Pringgenies, Ali Djunaedi. *Journal Of Marine Research*, 2.
- Rastuti, U., & Purwati. (2012). Uji AKTIVITAS ANTIOKSIDAN EKSTRAK DAUN KALBA (*Albizia falcata*) DENGAN METODE DPPH(1,1-Difenil-2-pikrilhidrazil) DAN IDENTIFIKASI SENYAWA METABOLIT SEKUNDERNYA, 33–42.
- Razali, N., Dewa, A., Zaini, M., Mohamed, N., & Maizan, N. (2019). Mechanisms underlying the vascular relaxation activities of *Zingiber officinale* var . *rubrum* in thoracic aorta of spontaneously hypertensive rats. *Journal of Integrative Medicine*, (xxxx). <https://doi.org/10.1016/j.joim.2019.12.003>
- Rina, A., Eff, Y., Teguh, S., Zl, R., & Wul, D. F. K. (2016). Uji Aktivitas Penghambatan Xantin Oksidase secara In-Vitro oleh Isolat 6,4'-Dihidroksi-4-Metoksibenzofenon-2-O-β-D Glukopiranosida(C₂₀H₂₂O₁₀) yang Diisolasi dari Mahkota Dewa (*Phaleria macrocarpa* (Scheff.) Boerl), 3(1), 1–11.
- Riskesdas, 2018. (n.d.). LAPORAN NASIONAL RISKESDAS 2018.
- Rizki, K. P., Muslichah, S., & Ningsih, I. Y. (n.d.). Pengaruh Pemberian Kombinasi Ekstrak Etanol Daun Sidaguri (*Sida rhombifolia* L .) dan Rimpang Jahe Merah (*Zingiber officinale* Rosc .) pada Mencit Jantan Hiperurisemia (Effect of the Combination of Ethanol Extracts Sidaguri Leaves (*Sida rhombifolia* L .), 1988–1994.
- Ruggiero, C., Cherubini, A., Ble, A., Bos, A. J. G., Dixit, V. D., Lauretani, F., ... Ferrucci, L. (2009). Uric acid and inflammatory markers, 27(10), 1174–1181. <https://doi.org/10.1093/eurheartj/ehi879.Uric>
- Safitri, D., Kurniati, N. ., Adharani, S., Suciati, S. ., & Adnyana, I. K. (2016). THE STUDY OF RED GINGER RHIZOMES ETHANOL EXTRACT (*ZINGIBER OFFICINALE* ROSCOE VAR . SUNTI VAL .) ON HYPERLIPIDEMIC-, 3, 15–21.
- Saragih, J., Assa, J., & Langi, T. (2015). AKTIVITAS ANTIOKSIDAN EKSTRAK JAHE MERAH (*Zingiber officinale* var. *rubrum*) MENGHAMBAT OKSIDASI MINYAK KACANG TANAH (*Arachis hypogaea* L.).
- Selvam, R., & Kurien, T. B. (1987). Induction of lipid peroxidation by oxalate in experimental rat urolithiasis, 12(4), 367–373.
- Semiz, S., Cico, B., Malenica, M., & Bego, T. (2010). RELEVANCE OF URIC ACID IN PROGRESSION OF TYPE 2 DIABETES. *BOSNIAN JOURNAL OF BASIC MEDICAL SCIENCES* 2010; 10 (1): 54-59, 10(1), 54–59.
- Setiasih, U., & Marfianti, E. (2014). HUBUNGAN ANTARA KADAR ASAM URAT SERUM DENGAN, 6(2), 95–103.
- Skoczynska, M., Chowaniec, M., Szymczak, A., Langner-Hetmańczuk, A., Maciążek-Chyra, B., & Wiland, P. (2020). Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0) Pathophysiology of hyperuricemia and its clinical significance-a narrative review. *Reumatologia*, 58, 312–323. Retrieved from <https://doi.org/10.5114/reum.2020.100140>
- Sridhar, K., & Charles, A. L. (2018). Department of Tropical Agriculture and International

- Cooperation , National Pingtung. *Food Chemistry*.
<https://doi.org/10.1016/j.foodchem.2018.09.040>
- Srinivasan, K., Adhya, P., & Sharma, S. S. (2019). Nutraceutical Potential of Ginger Pharmacological Profile of Ginger. <https://doi.org/10.1007/978-3-030-04624-8>
- Sukandar, E. Y. (2017). Xanthine oxidase inhibitory activity of some Indonesian medicinal plants and, (February).
- Sukandar, E. Y., Kurniati, N. F., & Nurdianti, A. N. (2016). Antiobesity effect of ethanol extract of *Anredera cordifolia* (Ten) steenis leaves on obese male wistar rats induced by high-carbohydrate diet ANTI OBESITY EFFECT OF ETHANOL EXTRACT OF ANREDERA CORDIFOLIA (TEN) STEENIS LEAVES ON OBESE MALE WISTAR RATS I, (January).
- Susilawati, E., Kurnia Sukmawati, I., & Abdullah, R. (2019). AKTIVITAS ANTIHIPERURISEMIA EKSTRAK ETANOL DAUN PEPAYA (*Carica papaya* L.) PADA TIKUS PUTIH JANTAN GALUR WISTAR, (1).
- Suwandi, D. W., Perdana, F., Garut, F. M., & No, J. J. (2017). Jurnal Ilmiah Farmako Bahari INHIBITION ACTIVITY OF XANTHINE OXIDASE OF ETHANOL EXTRACT OF AVOCADO LEAVES WITH IN VITRO METHOD AKTIVITAS PENGHAMBATAN XANTIN OKSIDASE EKSTRAK ETANOL DAUN ALPUKAT (*Persea americana* MILL) SECARA IN VITRO, 40–45.
- Syukri, M., Zainoel, R. S. U., & Banda, A. (2007). Asam Urat dan Hiperuresemia, 40(1).
- Triana, O., Ria Sarjono, P., & Suci Mulyani, N. (2017). Isolasi Bakteri Endofit pada Rimpang Jahe Merah (*Zingiber officinale* Linn. Var *Rubrum*) Penghasil Senyawa Antioksidan, 20(1), 25–29.
- Widyastuti, I., Luthfah, H. Z., Hartono, Y. I., & Islamadina, R. (2020). Aktivitas Antioksidan Temulawak (*Curcuma xanthorrhiza* Roxb .) dan Profil Pengelompokannya dengan Kemometrik Antioxidant Activity of Temulawak (*Curcuma xanthorrhiza* Roxb .) and its Classification with Chemometrics, 02(1), 29–42.
- Wijaya, D. S., & Hamdan. (2020). Manfaat Ekstrak Daun Kemangi Terhadap Malondialdehid (Mda). *Journal of Holistic and Traditional Medicine*, 05(01), 458–462.
- Yu, W., & Cheng, J. D. (2020). Uric Acid and Cardiovascular Disease: An Update From Molecular Mechanism to Clinical Perspective. *Frontiers in Pharmacology*, 11(November), 1–13.
<https://doi.org/10.3389/fphar.2020.582680>
- Yuliani, N. N., Sambara, J., & Mau, M. A. (2016). Uji AKTIVITAS ANTIOKSIDAN FRAKSI ETILASETAT EKSTRAK ETANOL RIMPANG JAHE MERAH (*Zingiber officinale* var. *Rubrum*) DENGAN METODE DPPH(1,1-Diphenyl-2- Picrylhydrazyl). *JURNAL INFO KESEHATAN*, 14.
- Yusron, M., & Wahyuno, D. (2011). *JAHE (Zingiber officinale Rosc.)*.
- Zajączkowski, S., Ziółkowski, W., Badtke, P., Zajączkowski, M. A., Flis, D. J., Figarski, A., ... Wierzba, T. H. (2018). Promising effects of xanthine oxidase inhibition by allopurinol on autonomic heart regulation estimated by heart rate variability (HRV) analysis in rats exposed to hypoxia and hyperoxia. *PLoS ONE*, 13(2), 1–18. <https://doi.org/10.1371/journal.pone.0192781>
- Zakaria, H., & Hasimun, P. (2017). Non-invasive Pulse Wave Velocity Measurement in Mice, c, 95–98.
- Zhi, L., Yuzhang, Z., Tianliang, H., Hisatome, I., Yamamoto, T., & Jidong, C. (2016). High Uric Acid Induces Insulin Resistance in Cardiomyocytes in Vitro and in Vivo. *PLoS ONE*, 11(2), 1–14.
<https://doi.org/10.1371/journal.pone.0147737>