

Abstrak

Latar Belakang: *Limfadenitis Tuberkulosis* adalah infeksi bakteri kronis yang disebabkan oleh *Mycobacterium tuberculosis*. Menurut data dari WHO pada tahun 2018 terdapat 530.000 kasus *Limfadenitis Tuberkulosis* pada anak di seluruh dunia. Limfadenitis atau yang lebih di kenal dengan tuberkulosis kelenjar getah bening merupakan salah satu penyakit di luar paru- paru. Tujuannya adalah untuk menggambarkan asuhan keperawatan keluarga dengan manajemen kesehatan keluarga tidak efektif. Limfadenitis tuberkulosis pada anak di Wilayah Kerja Puskesmas Panyileukan Kota Bandung. **Metode:** Studi kasus bertujuan untuk mengeksplorasi suatu masalah dengan batasan yang rinci, pengumpulan data yang luas dan mencakup berbagai sumber informasi. Studi kasus ini dilakukan pada dua keluarga dengan Limfadenitis Tuberkulosis. **Hasil :** Setelah dilakukan intervensi keperawatan edukasi tentang Limfadenitis Tuberkulosis menggunakan media leaflet, dan masalah keperawatan manajemen kesehatan keluarga tidak efektif pada keluarga 1 masalah teratasi dalam 1 hari dan pada Keluarga 2 masalah keperawatan manajemen kesehatan tidak efektif dalam 1 hari masalah teratasi. **Diskusi:** Keluarga dengan masalah keperawatan manajemen kesehatan keluarga tidak efektif tidak selalu memiliki respon sama pada setiap keluarga limfadenitis tuberkulosis hal ini di pengaruhi oleh kondisi atau status kesehatan sebelumnya. Sehingga perawat harus melakukan asuhan keluarga yang komprehensif untuk menangani masalah keperawatan pada setiap keluarga.

Kata kunci : Limfadenitis Tuberkulosis, Keluarga, *Mycobacterium Tuberculosis*

ABSTRACT

Background: Tuberculous lymphadenitis is a chronic bacterial infection caused by *Mycobacterium tuberculosis*. According to data from WHO in 2018 there were 530,000 cases of Tuberculous Lymphadenitis in children worldwide. Lymphadenitis or better known as tuberculosis of the lymph nodes is a disease outside the lungs. The aim is to describe family housing care with ineffective family health management. Tuberculous lymphadenitis in children in the Working Area of the Panyileukan Health Center, Bandung City. **Methods:** The case study aims to explain a problem with detailed boundaries, extensive data collection and includes various sources of information. This case study was conducted in two families with Tuberculous Lymphadenitis. **Results:** After carrying out educational interventions about Tuberculous Lymphadenitis using leaflet media, and the problem family health management family is not effective in family 1 problem resolved in 1 day and in family 2 nursing problems health management is not effective in 1 day problem terasi. **Discussion:** Families with nursing problems ineffective family health management do not always have the same response in every family tuberculosis lymphadenitis, this is influenced by previous health conditions or status. So nurses must carry out comprehensive family care to deal with the problem of suffering in every family.

Keywords: Tuberculous Lymphadenitis, Family, *Mycobacterium Tuberculosis*