

DAFTAR PUSTAKA

- Alonso, C., Alonso, C., Martí, M., Martínez, V., Rubio, L., Parra, J.L., Coderch, L., 2012. Antioxidant cosmeto-textiles: Skin assessment European Journal of Pharmaceutics and Biopharmaceutics Antioxidant cosmeto-textiles: Skin assessment. Eur. J. Pharm. Biopharm. 84, 192–199. <https://doi.org/10.1016/j.ejpb.2012.12.004>
- Amirlak B, 2015, Skin Anatomy, Department Of Dermatology, New York University, viewed 20 Desember 2015, available in <http://emedicine.medscape.com/article/1294744-overview>
- Anonim. (2010). Peraturan Menteri Kesehatan Nomor 1176/Menkes/VIII/2010.Tentang Notifikasi Kosmetik. Jakarta: DepKes RI.
- Ansel, H.C., 1989, Pengantar Bentuk Sediaan Farmasi, diterjemahkan oleh Farida Ibrahim, Asmanizar, Iis Aisyah, Edisi keempat, 255-271, 607-608,700, Jakarta, UI Press.
- Andarina, R. and Djauhari, T. (2017) ‘Antioksidan dalam dermatologi’, 4(1), pp. 39–48.
- Anwar, E. (2012). Ekspisien Dalam Sediaan Farmasi Karakterisasi dan Aplikasi. Jakarta: Penerbit PT Dian Rakyat. Halaman 190-191, 197, 205.
- Belcher, L. A., Muska, C. F., dan DeSalvo, J. W. 2010. Evaluating 1,3- Propanediol for Potential Skin Effects. Cosmetics and Toiletries Formulating Results in Cosmetics R&D. Vol 125(5). Halaman 4
- Bludau M & Hölscher AH, 2011. Effect of aging on esophageal motility in patients with and without GERD. German Medical Science, 9: 1-10. Harmon RC, 2010.'
- Das, S., Lee, S.H., Chow, P.S., Macbeath, C., 2020. Microemulsion composed of combination of skin beneficial oils as vehicle: Development of resveratrol-loaded microemulsion based formulations for skin care applications. Colloids Surfaces B Biointerfaces 111161. <https://doi.org/10.1016/j.colsurfb.2020.111161>Desriani,N. (2018). Formulasi Hair Tonic Ekstrak Buah Mentimun (Cucumis sativus) Sebagai Solusi Ketombe dan Rambut Rontok pada Wanita Berhijab, Majalah Farmasi, Sains dan Kesehatan 4 (1).
- David S Perdanakusuma,2017. Anatomi fisiologi kulit dan penyembuhan luka.” From Caring to Curing. Pause Before You use Gauze”. Surabaya. 5 September 2007. Plastic Surgery Departement - Airlangga University School of Medicine- Dr Soetomo GH SurabayaPuente, J. 2012. Olive Oil Reference Book. Manhattan: Perkin Elmer.
- Davidov-Pardo, G. dan McClements, D.J., 2015. Nutraceutical Delivery Systems: Resveratrol Encapsulation in Grape Seed Oil Nanoemulsions Formed by Spontaneous Emulsification. Food chemistry, 167: 205–212.
- Ditjen POM. 1979. Farmakope Indonesia Edisi III. Jakarta: Departemen Kesehatan Republik Indonesia. Halaman 96, 612, 792
- Ditjen POM. 2020. Farmakope Indonesia Edisi VI. Jakarta: Departemen Kesehatan Republik Indonesia. Halaman 680, 1233

- Desriani. 2018. Formulasi Hair Tonic Ekstrak Buah Mentimun (*Cucumis sativus*) sebagai Solusi Ketombe dan Rambut Rontok pada Wanita Berhijab. *Pharmauho* Vol 4 (1): 39-41.
- Draelos, Z. *Cosmetic Dermatology Products and Procedures*. USA:Blackwell Publishing,Ltd.
- Farris, P., Krutmann, J. and Li, Y. (2013) ‘Resveratrol : A Unique Antioxidant Offering a Multi-Mechanistic Approach for Treating Aging Skin’, 12(12).
- Fowler, B. 2003, Functional and Biological Markers of Aging, In : Klatz, R. Anti-Aging Medical Therapeutics volume 5, Chicago : the AFM Publications.
- Garg A, Aggarwal D, Garg S, Singla A. 2002. Spreading of semisolid formulations an update. *Pharmaceutical Technology*. Vol 26(9). Halaman 105
- Ghozaly, M. R., Utami, Y. N., & Dpph, B. B. B. U. (2013). Uji Aktivitas Antioksidan Ekstrak Etanol Jantung Pisang Kepok (*Musa balbisiana* BBB) dengan Metode DPPH (1 , 1-difenil-2-pikrilhidrazil), 1, 12–16.
- Grice EA, Segre JA (2011) The skin microbiome. *Nat Rev Microbiol* 9: 244–253. Huang MCJ, Tang J (2015) Probiotics in personal care products. *Microbiol Discov* 3: 5.
- Guertin, P.A. 2018. Is Propanediol a Safer Molecule Than Some Other Glycols In Personal Care And Anti-Aging Biocosmeceutical Products? Review Article. *International Journal of Aging Research*. Vol 1(23). Halaman 1-2
- Harminta (2006) *Analisis kuantitatif bahan baku dan sediaan farmasi*. edisi I. Jakarta: FMIPA-UI, Departemen Farmasi.
- Hidayah et al, 2020. (2020). PENETAPAN KADAR VITAMIN C PADA EKSTRAK DAUN PEPAYA (*Carica papaya*L.) MUDA DAN TUA DENGAN METODE SPEKTROFOTOMETRI UV-VIS. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Kahraman, E., Kaykın, M. and Sahin, H. (2019) ‘Recent Advances on Topical Application of Ceramides to Restore Barrier Function of Skin’.
- Kim, S.Y., Kim , S.J., Lee, J.Y., Kim W.G., Park,W.S., Sim Y.C., Lee, S.J. 2004. Protective Effects of Dietary Soy Isoflavones against UV-Induced Skin Aging in Hairless Mouse Model. *Original Research Journal of the American College of Nutrition* , vol 23: p.157-162.
- Kolarsick, P. A. J., Kolarsick, M. A. (2011). Anatomy and Physiology of the Skin. *Journal of the Dermatology Nurses’ Association*. Volume 3(4): 203-213.
- Korichi, R., Tranchant, J.F., 2009. Decorative products, *Handbook of Cosmetic Science and Technology*, Third Edition. <https://doi.org/10.1201/b15273-38>
- Krutmann, J. and Mcdaniel, D. (2013) ‘Resveratrol : A Unique Antioxidant Offering a Multi-Mechanistic Approach for Treating Aging Skin’, (December).
- Kurniawati, Azizah Yunita. 2018. Karakteristik Sediaan Serum Wajah Dengan Variasi Konsentrasi Sari Rimpang Temu Giring (*Curcuma heyneana*) Terfermentasi *Lactobacillus bulgaricus*. Karya Tulis Ilmiah. Akademi Farmasi Putra Indonesia Malang, Malang.

- Lee, C. K. (2013). Assessments Of The Facial Mask Materials In Skin Care. Thesis. Department of Cosmetic Science. Chia-Nan University of Pharmacy and Science. Hal.10-11.
- Lucia, M. (2015). Effects of Lipids and Emulsifiers on the Physicochemical and Sensory Properties of Cosmetic Emulsions Containing Vitamin E. *Journal Cosmetics*. 35-47.
- Makrantonaki E, Schönknecht P, Hossini AM, Kaiser E, Katsouli MM, Adjaye J, Schröder J, Zouboulis CC (2010) Skin and brain age together: the role of hormones in the ageing process. *Exp Gerontol* 45:801–813
- Mardhiani, Y. D., Yulianti, H., Denny, A. P., & Rosdiana, T. (2018). Formulasi Dan Uji Stabilitas Sediaan Serum Dari Ekstrak Kopi Hijau (*Coffea canephora* var. Robusta) Sebagai Antioksidan. *Indonesia Natural Research Pharmaceutical Journal*, 2(2), 19-33.
- Marjoni, MR., Zulfisa, A. (2017). Antioxidant activity of methanol extract/fractions of senggani leaves (*Melastoma candidum* D.Don). *Pharm Analytica Acta* 8: 557 doi: 10.4172/253.1000557
- Mitsui, T. (1997). *New Cosmetic Science*. Edisi Pertama. Amsterdam: Elsevier Science. Halaman 38-46.
- Muliyawan, D., dan Suriana, N. (2013). *A-Z Tentang Kosmetik*. Jakarta: PT Elex Media Komputindo. Halaman 14, 16 – 17, 21 – 25, 141 – 142, 312
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarin J. Sci.Technol.* , 26(2), 211-21
- Ndiaye, M., Philippe, C., Mukhtar, H., Ahmad, N., 2011. The grape antioxidant resveratrol for skin disorders : Promise , prospects , and challenges. *Arch. Biochem. Biophys.* 508, 164–170. <https://doi.org/10.1016/j.abb.2010.12.030>
- Ojha, S., Chadha, H. and Aggarwal, B. (2019) ‘FORMULATION AND EVALUATION OF FACE SERUM CONTAINING BEE World Journal of Pharmaceutical Research’, (February). doi: 10.20959/wjpr20192-14104.
- Peraturan Badan Pengawas Obat dan Makanan Nomor 25 Tahun 2019 Tentang Cara Pembuatan Kosmetika yang Baik, Pub. L. No. Nomor 25 (2019).
- Piotrowska, H., Kucinska, M. and Murias M. 2012. Biological activity of piceatannol: leaving the shadow of resveratrol. *Mutat Res.* p :60-82.
- Ratz-lyko, A. and Arct, J. (2018) ‘Resveratrol as an active ingredient for cosmetic and dermatological applications : a review review’, *Journal of Cosmetic and Laser Therapy*. Taylor & Francis, 00(00), pp. 1–7. doi: 10.1080/14764172.2018.1469767.
- Rokade, A. *et al.* (2020) ‘Resveratrol-Loaded Microsponge as a Novel Biodegradable Carrier for Dry Powder Inhaler: A New Strategy in Lung Delivery’. *BioNanoScience*.

- Rowe, R.C., Sheskey, P.J., & Quinn, M.E. (2009). Handbook of Pharmaceutical Excipients, 6th ed. Grayslake: Pharmaceutical Press and American Pharmacists Association.
- Sinaga FA. Stres Oksidatif Dan Status Antioksidan Pada Aktivitas Fisik Maksimal. *Generasi Kampus*. 2016;9(2):176.
- Septiyanti, M., Liana, L., Sutriningsih, Kumayanjati, B., dan Meliana, Y. 2019. Formulation and Evaluation of Serum From Red, Brown and Green Algae Extract For Anti-Aging Base Material. *Proceedings of the 5th International Symposium in Applied Chemistry*. Halaman 3
- Suhartati, T. (2017). *Dasar-Dasar Spektrofotometer UV-VIS dan Spektrofotometri Massa Untuk Penentuan Struktur Senyawa Organik*. Lampung: AURA
- Sun R, G., Zhao, S., Ni, Q., Xia. 2014. Lipid Based Nanocarriers With Different Lipid Compositions for Topical Delivery of Resveratrol: Comparative Analysis of Characteristics and Performance. *Journal of Drug Delivery Science and Technology*. 24 (6) 591-600
- Syaiful, S. D. 2016. Formulasi Dan Uji Stabilitas Fisik Gel Ekstrak Etanol Daun Kemangi (*Ocimum Sanctum L.*) Sebagai Sediaan Hand Sanitizer. Skripsi. Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Alauddin Makassar. Halaman 39
- Taufik, S. (2012). Pengaruh Peptida Tembaga-Glisil-L-Histidil-L-Lisin (Cu-GHK) Terhadap Penetrasi in vitro serta Stabilitas Fisik dan Kimia Vitamin C dalam Sediaan Serum, Skripsi, FMIPA. Depok: Univesitas Indonesia.
- Thakre, A. D. (2017) 'Formulation and Development of De Pigment Serum Incorporating Fruits Extract', 2(12), pp. 330–382.
- TheDermreview.com. 2021. Ethoxydiglycol-The Dermatology Review. Diakses pada tanggal 13 Februari 2021 melalui <https://thederreview.com/ethoxydiglycol/>
- Tonik dlia litsa: sostav, pol'za, populiarnye marki [Electronic resource] // MEDPORTAL.SU. – 2017. – Available at: \www/URL: <https://medportal.su/tonikdlyalica-sostav-polza-populyarnye-marki>
- Tranggono, R. I., dan Latifah, F. 2007. *Buku Pegangan Ilmu Pengetahuan Kosmetik*. Jakarta: PT. Gramedia Pustaka Utama. Halaman 11, 32, 167
- Wasitaatmadja, S. M. 1997. *Penuntun Ilmu Kosmetik Medik*. Jakarta: Penerbit UI Press. Halaman 59-60.
- Yahya, M. A. and Nurrosyidah, I. H. (2020) 'Antioxidant activity ethanol extract of gotu kola (*Centella asiatica (L.) Urban*) with DPPH method (2,2-Diphenyl-1-Pikrilhidrazil)', *Journal of Halal Product and Research*, 3(2), p. 106. doi: 10.20473/jhpr.vol.3-issue.2.106-112.
- Yusuf, A.L., Nurawaliah, E., dan Harun, N., 2017, Uji Efektivitas Gel Ekstrak Etanol Daun Kelor (*Moringa oleifera L.*) sebagai Antijamur *Malassezia furfur*, *Kartika: Jurnal Ilmiah Farmasi*, 5 (2):62-67.
- Yousef H, Alhajj M, Sharma S. Anatomy, Skin (Integument), Epidermis. [Updated 2020 Jul 27]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470464/>

Zupančič., Špela Zoran Lavrič., Julijana Kristl. 2014. Stability and Solubility Of Trans-Resveratrol are Strongly Influence By pH and Temperature. EuropeanJournal of Pharmaceutics and Biopharmaceutics. pp 1-29