

## DAFTAR PUSTAKA

- Abdu Hussen, A. (2022). High-Performance Liquid Chromatography (HPLC): A review. *Annals of Advances in Chemistry*, 6(1), 010–020. <https://doi.org/10.29328/journal.aac.1001026>
- Al-Rimawi, F., & Odeh, I. (2015). *Development and Validation of an HPLC-UV Method for Determination of Eight Phenolic Compounds in Date Palms*. 10, 1335–1339. <https://doi.org/10.5740/jaoacint.15-010>
- Alatas, F., Sujono, H., & Sucipto, W. A. (2019). Pengembangan Dan Validasi Metode Kromatografi Cair Kinerja Tinggi (Kckt) Untuk Estimasi Kadar Simultan Antiemetik Piridoksin Hidroklorida Dan Piratiazin Teoklat Dalam Bentuk Sediaan Tablet. *Kartika : Jurnal Ilmiah Farmasi*, 6(2), 95. <https://doi.org/10.26874/kjif.v6i2.187>
- Arunachalam, K. D., Kuruva, J. K., Hari, S., Annamalai, S. K., & Baskaran, K. V. (2015). HPTLC finger print analysis and phytochemical investigation of morinda tinctoria roxb leaf extracts by hplc and gs ms. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(2), 360–366.
- Bhatt Mehul, K., Dholwani Kishor, K., & Saluja Ajay, K. (2011). Isolation and structure elucidation of scopoletin from Ipomoea reniformis (Convolvulaceae). *Journal of Applied Pharmaceutical Science*, 1(5), 138–144.
- C, J., R, M. J., U, M., H, M., MR, S., J, G., M, A., & I, S. (2020). Exploration of In vitro Phytochemical Screening, Cytotoxic, Anti-Arthritic and In vivo Analgesic Activities of Methanolic Extract of the Leaves of a Medicinal Plant. *International Journal of Clinical Studies and Medical Case Reports*, 4(4), 4–6. <https://doi.org/10.46998/ijcmcr.2020.04.000095>
- Depkes RI. Farmakope Indonesia edisi VI. Departemen Kesehatan Republik Indonesia. Jakarta: Kementrian Kesehatan Republik Indonesia;2020.
- Farthing, D., Sica, D., Abernathy, C., Fakhry, I., Roberts, J. D., Abraham, D. J., & Swerdlow, P. (1999). High-performance liquid chromatographic method for determination of vanillin and vanillic acid in human plasma, red blood cells and urine. *Journal of Chromatography B: Biomedical Sciences and*

- Applications*, 726(1–2), 303–307. [https://doi.org/10.1016/S0378-4347\(99\)00031-6](https://doi.org/10.1016/S0378-4347(99)00031-6)
- Firmansyah, A., Winingsih, W., & Manobi, J. D. Y. (2021). Review of scopoletin: Isolation, analysis process, and pharmacological activity. *Biointerface Research in Applied Chemistry*, 11(4), 12006–12019. <https://doi.org/10.33263/BRIAC114.1200612019>
- Gao, X., Li, X., & Zhang, C. (2024). *Scopoletin : a review of its pharmacology , pharmacokinetics , and toxicity*. February, 1–24. <https://doi.org/10.3389/fphar.2024.1268464>
- Ginting, N., Suwarso, E., Rumapea, D. V., & Nerdy, N. (2018). Relaxation activity of tetanus (*Leea aequata* L.) leaf ethanolic extract on Guinea pig isolated trachea. *Asian Journal of Pharmaceutical and Clinical Research*, 11(April), 24–27. <https://doi.org/10.22159/ajpcr.2018.v11s1.26557>
- Grieman, M. M., Greaves, J., & Saltzman, E. S. (2015). *A method for analysis of vanillic acid in polar ice cores*. 227–232. <https://doi.org/10.5194/cp-11-227-2015>
- Guetchueng, S. T., Nahar, L., Ritchie, K. J., Daud Ismail, F. M., Dempster, N. M., Nnanga, E. N., & Sarker, S. D. (2020). Phenolic compounds from the leaves and stem bark of *Pseudospondias microcarpa* (A. Rich.) Engl. (Anacardiaceae). *Biochemical Systematics and Ecology*, 91(February), 104078. <https://doi.org/10.1016/j.bse.2020.104078>
- Harmita, H. (2004). Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, 1(3), 117–135. <https://doi.org/10.7454/psr.v1i3.3375>
- Hossain, F., Mostofa, M. G., & Alam, A. K. (2021). Traditional uses and pharmacological activities of the genus *Leea* and its phytochemicals: A review. *Heliyon*, 7(2), e06222. <https://doi.org/10.1016/j.heliyon.2021.e06222>
- Ingole, A., Kadam, M. P., Dalu, A. P., Kute, S. M., Mange, P. R., Theng, V. D., Lahane, O. R., Nikas, A. P., Kawal, Y. V, Nagrik, S. U., & Patil, P. A. (2021). A Review of the Pharmacological Characteristics of Vanillic Acid. *Journal of Drug Delivery and Therapeutics*, 11(2-S), 200–204.

<https://doi.org/10.22270/jddt.v11i2-s.4823>

Kementerian Kesehatan RI, 2020, Farmakope Indonesia Edisi VI, Jakarta: Kementerian Kesehatan RI.

Krstonošia, M. A., Hogervorst, J. C., Mikulia, M., & Gojković-Bukarica, L. (2020). Development of HPLC Method for Determination of Phenolic Compounds on a Core Shell Column by Direct Injection of Wine Samples. *Acta Chromatographica*, 32(2), 134–138. <https://doi.org/10.1556/1326.2019.00611>

Kunnathully, V., National, I., & Upadhya, R. (2012). *Relative cytotoxic efficacy of Noni fruit extracts and scopoletin on a preponderant panel of human tumor cell lines. February 2016.*

Lister, A. S. (2005). Validation of HPLC methods in pharmaceutical analysis. *Separation Science and Technology*, 6(C), 191–217. [https://doi.org/10.1016/S0149-6395\(05\)80051-0](https://doi.org/10.1016/S0149-6395(05)80051-0)

Mahattanadul, S., Ridditid, W., Nima, S., Phdoongsombut, N., Ratanasuwon, P., & Kasiwong, S. (2011). Effects of Morinda citrifolia aqueous fruit extract and its biomarker scopoletin on reflux esophagitis and gastric ulcer in rats. *Journal of Ethnopharmacology*, 134(2), 243–250. <https://doi.org/10.1016/j.jep.2010.12.004>

Meyer, V. R. (2004). *Practical High-Performance Liquid Chromatography* (Fourth edi). John Wiley & Sons.

Nahata, A., Sethiya, N. K., Jain, N., & Dixit, V. K. (2018). Analysis of scopoletin and mangiferin in botanicals and formulations of Shankhpushpi by HPLC. *Herba Polonica*, 64(4), 54–62. <https://doi.org/10.2478/hepo-2018-0025>

Nitteranon, V., Zhang, G., Darien, B. J., & Parkin, K. (2011). Isolation and synergism of in vitro anti-inflammatory and quinone reductase (QR) inducing agents from the fruits of Morinda citrifolia (noni). *Food Research International*, 44(7), 2271–2277. <https://doi.org/10.1016/j.foodres.2010.11.009>

Noor, A., Gunasekaran, S., & Vijayalakshmi, M. A. (2017). Improvement of Insulin Secretion and Pancreatic  $\beta$ -cell Function in Streptozotocin-induced Diabetic

- Rats Treated with Aloe vera Extract. *Pharmacognosy Research*, 9(1).
- Ojewole, J. A. O. (1984). Effects of scopoletin on autonomic transmissions. *Pharmaceutical Biology*, 22(2), 81–93. <https://doi.org/10.3109/13880208409070657>
- Omar, F. El, Achi, N. El, & Bakkour, Y. (2014). *Journal of Natural Products Research Paper HPLC analysis for identification and quantification of phenolic acids and flavonoids in Juniperus excelsa. October.*
- Pachauri, S. D., Khandelwal, K., Bhaisora, M., & Pandey, R. R. (2014). *The Preparation of Morinda citrifolia ( Noni ) -Phospholipid Complex and Its The Preparation of Morinda citrifolia ( Noni ) -Phospholipid Complex and Its Pharmacokinetics Study in Rats. March 2016.* <https://doi.org/10.1166/jbt.2014.1154>
- Potterat, O., Von Felten, R., Dalsgaard, P. W., & Hamburger, M. (2007). Identification of TLC markers and quantification by HPLC-MS of various constituents in noni fruit powder and commercial noni-derived products. *Journal of Agricultural and Food Chemistry*, 55(18), 7489–7494. <https://doi.org/10.1021/jf071359a>
- Rachmawati, W. (2024). Bunga Rampai Analisis Farmasi. In *Validasi Metode Analisis* (pp. 99–108). Media Pustaka Indo.
- Shinde, P. B., Katekhaye, S. D., Mulik, M. B., & Laddha, K. S. (2014). Rapid simultaneous determination of marmelosin, umbelliferone and scopoletin from Aegle marmelos fruit by RP-HPLC. *Journal of Food Science and Technology*, 51(9), 2251–2255. <https://doi.org/10.1007/s13197-014-1270-5>
- Sichaem, J., Inthanon, K., Funnimid, N., Phontree, K., Phan, H. V. T., Tran, T. M. D., Niamnont, N., Srikittiwanna, K., Sedlak, S., & Duong, T. H. (2020). Chemical Constituents of the Stem Bark of Bombax ceiba. *Chemistry of Natural Compounds*, 56(5), 909–911. <https://doi.org/10.1007/s10600-020-03183-z>
- Susanti, M., & Dachriyanus. (2014). *Kromatografi Cair Kinerja Tinggi*. LPTIK-Andalas.
- Tarnawski, M., Depta, K., Grejciun, D., & Szelepin, B. (2006). *HPLC*

*determination of phenolic acids and antioxidant activity in concentrated peat extract — a natural immunomodulator.* 41, 182–188.  
<https://doi.org/10.1016/j.jpba.2005.11.012>

The Plant List, (2024), A Working List of All Plant Species. *Leea aequata* L.  
<https://wfoplantlist.org/taxon/wfo-0001145448-2024-12?page=1>. Diakses  
 tanggal 22 November 2024.

Tun, N. L., Bao, D., Meng, H., Xia, Y., Dong, D., Yang, J., & Naing, T. (2019). Chemical Constituents from Ethanoic Extracts of the Aerial Parts of *Leea aequata* L., a Traditional Folk Medicine of Myanmar. *Natural Products and Bioprospecting*, 9(3), 243–249. <https://doi.org/10.1007/s13659-019-0209-y>

Xia, Y., Dai, Y., Wang, Q., & Liang, H. (2007). Determination of scopoletin in rat plasma by high performance liquid chromatographic method with UV detection and its application to a pharmacokinetic study. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 857(2), 332–336. <https://doi.org/10.1016/j.jchromb.2007.07.023>

Y. Muti, H., & Olmat, S. (2018). HPLC Method of Analysis for Determination and Standardization of Luteolin and Vanillic Acid in Dry Extract of *Paronychia Argentea* Lam. *Oriental Journal of Chemistry*, 34(6), 2721–2727. <https://doi.org/10.13005/ojc/340605>