

**ANALISIS ASUHAN KEPERAWATAN DENGAN GANGGUAN PROSES
PIKIR: WAHAM CURIGA PADA TN.S DENGAN SKIZOFRENIA
DAN PEMBERIAN INTERVENSI GENERALIS
DI RSJ PROVINSI JAWA BARAT**

MACHIAVELLY AULIA ANDHEETA PUTRI

241FK04024

Program Studi Pendidikan Profesi Ners, Fakultas Keperawatan
Universitas Bhakti Kencana

ABSTRAK

Latar Belakang: Skizofrenia adalah suatu kondisi dimana seseorang mengalami perubahan perilaku yang signifikan ditandai dengan gejala aktif dan positif. Gejala positif skizofrenia yaitu halusinasi, delusi, disorganisasi perilaku dan pikiran. **Tujuan:** Untuk menganalisis pemberian intervensi generalis SP1-4 dalam penatalaksanaan pasien dengan gangguan proses pikir :waham curiga. **Metode:** Studi kasus pada pasien Tn.S. **Hasil:** Setelah diberikan terapi generalis adanya penurunan tanda dan gejala waham pada Tn.S. **Kesimpulan:** Diharapkan dapat menerapkan askep sesuai dengan tahapan-tahapan dari Standar Operasional Prosedur (SOP) dengan baik dan benar dan penatalaksanaan non farmakologi lainnya dapat menggunakan guided imagery dalam menurunkan tanda dan gejala waham.

Kata kunci : Skizofrenia, Terapi Generalis, Waham Curiga
Referensi: : 5 Buku (2016-2018)
12 Jurnal (2017-2024)

***NURSING CARE ANALYSIS WITH THOUGHT PROCESS DISORDERS:
PARANOID DELUSIONS IN MR. S WITH SCHIZOPHRENIA AND
GENERAL INTERVENTION AT THE WEST JAVA
PROVINCIAL MENTAL HOSPITAL***

***MACHIAVELLY AULIA ANDHEETA PUTRI
241FK04024***

*Nursing Professional Education Program, Faculty of Nursing
Bhakti Kencana University*

ABSTRACT

Background: Schizophrenia is a condition where an individual experiences significant behavioral changes characterized by active and positive symptoms. Positive symptoms of schizophrenia include hallucinations, delusions, and disorganized behavior and thoughts. ***Objective:*** To analyze the administration of general interventions SPI-4 in the management of patients with thought process disorders: delusions of suspicion. ***Method:*** A case study on Mr. S. ***Results:*** After receiving general therapy, there was a reduction in the signs and symptoms of delusions in Mr. S. ***Recommendations:*** It is hoped that nursing care can be implemented in accordance with the steps of the Standard Operating Procedures (SOP) properly and accurately, and other non-pharmacological management can utilize guided imagery to reduce the signs and symptoms of delusions.

Keywords : Generalized Therapy, Paranoid Delusions, Schizophrenia

References : 5 Books (2016-2018)
12 Journals (2017-2024)