

DAFTAR PUSTAKA

- Aspan, R. 2008. Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup (Tim Penyusun Deputi Bidang Pengawasan Obat Tradisional, Kosmetik, dan Produk Komplemen). Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia.
- Blois, M.S. (1958). *Antioxidant Determinations by the Use of a Stable Free Radical*. Nature, 181: 1199-1200.
- Bunawan, H., Bunawan, S.N., Baharum, S.N., Noor, N.M., 2015. *Sauropus androgynus* (L.) Merr. Induced Bronchiolitis Obliterans: From Botanical Studies to Toxicology. Evidence-based Complement. Altern. Med.
- Farnsworth, N.R. (1996). Biological and Phytochemical Screening of Plant. *Journal of Pharmaceutical Sciences*.
- Harbone, J.B. (1987): Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan. Penerbit ITB. Bandung.
- Hertiani, T., Pramono, S., Supardjan, D., 2000. Uji Daya Antioksidan Senyawa Flavanoid Daun *Plantago major* L. The Determination Of Antioxidant Potency Of Flavonoids From *Plantago major* L. Leaves. Maj. Farm. Indones. 11.
- Hikmawanti, N.P.E., Fatmawati, S., Asri, A.W., 2021. The effect of ethanol concentrations as the extraction solvent on antioxidant activity of Katuk *Sauropus androgynus* (L.) Merr. leaves extracts, in: IOP Conference Series: Earth and Environmental Science. IOP Publishing Ltd.
- Khoo, H., Azlan, A., Ismaila, A., 2015. *Sauropus androgynus* Leaves for Health Benefits: Hype and the Science. Nat. Prod. J. 5, 115–123.
- Kusumanegara, K.S., Setiawan, A.S. & Rachmawati, E. (2017). *The difference of inhibitory zone between katuk (Sauropus androgynous L. merr.) leaf infusion and roselle (Hibiscus sabdariffa L.) petals towards oral Candida albicans*. Padjadjaran Journal of Dentistry, 29(2): 118-122.
- Molyneux, P. (2004): The use of stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioksidan activity, Songklanakarin J.Sci. Technol, Vol 26. No:2.
- Pietta, P.G., 2000. Flavonoids as antioxidants. J. Nat. Prod.
- Rachmawati, E., Kusumanegara, K.S., Setiawan, A.S., n.d. The Difference Of Inhibitory Zone Between Katuk (*Sauropus androgynous* L. Merr.) leaf infusion and Roselle (*Hibiscus sabdariffa* L.) petals towards oral *Candida albicans*.
- Rukmana, R. dan Indra M.H., 2003. Katuk. Potensi dan Manfaatnya. Kanisius. Yogyakarta.
- Sampurno. 2007. Obat herbal dalam perspektif medik dan bisnis. J Traditional Med ;12(42):1828.

- Selvi, S. V, Basker, A., n.d. Phytochemical Analysis and GC-MS profiling in the leaves of *Sauropus androgynus* (L.) Merr., Int. J. Drug Dev. & Res.
- Utomo, A.B., Suprijono, A., Risdianto, A., Tinggi, S., Farmasi, I., Semarang, Y.P., n.d. Uji Aktivitas Antioksidan Kombinasi Ekstrak Sarang Semut (*Myrmecodia pendans*) & Ekstrak Teh Hitam (*Camellia sinensis* O.K.var.assamica (mast.)) Dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil).
- Voight, R. (1994). *Buku Pelajaran Teknologi Farmasi*. Edisi ke-5. Diterjemahkan oleh Dr. Soendani Noerono. Yogyakarta: Gadjah Mada University Press.
- Winarsi, H. (2007): *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Penerbit Kanisius
- Wiradimadja, R., Burhanuddin, H., Deny Saefulhadjar, dan, n.d. Peningkatan Kadar Vitamin A pada Telur Ayam melalui Penggunaan Daun Katuk (*Sauropus androgynus* (L.) Merr.), dalam Ransum (Improvement of Vitamin A Content in Chicken Egg by Katuk Leaves (*Sauropus androgynus* (L.) Merr.), Utilization in the Diet).
- Yuslianti, R. E. (2017). *Pengantar Radikal Bebas dan Antioksidan*. Yogyakarta : Deepublish.
- Yu, S.F., Shun, C.T., Chen, T.M. & Chen, Y.H. (2006). 3-O- β -D-Glucosyl-(1 $\rightarrow$ 6)- β -D-glucosyl-kaempferol Isolated from *Sauropus androgenus* reduces body weight gain in wistar rats. *Biol. Pharm. Bull.*, 29(12), 2510-2513.
- Zuhra, C. F., J. Br. Tariga dan H. Sitohang, 2008, *Aktivitas Antioksidan Senyawa Flavonoid dari Daun Katuk (Sauropus androgynus* (L) Merr.), *Jurnal Biologi Sumatera*,3(1):7-10