

DAFTAR PUSTAKA

- Agoes, G. 2010. Enkapsulasi Farmasetik. Bandung: Penerbit ITB
- Agnihotri, N., Mishra, R., Goda, C., & Arora, M. (2012). Microencapsulation – A Novel Approach in Drug Delivery : A Review Microencapsulation – A Novel Approach in Drug Delivery : A Review. *Indo Global Journal of Pharmaceutical Sciences*, 2(1), 1–20.
- Amyliana, N. A., Agustini, R., & Sciences, N. (2021). FORMULASI DAN KARAKTERISASI NANOENKAPSULASI YEAST BERAS HITAM DENGAN METODE SONIKASI MENGGUNAKAN POLOXAMER FORMULATION AND CHARACTERIZATION OF NANOENKAPSULATION YEAST BLACK RICE BY SONICATION METHOD WITH POLOXAMER. *UNESA Journal of Chemistry*, 10(2), 184–191.
- Asmorowati, H., & Lindawati, N. Y. (2019). Determination of total flavonoid content in avocado (*Persea americana* Mill .) using spectrofotometry method Penetapan kadar flavonoid total alpukat (*Persea americana* Mill .) dengan metode spektrofotometri, 15(2), 51–63.
- Awaludin, Kartina, Maulianawati, D., Manalu, W., Andriyanto, Septiana, R., ... Lalang, Y. (2020). Phytochemical screening and toxicity of ethanol extract of *Sauropus androgynus*. *Biodiversitas*, 21(7), 2966–2970. <https://doi.org/10.13057/biodiv/d210712>
- Aziziy, M. H., Tobing, O. L., & Mulyaningsih, Y. (2020). KARAKTERISASI MORFOLOGI DAN KUALITAS BERBAGAI AKSESI KATUK (*Sauropus androgynus* (L.) Merr.). *Jurnal Agronida*, 6(April), 1–13.
- Belali, Nagina G, & Chaerunisaa, A. Y. (2019). Solvent Evaporation as an Efficient Microencapsulating Technique for Taste Masking in Fast Disintegrating Oral Tablets. *Indonesian Journal of Pharmaceutics*, 1(3), 99–104.
- Belali, Nagina Gulab, & Chaerunisaa, A. Y. (2019). Solvent Evaporation as an Efficient Microencapsulating Technique for Taste Masking in Fast Disintegrating Oral Tablets. *Indonesian Journal of Pharmaceutics*, 1(3). <https://doi.org/10.24198/idjp.v1i3.23491>
- Bose, R., Kumar, M. S., Manivel, A., & Mohan, S. C. (2018). Chemical Constituents of *Sauropus androgynus* and Evaluation of its Antioxidant Activity. *Research Journal of Phytochemistry*, 12(1), 7–13. <https://doi.org/10.3923/rjphyto.2018.7.13>
- Budiman, I., Tjokropranoto, R., Widowati, W., Fauziah, N., & Erawijantari, P. (2015). Potency of tumeric (*Curcuma longa* L.) extract and curcumin as anti-obesity by inhibiting the cholesterol and triglycerides synthesis in HepG2 cells. *International Journal of Research in Medical Sciences*, 3(5), 1165. <https://doi.org/10.5455/2320-6012.ijrms20150525>
- Cahya, D., & Prabowo, H. (2019). STANDARISASI SPESIFIK DAN NON-SPESIFIK SIMPLISIA DAN EKSTRAK ETANOL RIMPANG KUNYIT (*Curcuma domestica* Val.). *Jurnal Farmasi Udayana*, 8(1), 29. <https://doi.org/10.24843/jfu.2019.v08.i01.p05>
- Evizal, R. (2013). *Rempah & Fitofarmaka*. Lembaga Penelitian Universitas Lampung, Bandar Lampung.
- Feng, Y., Kilker, S. R., & Lee, Y. (2020). Surface charge (zeta-potential) of nanoencapsulated food ingredients. *Characterization of Nanoencapsulated Food Ingredients*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-815667-4.00007-9>

- Freitas, S., Merkle, H. P., & Gander, B. (2005). Microencapsulation by solvent extraction/evaporation: Reviewing the state of the art of microsphere preparation process technology. *Journal of Controlled Release*, 102(2), 313–332. <https://doi.org/10.1016/j.jconrel.2004.10.015>
- Garg Tarun, Singh Onkar, Arora Saahil, M. R. (2011). Patented microencapsulation techniques and its application. *Journal of Pharmacy Research* 2011, 4(7), 2097–2102.
- Guo, J., Li, P., Kong, L., & Xu, B. (2020). Microencapsulation of curcumin by spray drying and freeze drying. *Lwt*, 132(July), 109892. <https://doi.org/10.1016/j.lwt.2020.109892>
- Intan Saridewi, A., Bogoriani, N. W., & Suarya, P. (2018). AKTIVITAS EKSTRAK METANOL RIMPANG KUNYIT PUTIH (*Curcuma zedoaria* Rosc.) SEBAGAI HIPOLIPIDEMIA PADA TIKUS WISTAR PUTIH OBESITAS DENGAN DIET TINGGI KOLESTEROL. *Jurnal Kimia*, 140. <https://doi.org/10.24843/jchem.2018.v12.i02.p08>
- Jyothi, N. V. N., Prasanna, P. M., Sakarkar, S. N., Prabha, K. S., Ramaiah, P. S., & Srawan, G. Y. (2010). Microencapsulation techniques, factors influencing encapsulation efficiency. *Journal of Microencapsulation*, 27(3), 187–197. <https://doi.org/10.3109/02652040903131301>
- Kim, J. H., Kim, O., Yoon, H., Park, J., You, Y., Kim, K., ... You, Y. (2016). Anti-obesity effect of extract from fermented *Curcuma longa* L. through regulation of adipogenesis and lipolysis pathway in high-fat diet-induced obese rats. *Food & Nutrition Research*, 60(60). <https://doi.org/10.3402/fnr.v60.30428>
- Mardikasari, S. A., Suryani, Akib, N. I., & Indahyani, R. (2020). Mikroenkapsulasi Asam Mefenamat Menggunakan Polimer Kitosan dan Natrium Alginat dengan Metode Gelasi Ionik. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 6(2), 192–203. <https://doi.org/10.22487/j24428744.2020.v6.i2.14589>
- Meng, F., Wang, S., Wang, Y., Liu, H., Huo, X., Ma, H., ... Xiong, H. (2017). Microencapsulation of oxalic acid via oil-in-oil (O/O) emulsion solvent evaporation. *Powder Technology*, 320, 405–411. <https://doi.org/10.1016/j.powtec.2017.07.073>
- Muhaimin, & Bodmeier, R. (2017). Effect of solvent type on preparation of ethyl cellulose microparticles by solvent evaporation method with double emulsion system using focused beam reflectance measurement. *Polymer International*, 66(11), 1448–1455. <https://doi.org/10.1002/pi.5436>
- Muhaimin, M., Yusnaidar, Y., Syahri, W., Latief, M., & Chaerunisaa, A. Y. (2020). Microencapsulation of macaranga gigantea leaf extracts: Production and characterization. *Pharmacognosy Journal*, 12(4), 716–724. <https://doi.org/10.5530/pj.2020.12.104>
- Ningsih, A. W., Hanifa, I., & Hisbiyah, A. (2020). Pengaruh Perbedaan Metode Ekstraksi Rimpang Kunyit (*Curcuma domestica*) Terhadap Rendemen dan Skrining Fitokimia. *Journal of Pharmaceutical Care Anwar Medika Artikel*, 2(2), 96–104.
- Nugraheni, A., Yunarto, N., & Sulistyaningrum, N. (2015). Optimasi Formula Mikroenkapsulasi Ekstrak Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.) dengan Penyalut Berbasis Air. *Jurnal Kefarmasian Indonesia*, 5(2), 98–105. <https://doi.org/10.22435/jki.v5i2.4404.98-105>
- Nurdianti, L. (2017). UJI EFEKTIVITAS ANTIOKSIDAN KRIM EKSTRAK ETANOL DAUN KATUK (*Sauropus androgynus* (L) Merr) TERHADAP DPPH (1,1-diphenyl-2-picrylhydrazil). *Jurnal Kesehatan Bakti Tunas Husada: Jurnal*

- Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi*, 17(1), 87.
<https://doi.org/10.36465/jkbth.v17i1.194>
- Onwulata, C. I. (2013). Microencapsulation and functional bioactive foods. *Journal of Food Processing and Preservation*, 37(5), 510–532.
<https://doi.org/10.1111/j.1745-4549.2012.00680.x>
- Ozkan, G., Franco, P., De Marco, I., Xiao, J., & Capanoglu, E. (2019). A review of microencapsulation methods for food antioxidants: Principles, advantages, drawbacks and applications. *Food Chemistry*, 272(July 2018), 494–506.
<https://doi.org/10.1016/j.foodchem.2018.07.205>
- Patonah, P., Susilawati, E., & Riduan, A. (2017). AKTIVITAS ANTIOBESITAS EKSTRAK DAUN KATUK (*Sauropus androgynus* L.Merr) PADA MODEL MENCIT OBESITAS. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 14(02), 137–152. Retrieved from
<http://dx.doi.org/10.30595/pharmacy.v14i2.1715>
- Pratama, R., Abdassah, M., & Chaerunisaa, A. Y. (2021). Review : Stabilitas Bahan Alam dalam Mikroenkapsulasi. *Majalah Farmasetika*, 6(3), 213.
<https://doi.org/10.24198/mfarmasetika.v6i3.33172>
- Rasyadi, Y., Rahim, F., & Handayani, N. F. (2019). Aplikasi Etil Selulosa sebagai Polimer pada Formulasi Mikrokapsul Papain dengan Metode Penguapan Pelarut. *Jurnal Akademi Farmasi Prayoga*, 4(1), 56–63.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of Pharmaceutical Excipients Sixth Edition. *Remington: The Science and Practice of Pharmacy*, 633–643. <https://doi.org/10.1016/B978-0-12-820007-0.00032-5>
- Shan, C. Y., & Iskandar, Y. (2018). STUDI KANDUNGAN KIMIA DAN AKTIVITAS FARMAKOLOGI TANAMAN KUNYIT (*Curcuma longa* L.). *Farmaka, Universitas Padjadjaran, Bandung*, 16(2), 547–555.
- Shargel, L., Yu, A., and Wu, S., 2005, *Biofarmasetika dan Farmakokinetika Terapan*, Edisi kedua, Airlangga University Press, Surabaya. 167 – 187.
- Srifiana, Y., Surini, S., & Yanuar, A. (2014). Mikroenkapsulasi ketoprofen dengan metode koaservasi dan semprot kering menggunakan praelatinisasi pati singkong ftalat sebagai eksipien penyalut. *Jurnal Ilmu Kefarmasian Indonesia*, 12(2), 162–169.
- Sulastri, E., Ibrahim, N., & Budiarti, S. (2019). Mikroenkapsulasi Likopen dari Buah Tomat dengan Metode Penguapan Pelarut. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(1), 108–116.
<https://doi.org/10.22487/j24428744.2019.v5.i1.12406>
- Susanti, N. M. P., Budiman, I. N. ., & Warditiani, N. K. (2015). Skrining Fitokimia Ekstrak Etanol 90 % Daun Katuk (*Sauropus androgynus* (L .) Merr .). *Jurnal Farmasi Udayana*, 3(1), 83–86.
- Syhadat, A., & Siregar, N. (2020). Skrining Fitokimia Daun Katuk (*Sauropus Androgynus*) sebagai Pelancar ASI. *Jurnal Kesehatan Ilmiah Indonesia (Indonesian Health Scientific Journal)*, 5(1), 85–89.
- Taurina, W., Sari, R., Hafinur, U. C., Wahdaningsih, S., & Isnindar. (2017). Optimasi kecepatan dan lama pengadukan terhadap ukuran nanopartikel kitosan-ekstrak etanol 70% kulit jeruk siam (*Citrus nobilis* L.var *Microcarpa*). *Traditional Medicine Journal*, 22(1), 16–20.
- Tiwari, S., & Verma, P. (2011). Microencapsulation technique by solvent evaporation method . *International Journal of Pharmacy & Life Sciences*, 2(8), 998–1005. Retrieved from <http://www.ijplsjournal.com/issues PDF files/aug 2011/10.pdf>
- Verma, K. R., Kumari, P., Maurya, R. K., Kumar, V., Verma, R., & Singh, R. K.

- (2018). Medicinal properties of turmeric (*Curcuma longa* L.): A review. *International Journal of Chemical Studie*, 6(4), 1354–1357.
- Waghulde, M., & Naik, J. (2017). Comparative study of encapsulated vildagliptin microparticles produced by spray drying and solvent evaporation technique. *Drying Technology*, 35(13), 1645–1655.
<https://doi.org/10.1080/07373937.2016.1273230>
- Warditiani, N. K., Milawati, & Susanti, N. M. P. (2016). Anti dyslipidemic activity of Katuk leaves saponins fraction (*Sauropus androgynus* (L) Merr) in rats induced with fat-rich diet. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(5), 418–420.
- Yadav, D., Yadav, S. K., Khar, R. K., Mujeeb, M., & Akhtar, M. (2013). Turmeric (*Curcuma longa* L.): A promising spice for phytochemical and pharmacological activities. *International Journal of Green Pharmacy*, 7(June), 85–90.
<https://doi.org/10.4103/0973-8258.116375>
- Yoshizawa, H. (2004). Trends in microencapsulation research. *KONA Powder and Particle Journal*, 22(March), 23–31. <https://doi.org/10.14356/kona.2004009>
- Yuni Hendrawati, T., Meta Sari, A., Iqbal Syauqi Rahman, M., Ariatmi Nugrahani, R., & Siswahyu, A. (2019). Microencapsulation Techniques of Herbal Compounds for Raw Materials in Food Industry, Cosmetics and Pharmaceuticals. *Microencapsulation - Processes, Technologies and Industrial Applications*, (1), 1–15. <https://doi.org/10.5772/intechopen.82415>
- Yunita, O., Wijayanto, D. V., Hapsari, A. D., Sari, M. L. W. W., & Krisnawan, A. H. (2021). Characterization of Green Pigment from *Sauropus androgynus* Shoot Cultures. *MPI (Media Pharmaceutica Indonesiana)*, 3(3), 128–137.
<https://doi.org/10.24123/mpi.v3i3.4447>