

**ASUHAN KEPERAWATAN PADA PASIEN NSTEMI
DENGAN PENURUNAN CURAH JANTUNG
DI RUANG CEMPAKA RSUD MAJALAYA**

**GANJAR HADI KURNIAWAN
221FK01039**

Program Studi DIII Keperawatan Fakultas Keperawatan
Universitas Bhakti Kencana

ABSTRAK

Latar belakang : NSTEMI adalah salah satu serangan jantung yang ketika dilakukan pemeriksaan EKG tidak terdapat peningkatan ST segmen, NSTEMI sendiri diakibatkan oleh penyempitan atau sumbatan arteri koroner yang membuat pasien mengalami nyeri area dada, sesak, dan penurunan saturasi oksigen. Masalah utama yang sering muncul pada pasien NSTEMI adalah penurunan curah jantung kondisi ini menyebabkan terhambatnya aliran oksigen masuk ke dalam tubuh yang dapat mengganggu metabolisme yang dibutuhkan tubuh untuk menghasilkan energi saat beraktivitas. **Tujuan penulisan** ini adalah untuk menggambarkan asuhan keperawatan pada pasien NSTEMI dengan penurunan curah jantung di ruang cempaka RSUD Majalaya **Metode** : metode penulisan adalah deskriptif dengan pendekatan studi kasus yaitu untuk menggambarkan asuhan keperawatan pada pasien NSTEMI dengan gangguan penurunan curah jantung. Studi Kasus ini dilakukan pada dua orang pasien NSTEMI dengan penurunan curah jantung. **Hasil** : setelah dilakukan asuhan keperawatan dengan memberikan intervensi keperawatan selama 3x24 jam, masalah keperawatan pasien dengan penurunan curah jantung pada pasien1 dan 2 teratasi di hari ketiga. **Diskusi** : pasien NSTEMI dengan penurunan curah jantung diberikan posisi semi fowler dan pemberian oksigen, agar kerja jantung tidak berat dan kebutuhan oksigen yang dipompa oleh jantung dapat berfungsi secara optimal.

Kata Kunci : Asuhan Keperawatan, NSTEMI, penurunan curah jantung

**NURSING CARE FOR NSTEMI PATIENTS
WITH DECREASE IN CARDIAC OUTPUT
IN THE CEMPAKA ROOM OF MAJALAYA REGIONAL HOSPITAL**

**GANJAR HADI KURNIAWAN
221FK01039**

*DIII Nursing Study Program, Faculty of Nursing
Bhakti Kencana University*

ABSTRACT

Background: NSTEMI is a type of heart attack that does not show an increase in the ST segment when an ECG is performed. NSTEMI itself is caused by narrowing or blockage of the coronary arteries which causes the patient to experience chest pain, shortness of breath, and decreased oxygen saturation. The main problem that often occurs in NSTEMI patients is decreased cardiac output. This condition causes the flow of oxygen into the body to be blocked, which can interfere with the metabolism needed by the body to produce energy during activity. **The purpose of this paper is** to describe nursing care for NSTEMI patients with decreased cardiac output in the Cempaka Room of Majalaya Hospital. **Method:** The writing method is descriptive with a case study approach, namely to describe nursing care for NSTEMI patients with decreased cardiac output. This case study was conducted on two NSTEMI patients with decreased cardiac output. **Results:** After nursing care was carried out by providing nursing interventions for 3x24 hours, the nursing problems of patients with decreased cardiac output in patients 1 and 2 were resolved on the third day. **Discussion:** NSTEMI patients with decreased cardiac output are given a semi-Fowler position and oxygen is given, so that the heart does not work hard and the oxygen needs pumped by the heart can function optimally.

Keywords: Decreased cardiac output, , NSTEMI, Nursing Care