

DAFTAR PUSTAKA

- [MIMS] Monthly Index of Medical Specialities. 2024. *Gliclazide 60 MR Fahrenheit*. Diakses pada pukul 21.45. Tersedia pada <https://www.mims.com/indonesia/drug/info/gliclazide%2060%20mr%20fahrenheit>
- Atlas, I.D.F.D., 1955. International Diabetes Federation, The Lancet. [https://doi.org/10.1016/S0140-6736\(55\)92135-8](https://doi.org/10.1016/S0140-6736(55)92135-8)
- Aulia Ramdini, D., Koernia Wahidah, L., Atika, D., 2021. Evaluasi Rasionalitas Penggunaan Obat Diabetes Melitus Tipe Ii Pada Pasien Rawat Jalan Di Puskesmas Pasir Sakti Tahun 2019. JFL J. Farm. Lampung 9, 69–76. <https://doi.org/10.37090/jfl.v9i1.334>
- Campbell, D.B., Lavielle, R., Nathan, C., 1991. The mode of action and clinical pharmacology of gliclazide: a review. Diabetes Res. Clin. Pract. 14. [https://doi.org/10.1016/0168-8227\(91\)90005-X](https://doi.org/10.1016/0168-8227(91)90005-X)
- Chen, L.L., Yu, F., Zeng, T.S., Liao, Y.F., Li, Y.M., Ding, H.C., 2011. Effects of gliclazide on endothelial function in patients with newly diagnosed type 2 diabetes. Eur. J. Pharmacol. 659, 296–301. <https://doi.org/10.1016/j.ejphar.2011.02.044>
- DIPIRO, 2020. Book Review: Pharmacotherapy: A Pathophysiologic Approach, 6th Edition, Annals of Pharmacotherapy. <https://doi.org/10.1345/aph.1h160>
- DIPIRO, 2013. Pharmacotherapy Principles _ Practice 3th.
- Graal, M.B., Wolffenbuttel, B.H.R., 1999. The use of sulphonylureas in the elderly. Drugs and Aging 15, 471–481. <https://doi.org/10.2165/00002512-199915060-00007>
- Isnani, N., Mulyani, M., 2018. Studi Farmakovigilans Obat Antidiabetes Pada Pasien Rawat Jalan Diabetes Melitus Tipe Ii Di Rsud Dr. H. Moch. Ansari Saleh Banjarmasin. J. Ilm. Ibnu Sina Ilmu Farm. dan Kesehat. 3, 285–293

Kemenkes, 2023. No Title [WWW Document]. URL https://yankes.kemkes.go.id/view_artikel/2052/benarkah-penyandang-diabetes-harus-berhati-hati-dengan-kaki-mereka

Kemenkes, 2019. PEDOMAN PELAYANAN KEFARMASIAN PADA DIABETES MELITUS.

Kemenkes RI, 2016. Standar Pelayanan Kefarmasian. Peratur. Menteri Kesehat. Republik Indones. Nomor 72 Tahun 2016 31–48.

Kirkman, M.S., Mahmud, H., Korytkowski, M.T., 2018. Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes Mellitus. *Endocrinol. Metab. Clin. North Am.* 47, 81–96. <https://doi.org/10.1016/j.ecl.2017.10.002>

O'Brien, R.C., Luo, M., Balazs, N., Mercuri, J., 2000. In vitro and in vivo antioxidant properties of gliclazide. *J. Diabetes Complications* 14, 201–206. [https://doi.org/10.1016/S1056-8727\(00\)00084-2](https://doi.org/10.1016/S1056-8727(00)00084-2)

PERKENI, 2021. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. *Glob. Initiat. Asthma* 46.

Pradani, S.A., Kundarto, W., 2018. Evaluasi Ketepatan Obat dan Dosis Obat Anti Tuberkulosis pada Pasien Anak Di Instalasi Rawat Jalan RSUDDr. Moewardi Surakarta Periode 2016-2017. *JPSCR J. Pharm. Sci. Clin. Res.* 3, 93. <https://doi.org/10.20961/jpscr.v3i2.22200>

RI, M.K., 2016. PERMENKES Nomor 72 Tahun 2016. *Rev. Bras. Ergon.* 9, 10.

Scott, N.A., Jennings, P.E., Brown, J., Belch, J.J.F., 1991. Gliclazide: a general free radical scavenger. *Eur. J. Pharmacol. Mol. Pharmacol.* 208, 175–177. [https://doi.org/10.1016/0922-4106\(91\)90069-T](https://doi.org/10.1016/0922-4106(91)90069-T)

Shorr, R.I., 1997. Incidence and Risk Factors for Serious Hypoglycemia in Older Persons Using Insulin or Sulfonylureas. *Arch. Intern. Med.* 157, 1681. <https://doi.org/10.1001/archinte.1997.00440360095010>

Soelistijo, S.A., et al, 2019. Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. PB Perkeni 133.