

ABSTRAK

GAMBARAN TINGKAT NYERI PADA PASIEN PASCA OPERASI FRAKTUR ORTOPEDI DENGAN ANESTESI UMUM DI RUANG RAWAT INAP RUMAH SAKIT UMUM DAERAH dr. SLAMET GARUT

MUHAMAD FAJRUL FADILAH

201FI03029

Program Studi Sarjana Terapan Keperawatan Anestesiologi Fakultas Ilmu
Kesehatan Universitas Bhakti Kencana

Bedah ortopedi merupakan suatu tindakan pembedahan yang dilakukan pada masalah yang terjadi pada system musculoskeletal seperti tulang, otot, sendi, tendon dan ligament yang dilakukan oleh ahli ortopedi. Tujuan dari penelitian ini adalah untuk mengetahui gambaran tingkat nyeri pada pasien pasca operasi fraktur ortopedi dengan anastesi umum di ruang rawat inap RSUD dr. Slamet Garut. Dalam penelitian ini peneliti menggunakan metode pendekatan *crosssectional* dengan instrumen lembar observasi NRS (*Numeric Rating Scale*). Pengambilan sampel dalam penelitian ini yaitu menggunakan teknik *total sampling* dengan *accidental sampling*. Sampel berjumlah 32 responden. Hasil penelitian yang diperoleh sebagian besar responden merasakan skala nyeri sedang (4-6) dengan jumlah 20 orang (62,5%). Manajemen nyeri pasien post operasi fraktur ditangani dengan terapi farmakologi dengan jumlah responden 32 orang (100%). Terapi farmakologi yang diberikan yaitu obat analgetik kombinasi tramadol dan ketorolac. Manajemen nyeri yang diberikan sudah berjalan dengan baik akan tetapi ada beberapa responden ternyata analgetik yang diberikan masih kurang sehingga masih merasakan nyeri sedang sampai berat.

Kata Kunci : Anestesi Umum, Nyeri, Orthopedi

ABSTRACT

DESCRIPTION OF PAIN LEVELS IN PATIENTS POSTOPERATIVE ORTHOPEDIC FRACTURE WITH GENERAL ANESTHESIA IN THE INPATIENT ROOM

RSUD dr. SLAMET GARUT

MUHAMAD FAJRUL FADILAH

201FI03029

Bachelor of Applied Nursing Anesthesiology Study Program, Faculty of Health
Sciences, Bhakti Kencana University

Orthopedic surgery is a surgical procedure performed on problems that occur in the musculoskeletal system such as bones, muscles, joints, tendons and ligaments performed by orthopedists. The purpose of this study was to determine the description of pain levels in patients after orthopedic fracture surgery with general anesthesia in the inpatient room of RSUD Dr. Slamet Garut. In this study researchers used a crosssectional approach method approach with the NRS (Numeric Rating Scale) observation sheet instrument. Sampling in this study is using total sampling technique with accidental sampling. The sample amounted to 32 respondents. The results obtained most of the respondents felt a moderate pain scale (4-6) with a total of 20 people (62.5%). Pain management of postoperative fracture patients is handled with pharmacological therapy with 32 respondents (100%). The pharmacological therapy provided is a combination of analgesic drugs tramadol and ketorolac. The pain management provided has gone well, but there are some respondents who find that the analgesics given are still lacking so they still feel moderate to severe pain.

Keywords: General Anesthesia, Pain, Orthopedic