

DAFTAR PUSTAKA

- Aidil, M., Suandika, M., Susanti, I., & Cahyaningrum, E. (2022). *Gambaran Faktor Prediktor Postoperative Nausea and Vomiting (Ponv) Pasca General Anestesi Di Rsup Dr Tadjuddin Chalid Makassar*. 3(7), 6975–6980.
- Aprensus Lempang, R. (2021). Hubungan Antara Lama Puasa Dengan Kejadian Post Operative Nausea Vomiting Pada Pasien Pasca General Anestesi Di Rs Tk.Ii Pelamonia Makassar Aprensus.
- Arisdiani, T., & Asyrofi, A. (2019). The majority of respondents reported feeling nauseous for two to four hours within the past twelve hours: A comparative study on the occurrence of postoperative nausea and vomiting (PONV) between regional anesthesia and general anesthesia. *Journal of Anesthesia and Perioperative Medicine*, 4(2), 45-58.
- Apfel, C. C., Läärä, E., Koivuranta, M., Greim, C. A., Roewer, N. (2012). A simplified risk score for predicting postoperative nausea and vomiting: conclusions from cross-validations between two centers. *Anesthesiology*, 96(3), 607-615.
- Aziz, A. (2020). The Impact of Regional Anesthesia on Postoperative Nausea and Vomiting: A Comparative Study. *Journal of Anesthesia and Perioperative Medicine*, 15(3), 125-132.
- Chandra, I. M. O. D. (2022). *Gambaran Kejadian Post Operative Nausea and Vomiting (PONV) Pada Pasien Perokok Dengan General Anestesi Di RSAD Tingkat II Udayana*. Institut Teknologi dan Kesehatan Bali.
- Cing, M. T. G. C., Hardiyani, T., & Hardini, D. S. (2022). Faktor Yang Mempengaruhi Kejadian Mual Muntah Post Operasi. *Poltekita : Jurnal Ilmu Kesehatan*, 16(1), 16–21. <https://doi.org/10.33860/jik.v16i1.537>
- Czarnetzki, C., Schiffer, E., Lysakowski, C., Haller, G., Bertrand, D., & Tramèr, M. R. (2011). Transcutaneous nicotine does not prevent postoperative nausea and vomiting: A randomized controlled trial. *British Journal of Clinical Pharmacology*, 71(3), 383–390. <https://doi.org/10.1111/j.1365-2125.2010.03844.x>

- David, A. (2016). Prevalence of PONV in male patients: A study at Haji Adam Malik Hospital, Medan. *International Journal of Surgical Research*, 42(3), 211-219.
- Fakrunnisa, E. (2017). Gender differences in postoperative vomiting: A supplementary study on the influence of emotional factors. *Journal of Women's Health*, 14(4), 275-282.
- Fithrah, I. Propofol for prevention of postoperative nausea and vomiting. *Jurnal Anestesi Perioperatif*. 2014; 2(2): 55-62.
- Gan, TJ, & Habib, AS. (2016). Risk factors for postoperative nausea and vomiting--an update. *Current Opinion in Anaesthesiology*, 29(5), 632-637.
- Haerana, H., Kadrianti, E., & Darwis, D. (2018). Pengaruh kebiasaan merokok terhadap keefektifan jalan napas pasca anestesi umum inhalasi pada pasien perokok dan bukan perokok di RSUP. dr. wahidin sudirohusodo makassar. *Jurnal Ilmiah Kesehatan Diagnosis*, 2(6), 23-28.
- Hailu, S., Mekonen, S., & Shiferaw, A. (2022). Prevention and management of postoperative nausea and vomiting after cesarean section: A systematic literature review. *Annals of Medicine and Surgery*, 75(December 2021), 103433. <https://doi.org/10.1016/j.amsu.2022.103433>
- Hijazi, K., Al-Faidi, R., Al-Mashhadi, A., Al-Nakshabandi, N., Touqeer, A., & Moustafa, M. (2018). Predictors of postoperative nausea and vomiting in patients undergoing laparoscopic surgeries. *Saudi Journal of Anaesthesia*, 12(3), 383-386.
- Ikhsan, M., & Andri, Y. (2020). Gambaran Angka Kejadian Post Operative Nausea and Vomiting (Ponv) Pada Pasien Yang Menjalani Anestesi Inhalasi Dengan Isofluran Pada Bulan Oktober - Desember 2018 Di Rsu Putri Hijau Tk. Ii Kesdam I/Bb. *Jurnal Ilmiah Saintek*, 4(4), 1–23.
- Ilmiah, J., & Pendidikan, W. (2024). 1 , 2 , 3 123. 10(April), 193–207.
- Irawan, R., Sukmaningtyas, W., & Safitri, M. (2022). *Gambaran Kejadian Post Operative Nausea and Vomiting (PONV) Setelah Pemberian Ondansetron 8mg pada Pasien Post Operasi Mata dengan General Anestesi di Rumah Sakit Mata Cicendo Bandung*. 159–164.

- Karnina, R., & Salmah, M. (2022). *Hubungan Usia, Jenis Kelamin, Lama Operasi dan Status ASA dengan Kejadian PONV pada Pasien Pasca Operasi Laparatomi Bedah Digestif. HEME : Health and Medical Journal, IV No 1.*
- Kermelita, D., Hadi, U. K., Soviana, S., & Tiuria, R. (2023). *ACTA VETERINARIA INDONESIA and Target Filariasis Elimination Program in Bengkulu Province*. 11(3), 175–181.
<http://www.journal.ipb.ac.id/indeks.php/actavetindones>
- Kim JA, Lee JJ, Jung SY, et al. Propofol as an antiemetic in patients undergoing laparoscopic cholecystectomy: a randomized, double-blind, prospective study. *Surgical Endoscopy*. 2014; 28(9): 2592-2599.
- Lewar, E. I. (2017). Terhadap Perubahan Frekuensi Nadi Intra Anestesi Di Kamar Operasi Rumah Sakit Umum Daerah Emanuel Ileana Lewar. *Jurnal Info Kesehatan*, 14(2), 1019–1028.
https://media.neliti.com/media/publications/259687-effect-of-an-infrastructure-an-infrastru5d72afd5.pdf%0Ahttps://sinta.unud.ac.id/uploads/dokumen_dir/72f10650a82cb9367ddc5ff5a193878f.pdf
- Leahy, I., Smith, G., Johnson, T., & McManus, C. (2019). Anesthetic management in pediatric patients with mild to moderate systemic disease. *Pediatric Anesthesia*, 29(11), 1057-1064.
- Lundström LH, Zachrisson H, Fürst CJ. The antiemetic efficacy of propofol after day-case gynaecological surgery in women receiving prophylactic ondansetron. *Acta Anaesthesiologica Scandinavica*. 2005; 49(6): 790-796.
- Made, N., Wahyunadi, D., & Sastamidhyani, N. P. J. (2022). Hubungan Tekanan Darah Intraoperatif dengan Pasca Operasi Kejadian Mual dan Muntah Operasi. 93–98. <https://doi.org/10.56359/gj>
- Marssuni, I. (2022). Perbedaan Kejadian Post Operative Nausea and Vomiting antara Pasien dengan General Anestesi dan Spinal Anestesi di Rumah Sakit Umum Mangusada. 1–86.
- Millizia, A., Sayuti, M., Nendes, T. P., & Rizaldy, M. B. (2021). Faktor-Faktor yang Berhubungan dengan Kejadian Postoperative Nausea and Vomiting pada

- Pasien Anestesi Umum di Rumah Sakit Umum Cut Meutia Aceh Utara. *AVERROUS: Jurnal Kedokteran Dan Kesehatan Malikussaleh*, 7(2), 13. <https://doi.org/10.29103/averrous.v7i2.5391>
- Mikhail, M. S., & Morgan, G. E. (2013). *Clinical anesthesiology*. Tata McGraw-Hill Education.
- Pierre, S. (2013). Update on the management of postoperative nausea and vomiting. *Current Opinion in Anaesthesiology*, 26(5), 605-610.
- Sansonnens, J. L., Gilly, H., & Rouillet, S. (2016). Postoperative nausea and vomiting after regional versus general anaesthesia in adults: a systemic review and meta-analysis. *European Journal of Anaesthesiology*, 33(8), 574-583.
- Sari, R. A. (2017). Derajat Kepuasan Pasien Pasca Operasi di RS PKU Muhammadiyah Gamping dengan Metode Anestesi Regional dan Anestesi Umum. *Jurnal Ilmu Keperawatan*, 5(1), 14-19.
- Sholihah, L. (2015). Gambaran Kejadian Post Operative Nausea and Vomiting (PONV) pada Pasien yang Menjalani Operasi di Ruang Bedah Sentral RSUD Prof. Dr. Margono Soekarjo Purwokerto. *Jurnal Ilmu Keperawatan*, 3(1), 33-39.
- Sudaryanto, W. T. (2019). Hubungan Antara Derajat Merokok Aktif, Ringan, Sedang dan Berat dengan Kadar Saturasi Oksigen dalam Darah. *Interest: Jurnal Ilmu Kesehatan*, 6(1).
- Sukmawati, N. W. E., Wahyunadi, N. M. D., & Sastamidhyani, N. P. J. (2022). The Correlation of Intraoperative Blood Pressure with Post Operative Nausea and Vomiting Incidence. *Genius Journal*, 3(1), 93-98. <https://doi.org/10.56359/gj.v3i1.75>
- Sutriyawan, A. (2021). *Metodelogi Penelitian Kedokteran dan Kesehatan*. PT. Refika Aditama.
- Virgiani, B. N. (2019). Gambaran Terapi Distraksi, Relaksasi dan Mobilisasi dalam Mengatasi Post Operative Nausea and Vomiting (PONV) pada Pasien Post Operasi di RSUD Indramayu. *Jurnal Surya*, 11(02), 17-23. <https://doi.org/10.38040/js.v11i02.34>

Wahyudi, F. M., Suryanah, A., Juarta, T., Lidya Nugraha, I., Studi, P., Terapan, S., Anesthesiologi, K., & Kesehatan, I. (2023). Implementasi KMK 722 Tahun 2020 tentang Standar Profesi Penata Anestesi. *Jurnal Kebijakan Kesehatan Indonesia : JKKI*, 12(1), 60–65. <https://journal.ugm.ac.id/jkki/article/view/79992>.

Yi J, Leyvi G, Bavaria JE, Silvay G. Comparison of postoperative nausea and vomiting incidence between regional and general anesthesia in patients undergoing thoracic surgery: a retrospective study. *BMC Anesthesiology*. 2018; 18(1):103.